

CADTH

pCODR

PAN-CANADIAN
ONCOLOGY DRUG REVIEW

**pan-Canadian Oncology Drug Review
Initial Economic Guidance Report**

**Carfilzomib (Kyprolis) plus Dexamethasone for
Multiple Myeloma**

February 2, 2017

DISCLAIMER

Not a Substitute for Professional Advice

This report is primarily intended to help Canadian health systems leaders and policymakers make well-informed decisions and thereby improve the quality of health care services. While patients and others may use this report, they are made available for informational and educational purposes only. This report should not be used as a substitute for the application of clinical judgment in respect of the care of a particular patient or other professional judgment in any decision making process, or as a substitute for professional medical advice.

Liability

pCODR does not assume any legal liability or responsibility for the accuracy, completeness or usefulness of any information, drugs, therapies, treatments, products, processes, or services disclosed. The information is provided "as is" and you are urged to verify it for yourself and consult with medical experts before you rely on it. You shall not hold pCODR responsible for how you use any information provided in this report.

Reports generated by pCODR are composed of interpretation, analysis, and opinion on the basis of information provided by pharmaceutical manufacturers, tumour groups, and other sources. pCODR is not responsible for the use of such interpretation, analysis, and opinion. Pursuant to the foundational documents of pCODR, any findings provided by pCODR are not binding on any organizations, including funding bodies. pCODR hereby disclaims any and all liability for the use of any reports generated by pCODR (for greater certainty, "use" includes but is not limited to a decision by a funding body or other organization to follow or ignore any interpretation, analysis, or opinion provided in a pCODR report).

FUNDING

The pan-Canadian Oncology Drug Review is funded collectively by the provinces and territories, with the exception of Quebec, which does not participate in pCODR at this time.

INQUIRIES

Inquiries and correspondence about the pan-Canadian Oncology Drug Review (pCODR) should be directed to:

pan-Canadian Oncology Drug Review
154 University Avenue, Suite 300
Toronto, ON
M5H 3Y9

Telephone: 613-226-2553
Toll Free: 1-866-988-1444
Fax: 1-866-662-1778
Email: info@pcodr.ca
Website: www.cadth.ca/pcodr

TABLE OF CONTENTS

| | |
|---|-----|
| DISCLAIMER | ii |
| FUNDING | ii |
| INQUIRIES | iii |
| TABLE OF CONTENTS..... | iv |
| 1 ECONOMIC GUIDANCE IN BRIEF..... | 1 |
| 1.1 Submitted Economic Evaluation..... | 1 |
| 1.2 Clinical Considerations | 2 |
| 1.3 Submitted and EGP Reanalysis Estimates | 3 |
| 1.4 Detailed Highlights of the EGP Reanalysis | 3 |
| 1.5 Evaluation of Submitted Budget Impact Analysis..... | 4 |
| 1.6 Conclusions..... | 5 |
| 2 DETAILED TECHNICAL REPORT | 6 |
| This section outlines the technical details of the pCODR Economic Guidance Panel’s evaluation of the economic evidence that is summarized in Section 1. Pursuant to the <i>pCODR Disclosure of Information Guidelines</i> , this section is not eligible for disclosure. It was provided to the pCODR Expert Review Committee (pERC) for their deliberations. | |
| 3 ABOUT THIS DOCUMENT..... | 7 |
| REFERENCES | 8 |

1 ECONOMIC GUIDANCE IN BRIEF

1.1 Submitted Economic Evaluation

The economic analysis submitted to pCODR by Amgen Canada compared carfilzomib plus dexamethasone (Cd) to bortezomib plus dexamethasone (Bd) for patients with relapsed multiple myeloma who have received one to three prior therapies.

Table 1. Submitted Economic Model

| | |
|--|---|
| Funding Request/Patient Population Modelled | <i>As above</i> |
| Type of Analysis | <i>CUA & CEA</i> |
| Type of Model | <i>Partitioned-survival</i> |
| Comparator | <i>Bortezomib plus dexamethasone</i> |
| Year of costs | <i>Not stated</i> |
| Time Horizon | <i>20 years</i> |
| Perspective | <i>Government</i> |
| Cost of carfilzomib | <p>Carfilzomib costs \$1,533.33^{&} per single-use vial of 60 mg</p> <p>Administered via IV on two consecutive days, each week for three weeks (days 1, 2, 8, 9, 15, 16) followed by a 12-day rest period (days 17 - 28). Starting dose of 20 mg/m² in Cycle 1 on Days 1 & 2. If tolerated, dose increased to 56/ m² for all subsequent doses.</p> <p>Without wastage:</p> <ul style="list-style-type: none"> • \$409.53 per day and \$11,466.84 per 28-day course (cycle 1) • \$521.22 per day and \$14,594.16 per 28-day course (cycles 2 and subsequent) <p>With wastage:</p> <ul style="list-style-type: none"> • For Cycle 1 carfilzomib costs \$547.50 per day and \$15,330.00 per 28-day cycle. • For all subsequent cycles, carfilzomib costs, \$657.00 per day and \$18,396.00 per 28-day cycle. |
| Cost of bortezomib * Price Source: IMS Brogan accessed [March 1, 2016] | <p>Based on a list generic price, bortezomib costs 1,402.4200 per 3.5mg vial. At a recommended dose of 1.3 mg/m² on days 1, 4, 8, 11 of each 21-day cycle bortezomib costs:</p> <ul style="list-style-type: none"> • \$168.6720 per day • \$4,722.8160 per 28-day course |
| Cost of dexamethasone * Price Source: IMS Brogan accessed [March 1, 2016] | <p>Dexamethasone costs 0.3046 per 4mg tablet. When combined with bortezomib and at the recommended dose of 20 mg on days 1, 2, 8, 9, 15, 16, 22, and 23 of a 28-day cycle dexamethasone costs:</p> <ul style="list-style-type: none"> • \$0.5802 per day • \$16.2456 per 28-day course <p>When combined with carfilzomib and at the recommended dose of 20 mg oral or IV infusion on days 1,2,8,9,15,16,22,23 of a 28-day cycle, dexamethasone costs:</p> <ul style="list-style-type: none"> • \$0.4351 per day • \$12.18 per 28-day course |
| Model Structure | A three-state partitioned survival model was developed with a 20-year time horizon. The three health states were progression-free, progressed and death. |
| Key Data Sources | <i>ENDEAVOR trial</i> <i>SEER registry</i> |
| <p>^{&}Amgen confirmed previously that a 10mg and 30mg vial size for carfilzomib are expected to become available February 2017. The anticipated cost of the 10 mg and 30 mg carfilzomib vial is \$255.55 and \$766.66 respectively</p> <p>[#]Costs are calculated using a body surface area of 1.7m². In the submitted economic model a BSA of 1.7m² was used to calculate costs.</p> <p>[*]Drug costs for all comparators in this table are based on costing information under license from IMS Health Canada Inc. concerning the following information service(s): DeltaPA. and may be different from those used by</p> | |

the submitter in the economic model. The analyses, conclusions, opinions and statements expressed are those of the Canadian Agency for Drugs and Technologies in Health and not those of IMS Health Canada Inc.

1.2 Clinical Considerations

According to the pCODR Clinical Guidance Panel (CGP), this comparison is appropriate. The Clinical Guidance Panel considered that a bortezomib based regimen, including both bortezomib plus dexamethasone and cyclophosphamide plus bortezomib plus dexamethasone, to be the clinically relevant comparator in this setting. The Submitter did include this comparison in modifications to the main economic analysis.

- Relevant issues identified by the CGP included:
 - There is a net overall clinical benefit to carfilzomib plus dexamethasone compared to bortezomib plus dexamethasone, acknowledging that progression-free survival is a reasonable surrogate endpoint for overall survival in myeloma
 - While there is no efficacy data for using carfilzomib plus dexamethasone in patients with ECOG performance status (PS) greater than 2, based on the data available and the manageable toxicity profile of this regimen, PS alone should not be a criteria to exclude patients from treatment. In patients with disease-related ECOG performance status of 3 or greater, carfilzomib plus dexamethasone may be appropriate, and this would be consistent with standard practice with other myeloma therapies.
 - The CGP recommends dosing carfilzomib plus dexamethasone as per the ENDEAVOR trial, and not the lower doses examined in the ASPIRE trial that were used in conjunction with lenalidomide.

Summary of registered clinician input relevant to the economic analysis

Registered clinicians considered improved progression-free survival and increased choice of treatment in this population as important factors to be considered in this review. These were considered in the economic analysis.

Summary of patient input relevant to the economic analysis

Patients considered maintaining quality of life, managing/minimizing side effects and disease control as the three most important factors in treatment multiple myeloma. These factors were considered in the economic analysis.

Summary of Provincial Advisory Group (PAG) input relevant to the economic analysis

PAG considered the following factors (enablers or barriers) important to consider if implementing a funding recommendation for carfilzomib plus dexamethasone, which are relevant to the economic analysis:

Enablers

- Additional treatment option for patients who cannot receive bortezomib.

Barriers

- Cost of carfilzomib;
- Drug wastage (though this will be minimized with 10mg and 30mg vials);
- Intense dosing schedule for intravenous infusion;
- Intense hydration protocol and required health care resources;
- Additional resources to monitor adverse effects;
- Unknown treatment duration; and
- Dosing at 56 mg/m²

1.3 Submitted and EGP Reanalysis Estimates

Table 2. Submitted and EGP Reanalysis Estimates

| Estimates (range/point) | Submitted | EGP Reanalysis Lower bound | EGP Reanalysis Upper bound |
|-------------------------|-----------|----------------------------|----------------------------|
| ΔE (LY) | 0.791 | 0.595 | 0.595 |
| Progression-free | 0.985 | 0.974 | 0.974 |
| Post-progression | -0.194 | -0.379 | -0.379 |
| ΔE (QALY) | 0.765 | 0.602 | 0.553 |
| Progression-free | 0.828 | 0.819 | 0.739 |
| Post-progression | -0.063 | 0.217 | -0.186 |
| ΔC (\$) | \$147,701 | \$157,554 | \$163,029 |
| ICER estimate (\$/QALY) | \$192,997 | \$261,648 | \$294,931 |

1.4 Detailed Highlights of the EGP Reanalysis

The EGP made the following changes to the economic model:

- Shortening of time horizon: The base case analysis used 20 years as the time horizon for patients. The CGP has identified that given the stage of disease patients eligible for carfilzomib plus dexamethasone are in, 10 years is an appropriate time horizon for these patients based on their clinical practice.
- Bortezomib dosing 1 x week: The base case analysis used twice per week dosing for bortezomib. The EGP however used once per week dosing. This is a conservative estimate and was based on feedback from the CGP, who indicated that in clinical practice bortezomib is given once per week. However, the EGP recognizes that changing this parameters requires the assumption that the efficacy of the drug (bortezomib) would be equal whether the dosing is once or twice a week. There is no evidence to suggest different efficacies based on dosing.
- OS modeling using a parametric curve, not the SEER data: In the base case analysis, data from a large United States based registry (the US SEER database) was used to model OS as the ENDEAVOR trial data was immature and medians had not been reached. The CGP indicated that the SEER database includes patients with inactive (smoldering) myeloma, which may overestimate the survival of patients with multiple myeloma. Following inspection of the modeled OS with the Weibull curve over the full time horizon (Figure 4), the EGP chose to include this as a conservative best estimate. Therefore the Weibull curve was used over the full time horizon in the EGP re-analysis.
- Time on subsequent treatments: the base case analysis assumed that patients progressing on the carfilzomib group would go on to receive 16 cycles of subsequent treatment while patients in the bortezomib group would receive 17 cycles of subsequent treatment. As there is no clinical plausibility to have different lengths of time on subsequent treatments, the EGP set this parameter to be equal to 16 cycles for both treatment arms.
- Utilities: In the base case analysis utilities were derived from the literature and adjusted to trial values. The CGP felt the literature values used in the base case were high and may not be reflective of the population under review. As utilities were collected in the trial were mapped and could be imputed into the model, given that there is no strong rationale to not use trial data for the utilities, the EGP chose to use utilities directly from the trial.

Table 3. EGP Reanalysis Estimates

| Description of Reanalysis | ΔC | ΔE QALYs | ICUR (QALY) | Δ from baseline submitted ICER |
|---|-----------|-------------|----------------|-----------------------------------|
| <i>Submitted base case</i> | \$147,701 | 0.765 | \$192,997 | ----- |
| EGP's Reanalysis for the Best Case Estimate | | | | |
| LOWER BOUND | | | | |
| <i>Time horizon - 10 years</i> | \$143,559 | 0.595 | \$241,195 | \$48,198 |
| <i>Bortezomib once weekly dosing</i> | \$161,442 | 0.765 | \$210,952 | \$17,955 |
| <i>OS - Weibull parametric curve for time horizon</i> | \$147,906 | 0.760 | \$194,609 | \$1,612 |
| Best case estimate of above parameters | \$157,554 | 0.602 | \$261,648 | \$68,651 |
| UPPER BOUND | | | | |
| <i>Time on subsequent treatments- 16 cycles for both arms</i> | \$153,176 | 0.765 | \$200,219 | \$7,222 |
| <i>Utilities from trial - no adjustment to literatures</i> | \$147,701 | 0.700 | \$210,987 | \$17,990 |
| Best case estimate of above parameters | \$163,029 | 0.553 | \$294,931 | \$101,934 |

The main assumptions and limitations with the submitted economic evaluation were:

- An assumption that the time horizon of patients with relapsed or refractory multiple myeloma who have received one to 3 prior lines of therapy will be 20 years.
- An assumption that a twice per week administration of bortezomib would be used. The CGP identified that in clinical practice, bortezomib is most likely given once a week.
- That the time on subsequent treatment would differ between the two treatment groups.
- Unknown duration of treatment effect due to immaturity of trial data.
- Both treatment arms in the submitted base case models had large gains in benefit (QALY and LY's) in the post-progression period, though the incremental difference during this period was minimal (-0.063 QALY),
- Use of registry data to extrapolate overall survival as median overall survival was not reached in the ENDEAVOR trial.

1.5 Evaluation of Submitted Budget Impact Analysis

Key limitations of the BIA model include the absence of the trial comparator and the use of pricing from Quebec. Though the model did not include the comparator bortezomib plus dexamethasone (Bd), as included in the economic model, it was possible to infer the impact of this comparator on the budget impact analysis by excluding the cost of cyclophosphamide from the costing, and assuming all other parameters in the analysis remain the same. Though this is only an estimate, the result is a minimal decrease in the budget impact.

The factors that most influence the budget impact analysis include treatment duration, transplant ineligible patient treatment pathway, number of eligible patients, and market uptake. An increase in treatment duration of CyBorD (from 6.7 to 10 cycles) and Pd (from 3.1 to 10 cycles) results in a decrease of 48% of the BIA. If transplant ineligible patients receive either Cd or CyBorD after fewer treatment failures, the BIA increases by 26.1%. Both number of eligible patients and market uptake have a linear relationship with the total BIA: an increase in 25% of the market uptake results in a 25% increase in the BIA.

1.6 Conclusions

The EGP's best estimate of ΔC and ΔE for carfilzomib plus dexamethasone when compared to bortezomib plus dexamethasone is:

- Between \$261,648/QALY and \$294,931/QALY
- The extra cost of carfilzomib plus dexamethasone is between \$157,554 and \$163,029. The most relevant factors that influence cost are: the choice of parametric curve for progression-free survival, the dosing of bortezomib, and the cost of carfilzomib.
- The extra clinical effect of carfilzomib plus dexamethasone is between 0.553 and 0.602 QALYs (ΔE). The most relevant factors that influence effectiveness are: the time horizon and the choice of utilities.

Overall conclusions of the submitted model:

- *The model was comprehensive with a large choice of data inputs. However, many of these data inputs relied on assumption that were not readily available from the clinical trial.*

2 DETAILED TECHNICAL REPORT

This section outlines the technical details of the pCODR Economic Guidance Panel's evaluation of the economic evidence that is summarized in Section 1. Pursuant to the *pCODR Disclosure of Information Guidelines*, this section is not eligible for disclosure. It was provided to the pCODR Expert Review Committee (pERC) for their deliberations.

3 ABOUT THIS DOCUMENT

This Economic Guidance Report was prepared by the pCODR Economic Guidance Panel and supported by the pCODR Lymphoma/Myeloma Clinical Guidance Panel and the pCODR Methods Team. This document is intended to advise the pCODR Expert Review Committee (pERC) regarding resource implications and the cost-effectiveness of carfilzomib (Kyprolis) plus dexamethasone for multiple myeloma. A full assessment of the clinical evidence of carfilzomib (Kyprolis) plus dexamethasone for multiple myeloma is beyond the scope of this report and is addressed by the relevant pCODR Clinical Guidance Report. Details of the pCODR review process can be found on the pCODR website (www.cadth.ca/pcodr).

pCODR considers it essential that pERC recommendations be based on information that can be publicly disclosed. Information included in the Economic Guidance Report was handled in accordance with the *pCODR Disclosure of Information Guidelines*. There was no information redacted from this publicly available Guidance Report.

This Initial Economic Guidance Report is publicly posted at the same time that a pERC Initial Recommendation is issued. A Final Economic Guidance Report will be publicly posted when a pERC Final Recommendation is issued. The Final Economic Guidance Report will supersede this Initial Economic Guidance Report.

The Economic Guidance Panel is comprised of economists selected from a pool of panel members established by the pCODR Secretariat. The panel members were selected by the pCODR secretariat, as outlined in the pCODR Nomination/Application Information Package and the Economic Guidance Panel Terms of Reference, which are available on the pCODR website (www.cadth.ca/pcodr). Final selection of the pool of Economic Guidance Panel members was made by the pERC Chair in consultation with the pCODR Executive Director. The Economic Guidance Panel is editorially independent of the provincial and territorial Ministries of Health and the provincial cancer agencies.

REFERENCES

1. Dimopoulos MA, Moreau P, Palumbo A, Joshua D, Pour L, Hájek R, et al. Carfilzomib and dexamethasone versus bortezomib and dexamethasone for patients with relapsed or refractory multiple myeloma (ENDEAVOR): a randomised, phase 3, open-label, multicentre study. *Lancet Oncol.* 2016 Jan;17(1):27-38.
2. Pharmacoeconomic evaluation. In: pan-Canadian Oncology Drug Review manufacturer submission. Drug name: ^{Pr}Kyprolis™ (carfilzomib for injection) 60 mg per vial. Company: Amgen Canada, Inc. Mississauga (ON): Amgen Canada Inc.; 2016 Sep 9.
3. pCODR checkpoint meeting follow up on the submission of carfilzomib (kyprolis) for multiple myeloma - (pCODR 10084). Toronto (ON): CADTH pan-Canadian Oncology Drug Review; 2016
4. pan-Canadian Oncology Drug Review final clinical guidance report: ipilimumab (Yervoy) for First Line Advanced Melanoma [Internet and Internal Report]. Toronto (ON): CADTH pan-Canadian Oncology Drug Review; 2014 Dec 22. [cited 2017 Jan 05]. Available from: <https://www.cadth.ca/sites/default/files/pcodr/pcodr-yervoy1stsub-fn-egr.pdf> and Full Internal Report.