Included Studies: Post-COVID-19 Condition Scoping Review

Contents

List of 709 Included Studies From Database Searches	1
List of 183 Included Studies From Grey Literature	.36

892 included studies in total.

List of 709 Included Studies From Database Searches

- 1. Osteopathy and Physiotherapy Compared to Physiotherapy Alone on Fatigue and Functional Status in Long COVID. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05012826. 2021.
- Olfactory Training for Olfactory Dysfunction After Coronavirus Disease 19 (COVID-19). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04764981. 2021.
- 3. Olfactory Disfunction and Co-ultraPEALut. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04853836. 2021.
- SOLIDARITY Finland Long COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04978259. 2021.
- The Effect of Virtual Reality Exercises on Patients With Post-SARS-CoV-2 Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04983394. 2021.
- Pulmonary Rehabilitation Post-COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05003271. 2021.
- 7. Phase 2 Study of RSLV-132 in Subjects With Long COVID. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04944121. 2021.
- 8. Impact of Colchicine To Improve long-COVID-19 or ARDS Outcomes. WHO ICTRP Clinical Trial Registry: https://trialsearch.who.int/?TrialID=ACTRN12621000637842. 2021.
- 9. tDCS for Post COVID-19 Fatigue. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04876417. 2021.
- 10. Coenzyme Q10 as Treatment for Long Term COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04960215. 2021.
- 11. Internet-based Multidisciplinary Rehabilitation for Longterm COVID-19 Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04961333. 2021.
- 12. Cardiopulmonary Rehabilitation in COVID-19 Longhaulers. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04898205. 2021.
- Statin TReatment for COVID-19 to Optimise NeuroloGical recovERy. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04904536. 2021.
- Inspiratory Muscle Trainer and Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) COVID-19 Persistent Symptoms. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04919031. 2021.
- 15. Chinese Medicine for Patients With LCOVID-19 Symptoms. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04924881. 2021.
- Coenzym Q10 til behandling af senfolger efter COVID-19 (QVID studiet). WHO ICTRP Clinical Trial Registry: https://pesquisa.bvsalud.org/global-literature-on-novel-coronavirus-2019-ncov/resource/en/ictrp-EUCTR2020-005961-16-DK. 2020.

- 17. The Kidney BEAM Trial. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04872933. 2021.
- 18. COVID-19 Pneumonia: pulmonary Physiology, Health-related Quality of Life and Benefit of a Rehabilitation Program. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04881214. 2021.
- 19. Safety and Efficacy of Hyperbaric Oxygen Therapy for Long COVID Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04842448. 2021.
- Clinical Trial of Niagen to Examine Recovery in People With Persistent Cognitive and Physical Symptoms After COVID-19 Illness (Long-COVID). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04809974. 2021.
- 21. The Effect of Inspiratory Muscle Training in Post COVID-19 Patients. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04811859. 2021.
- 22. Post COVID-19 Syndrome and the Gut-lung Axis. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04813718. 2021.
- Resistance Training and Clinical Status in Patients With Post Discharge Symptoms After Covid-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04797871. 2021.
- 24. Sri Ramachandra University. Quality of life in post covid affected patients. WHO ICTRP Clinical Trial Registry: https://trialsearch.who.int/Trial2.aspx?TrialID=CTRI/2020/11/029188.
- 25. Instituto de Investigación Sanitaria Fundación Jiménez Díaz. Clinical trial to assess the prognostic repercussions of rosuvastatin treatment in patients discharged after hospitalization for COVID-19 Positive. WHO ICTRP Clinical Trial Registry: https://trialsearch.who.int/Trial2.aspx?TrialID=EUCTR2020-001319-26-ES. 2020.
- 26. University Hospitals Coventry and Warwickshire NHS Trust. A randomized trial to assess the effects of physical and mental health rehabilitation for people recovering from COVID-19. WHO ICTRP Clinical Trial Registry: https://trialsearch.who.int/?TrialID=ISRCTN11466448. 2020.
- 27. Natreon Inc. A clinical trial to study the effect of herbal medicine on enhancing immune function in COVID recovery patients. WHO ICTRP Clinical Trial Registry: https://trialsearch.who.int/Trial2.aspx?TrialID=CTRI/2020/12/029476.
- 28. The Anti-fibrotic Therapeutic Effects of Resveratrol for Discharged COVID-19 Patients. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04799743. 2021.
- 29. Efficacy of an Asynchronous Telerehabilitation Programme in Post-COVID-19 Patient. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04794036. 2021.
- 30. HElping Alleviate the Longer-term Consequences of COVID-19 (HEAL-COVID). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04801940. 2021.
- 31. Study to Evaluate the Benefit of RUCONEST in Improving Neurological Symptoms in Post COVID-19 Infection. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04705831. 2021.
- 32. The (HD)IVACOV Trial (The High-Dose IVermectin Against COVID-19 Trial). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04712279. 2021.
- 33. Rehabilitation for Post-COVID-19 Syndrome Through a Supervised Exercise Intervention. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04718506. 2021.
- 34. COVID-19 Long-Haulers Study. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04678830. 2020.
- 35. PureTech Phase 2 Study of LYT-100 in Post-acute COVID-19 Respiratory Disease. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04652518. 2020.
- 36. Hyperbaric Oxygen Therapy for Post-COVID-19 Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04647656. 2020.

- 37. Mohammad Anwar Hossain. An experimental study to find out the impact of post COVID physiotherapy and rehabilitation in Bangladesh. WHO ICTRP Clinical Trial Registry: https://trialsearch.who.int/?TrialID=CTRI/2020/10/028179.
- 38. Amsterdam University Medical Centers. ReCOVer: cognitive Behavioural Therapy for post-COVID-19 fatigue. WHO ICTRP Clinical Trial Registry: https://trialsearch.who.int/?TrialID=NL8947. 2020.
- 39. COVID-19, Chronic Adaptation and Response to Exercise (COVID-CARE). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04595773. 2020.
- 40. Pilot Study Into LDN and NAD+ for Treatment of Patients With Post-COVID-19 Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04604704. 2020.
- 41. Tele-rehabilitation Versus Home Exercise Program in COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04482634. 2020.
- 42. Early Care Program for the Management of Post-ICU Syndrome and Chronic Pain After COVID-19 Infection. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04394169. 2020.
- 43. Impact of a Minimal Psychoeducational Intervention on Anxiety Among Hospitalized COVID-19 Patients in Denmark. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04351789. 2020.
- 44. Brinkley E, Mack C, Petruski-Ivleva N, et al. Patients tell all: Using a direct-to-patient community registry to understand patient burden of COVID-19. Pharmacoepidemiol. Drug Saf. 2021;30(SUPPL 1):98.
- 45. Viszlayova D, Sojka M, Dobrodenkova S, et al. SARS-CoV-2 RNA in the Cerebrospinal Fluid of a Patient with Long COVID. Therapeutic Advances in Infectious Disease. 2021;8.
- 46. Anwar Garcia Santos R, Rodriguez Rodriguez M, Rodriguez Cruces R. Neuropsychiatric symptoms in post COVID-19. J. Neurol. Sci. 2021;Conference: World Congress of Neurology WCN 2021. Rome Italy. 429 (Supplement).
- 47. Nucera A, Vazzana M, Papa M. Post COVID neurological sequelae. J. Neurol. Sci. 2021;Conference: World Congress of Neurology WCN 2021. Rome Italy. 429 Supplement).
- 48. Shahid A, El-Yafawi R, Banu M, Kuchkuntla AR, Iftikhar F, Sheikh B. Persistent Cough Post-Covid-19 Infection: Long Covid Syndrome? Think Again. Chest. 2021;160(4 Supplement):A1551.
- 49. Parmar M, Gupta S, Hassan A, Hussain SYED, Daouk S. Sars-Cov-2 Pneumonia Leading to Progression of Pulmonary Sarcoidosis. Chest. 2021;160(4 Supplement):A2120.
- 50. Cyril Vitug L, Santiaguel J. Nintedanib as an Adjunct Treatment in Improving Lung Function of Post-Covid-19 Pulmonary Fibrosis in an Elderly Patient: A Case Report. Chest. 2021;160(4 Supplement):A2166.
- Biondi M, Gulati M, Possick J, Joseph P, Singh I, Lutchmansingh D. Unexplained Dyspnea in a Patient with a History of Covid-19. Chest. 2021;160(4 Supplement):A2373-A2374.
- 52. Chang J, Le P. A Case of Carotid Artery Dissection in a Patient with Post-Covid-19 Syndrome. Chest. 2021;160(4 Supplement):A860.
- 53. Strambo D, De Marchis GM, Bonati L, et al. Ischemic stroke in consecutive patients with COVID-19: A case-control study of clinical features, mechanisms and outcome in the Swiss stroke registry. European Stroke Journal. 2021;6(1 SUPPL):59-60.
- 54. Lundstrom A, Hansen B. Case report: Progression of white matter hyperintensities after severe COVID-19. European Stroke Journal. 2021;6(1 SUPPL):508-509.
- 55. Carubbi F, Alunno A, Leone S, et al. Pericarditis after sars-cov-2 infection: Another pebble in the mosaic of long covid? Viruses. 2021;13(10).
- 56. Benavides V, Carlos Avila-Valencia J, Gutierrez K, Rodriguez-Castro J, Betancourt-Pena J. Effect of Cardiac Rehabilitation in Dilated Heart Disease Due to Residual Damage from Covid-19 Infection. Chest. 2021;160(4 Supplement):A103.
- 57. Oliveira Baptista da Silva F, Peixoto B, Bethlem M, Visconti N, Cailleaux-Cezar M, Kunita F. Post-Covid-19 Syndrome: Characterization of a Cohort and Association with Acute Disease Severity. Chest. 2021;160(4 Supplement):A561.
- 58. Millet C, Narvaneni S, Chaudhry S, et al. The Long Haul: A Follow up Study of Patients Diagnosed with Covid-19 One Year Ago at an Urban Medical Center in New Jersey. Chest. 2021;160(4 Supplement):A566-A567.

- 59. Dulu A, Tayban K, Ford A, Pastores S. A Very Prolonged and Ultimately Fatal Course of Covid-19 in a Patient with Lymphoma. Chest. 2021;160(4 Supplement):A312.
- 60. Liyanage-Don NA, Cornelius T, Sanchez JE, et al. Association between psychological distress and perceptions of recovery from COVID-19. Psychosom. Med. 2021;83(7):A50.
- 61. Martin E, Wimaleswaran H, McMaster C, et al. Fibromyalgia, 'fibromyalgianess', and fatigue are common six months following COVID-19 infection. Int. J. Rheum. Dis. 2021;24(SUPPL 2):163.
- 62. Kozak R, Armstrong SM, Salvant E, et al. Recognition of long-covid-19 patients in a Canadian tertiary hospital setting: A retrospective analysis of their clinical and laboratory characteristics. Pathogens. 2021;10(10).
- 63. Leta V, Rodriguez-Violante M, Abundes A, et al. Parkinson's disease and Post-COVID-19 syndrome. Movement Disorder. 2021;36(SUPPL 1):S146.
- 64. Idan EM, Ahmed ZA, Ardalan NM. Persistent symptoms in an Iraq patient sample after infection with covid -19. Teikyo Medical Journal. 2021;44(4):1045-1055.
- 65. Younger DS. Post-acute sequelae of SARS-CoV-2 infection (PASC): peripheral, autonomic, and central nervous system features in a child. Neurol. Sci. 2021;42(10):3959-3963.
- 66. Noviello D, Costantino A, Muscatello A, Consonni D, Vecchi M, Basilisco G. 782 Persistent Gastrointestinal Symptoms and Chronic Fatigue after Sars-Cov-2 Infection. Gastroenterology. 2021;160(6 Supplement):S-158.
- 67. De Marzo V, Clavario P, Lotti R, et al. Prospective cardiopulmonary stress testing evaluation of non-severe COVID-19 patients at three months after hospital discharge. European Heart Journal, Supplement. 2020;22(SUPPL N):N69.
- 68. Bitirgen G, Korkmaz C, Zamani A, Malik RA. Abnormal pupillary light reflex responses in post-COVID-19 patients. Investigative Ophthalmology and Visual Science. Conference: ARVO Imaging in the Eye Conference. Virtual. 2021;62(11).
- 69. Liampas A, Ioannou C, Artemiadis A, Hadjigeorgiou G, Zis P. 20. Chronic pain in patients with covid-19: Cross sectional study. Signa Vitae. 2021;17(Supplement 1):S27.
- 70. Kogan E, Blagova O, Kukleva A, Demura T, Zharkov N, Fomin V. Post-Covid syndrome with persistence of SARS-Cov-2 in the myocardium and development of chronic myoendocarditis. Virchows Arch. 2021;479(SUPPL 1):S7-S8.
- 71. Kukleva A, Kogan E, Blagova O, Demura T, Zharkov N. Autopsy case of chronic COVID-19 confirmed with positive PCR RNA and viral proteins in the organs. Virchows Arch. 2021;479(SUPPL 1):S196-S197.
- 72. Karmakar CS, Hannan MA, Islam MS, Bhowmik DK, Akhtaruzzaman AKM. Pulmonary hypertension following severe COVID-19: A case report. Anaesthesia, Pain and Intensive Care. 2021;25(4):539-543.
- 73. Cortellini A, Roldan E, Garcia MCC, et al. 1560O Prevalence and impact of COVID-19 sequelae on treatment pathways and survival of cancer patients who recovered from SARS-CoV-2 infection. Ann. Oncol. 2021;32(Supplement 5):S1130.
- 74. Fava A, Donadeu L, Pernin V, et al. Long term immunity to SARS-CoV-2 among solid organ transplant recipients. Transpl. Int. 2021;34(SUPPL 1):88.
- Bussiere N, Mei J, Blais M, et al. Persistent chemosensory dysfunction associated with COVID-19 infection in a cohort of over 800 healthcare workers. Neurology. Conference: 73rd Annual Meeting of the American Academy of Neurology, AAN. 2021;96(15 SUPPL 1).
- Queler S, Sneag D, Geannette C, Shin S, Winfree C, Simpson D. Long-Segment peripheral neuropathies after COVID-19: Magnetic resonance neurography findings. Neurology. Conference: 73rd Annual Meeting of the American Academy of Neurology, AAN. 2021;96(15 SUPPL 1).
- 77. Mohamed-Hussein AAR, Amin MT, Makhlouf HA, et al. Non-hospitalised COVID-19 patients have more frequent long COVID-19 symptoms. Int. J. Tuberc. Lung Dis. 2021;25(9):732.
- 78. Malik A, Pal A. Combined liver and kidney transplant in a post Covid infection recipient: Approach and challenges. Transplantation. 2021;105(8 SUPPL 1):170.
- 79. Ghoshal UC, Ghoshal U, Rahman MM, et al. Post-infection functional gastrointestinal disorders following Corona Virus Disease-19: A case-control study. J. Gastroenterol. Hepatol. 2021;36(SUPPL 2):248.

- 80. Shechter A, Abdalla M, Raju D, Kronish I, Liyanage-Don N. COVID-19 related worries and sleep disturbances in patients previously hospitalized with COVID-19 illness. Sleep. 2021;44(SUPPL 2):A93.
- 81. Petracek LS, Suskauer SJ, Vickers RF, et al. Adolescent and Young Adult ME/CFS After Confirmed or Probable COVID-19. Frontiers in Medicine. 2021;8.
- 82. Raynor G, Polich G, Baslet G. The Covid-19 "long-hauler" represented as a case of functional neurological disorder. J. Neuropsychiatry Clin. Neurosci. 2021;33(3):253.
- Zhu Y, Cao M, Zheng P, Shen W. Residual olfactory dysfunction in coronavirus disease 2019 patients after long term recovery. J. Clin. Neurosci. 2021;93:31-35.
- 84. Rowe C, Garriss GW, Anand U. SARS-CoV-2 reinfection presenting as acute cerebellitis: An uncommon presentation. J. Gen. Intern. Med. 2021;36(SUPPL 1):S352.
- 85. Liyanage-Don N, Winawer M, Hamberger M, et al. Prevalence and correlates of cognitive symptoms among patients recovering from COVID-19 illness. J. Gen. Intern. Med. 2021;36(SUPPL 1):S24-S25.
- 86. Szabari MV, Hertan HI, Haider T, et al. Rare complication of a common disease in a COVID-19 survivor. J. Gen. Intern. Med. 2021;36(SUPPL 1):S258-S259.
- 87. Nagalapuram V, Sollie ZW, Vallepu S, White L. Pericarditis leading to cardiac tamponade following resolution of COVID-19 infection. J. Gen. Intern. Med. 2021;36(SUPPL 1):S253.
- 88. Wang X, Charney P. Organizing care for the post-COVID dyspnea. J. Gen. Intern. Med. 2021;36(SUPPL 1):S252.
- 89. Bosco J, Disla E. A case of post-COVID-19 polymyalgia rheumatica. J. Gen. Intern. Med. 2021;36(SUPPL 1):S189.
- 90. Joshi R, Rathi M, Thakur J. Physiotherapy rehabilitation in post-COVID-19 phase: A case report. Journal of Clinical and Diagnostic Research. 2021;15(8):YD01-YD02.
- 91. Bringard A, Guerreiro I, Fontolliet T, et al. Determination of exercise capacity in long COVID patients. Respiration. 2021;100(7):660.
- Hoffman S, Reddy P, Magenau JM, et al. Long-term follow-up of adult hematopoietic stem cell transplant recipients diagnosed with COVID19. Journal of Clinical Oncology. Conference: Annual Meeting of the American Society of Clinical Oncology, ASCO. 2021;39(15 SUPPL).
- Jamal S, Landers D, Turi Z, et al. B-Po04-168 Prospective Evaluation of Autonomic Function in Individuals with "Post Covid-19 Syndrome". Heart Rhythm. 2021;18(8 Supplement):S347.
- 94. Aranyo J, Md VB, Bisba F, et al. B-Po02-167 Inappropriate Sinus Tachycardia in Post-Covid-19 Syndrome. Heart Rhythm. 2021;18(8 Supplement):S166.
- 95. Parry AH, Wani AH, Shah NN, Jehangir M. Medium-term chest computed tomography (CT) follow-up of COVID-19 pneumonia patients after recovery to assess the rate of resolution and determine the potential predictors of persistent lung changes. Egyptian Journal of Radiology and Nuclear Medicine. 2021;52(1).
- 96. Martin E, Wimaleswaran H, McMaster C, et al. Fibromyalgia, "fibromyalgianess", and fatigue are common six months following COVID-19 infection. Intern. Med. J. 2021;51(SUPPL 2):43.
- 97. Mishchenko T, Mishchenko V, Fysenko A, Zdesenko I. Neurological disorders in Post-COVID patients. Eur. J. Neurol. 2021;28(SUPPL 1):291.
- 98. Garcia Santos R, Rodriguez Rodriguez M. Neurological manifestations after COVID- 19 illness: Observations in one of the largest COVID-19 centers in Mexico. Eur. J. Neurol. 2021;28(SUPPL 1):101-102.
- 99. Dini M, Groppo E, Rosci C, et al. Long-lasting Cognitive impairment after COVID-19. Eur. J. Neurol. 2021;28(SUPPL 1):583.
- 100. Arano Llach J, Victor Bazan VBG, Gemma Llados GLL, et al. Inappropriate sinus tachycardia in post-covid-19 Syndrome. Europace. 2021;23(SUPPL 3):iii126.
- 101. Noto A, Stranieri R, Fiermonte F, et al. First 'close encounters' of post-COVID patients after mildly symptomatic COVID-19. Eur. J. Clin. Invest. 2021;51(SUPPL 1):79.

- 102. Shendy W, Ezzat MM, D.A EL, Elsherif AA. Prevalence of fatigue in patients post Covid-19. European Journal of Molecular and Clinical Medicine. 2021;8(3):1330-1340.
- 103. Lopez-Romero S, Ortiz-Farias DL, Figueroa-Hurtado E, et al. Symptoms and Pulmonary Function Improvement after 4 Months of Acute COVID 19 in a Mexican Population. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 104. Varughese RA, Lam GY, Brotto A, et al. Reduced Exercise Tolerance in Long-COVID Patients. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 105. So M, Kabata H, Fukunaga K, Takagi H, Kuno T. Radiological and Functional Lung Sequelae of COVID-19: Systematic Review and Meta-Analysis. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 106. Chimera D, Fideli A, Cappiello C, et al. Standardized Clinical, Functional, and Radiological Pulmonary Follow-Up in Patients Discharged with Diagnosis of COVID-19 from an Italian Hospital -Preliminary Data. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 107. Shahzad H, Reardon J, Congrete S, ZuWallack RL, Kaur A. Potential Need for Pulmonary Rehabilitation Six Months after Hospital Discharge to Home Following COVID-19 Infection. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 108. Carmona Arias PM, Gonzalez J, Benitez I, et al. Pulmonary function and radiological features in survivors of critical COVID-19: A 3-month prospective cohort. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 109. Wolfe KS, Douglas DJ, Pearson SD, et al. Functional and quality of life outcomes of critically ill covid-19 survivors at hospital discharge and six months. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 110. Maley JH, Sandsmark DK, Trainor A, et al. Long-term impairment in cognition, mental health, and physical function following covid-19-associated respiratory failure. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 111. Modi P, Tuppekar B, Nair G, Uppe A. Late onset post-covid fibrosis-a case report. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 112. Ford DO, Holladay R, Sartawi T, Charoenpong P, Packer JD, Goddard KK. Post-covid organizing pneumonia. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 113. Trainor A, Bass GD, Hayes MM, et al. Persistent dyspnea and accompanying negative emotions after COVID-19 associated respiratory failure. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 114. Lam E, Sayedy N, Anjum F, Akella J, Iqbal J. Corticosteroid therapy in post-covid-19 pulmonary fibrosis. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 115. Douglas DJ, Wolfe KS, Stutz MS, et al. Long-term psychological and cognitive outcomes of patients with COVID-19. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 116. Soriano-Moreno AN, Soriano-Moreno DR, Pacheco-Barrios N, Lescano AG, Checkley W. A systematic review of the frequency of persistent constitutional and respiratory symptoms related to COVID-19: A new long COVID syndrome? American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 117. Iqbal Muhammad A, Ananth S, Shah M, et al. Prevalence of chronic cough following COVID-19 infection: A cross sectional study. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 118. Bailey J, Mylvaganam R, Russell SR, et al. Computed tomography scan abnormalities in patients with post-acute COVID syndrome. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).

- Moreira-Hetzel G, Viana GDS, da Silva RMC, Benedetto IG, Basso Gazzana M, Berton DC. Lung function and exercise capacity after severe COVID-19. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 120. Sunseri M, Jemal N, Kassapidis V, Condos R. Pulmonary function after COVID-19: Preliminary results of survivorship registry at 1 month, 3 months, and 6 months. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 121. Vayner Y, Lessen S, Shah R, Congdon S, Gong MN, Hope AA. Residual symptom burden in adult COVID-19 survivors at one, three, and six months after COVID-19 illness. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 122. Jamil A, Syeda A, Shyam V. Post COVID-19 complication: A near miss case of pulmonary embolism. American Journal of Respiratory and Critical Care Medicine. Conference: American Thoracic Society International Conference, ATS. 2021;203(9).
- 123. Crawshaw H, Webber S. Recurrent ACE-inhibitor induced angioedemain a patient with long COVID-19 syndrome. Rheumatology (United Kingdom). 2021;60(SUPPL 1):i39.
- 124. Patel S, Juno J, Lee WS, et al. Plasma ACE2 activity is increased in patients recovered from SARS-CoV-2 infection: Implications for the prolonged consequences of COVID-19. J. Hypertens. 2021;39(SUPPL 1):e394.
- 125. Brodsky M. Integrative medicine post-COVID-19 myalgiac encephalomyelitis (ME) program: A case study. Global Advances in Health and Medicine. 2021;10:21.
- 126. Tawfik HM, Shaaban HM, Tawfik AM. Post-covid-19 syndrome in Egyptian healthcare staff: Highlighting the carers sufferings. Electronic Journal of General Medicine. 2021;18(3).
- 127. Kunnirickal S, Spatz E, Shah S. Symptomatic Coronary Endothelial Dysfunction after Recovery from Covid-19. J. Am. Coll. Cardiol. 2021;77(18 Supplement 1):1965.
- 128. Fernandez-de-Las-Penas C, Rodriguez-Jimenez J, Fuensalida-Novo S, et al. Myalgia as a symptom at hospital admission by SARS-CoV-2 infection is associated to persistent musculoskeletal pain as long-term post-COVID sequelae: a case-control study. Pain. 2021;08.
- 129. Nonchev B, Argatska A. Autoimmune polyglandular syndrome in a postmenopausal woman after COVID-19 infection. Rev. Argent. Endocrinol. Metab. 2021;58(SUPPL 1):196.
- 130. Owles HLB, Padmanaban V, Thacker M, et al. Feasibility and usage of one minute sit-to-stand test, as a measure of recovery in postacute covid 19 patients, following hospital discharge. Thorax. 2021;76(SUPPL 1):A35.
- 131. Elder H, Prasad A, Burns GP. Experiences from post COVID-19 clinic in a tertiary centre. Thorax. 2021;76(SUPPL 1):A186.
- 132. Hylton H, Pfeffer PE, Robson C, Goodfellow H, Murray E, Ricketts W. Rapid design and implementation of a personalised holistic post-COVID recovery and rehab app. Thorax. 2021;76(SUPPL 1):A236.
- 133. Rutjes-Weurding L, Pouwels S, Oomen M, et al. The effect of ICU diaries on the occurrence of impaired mental health and quality of life of ICU SARS-CoV-2 patients and their families: A protocol for an observational cohort study. Intensive Care Medicine Experimental. Conference: 33rd European Society of Intensive Care Medicine Annual Congress, ESICM. 2020;8(SUPPL 2).
- 134. Colombo A, Pavan L, Baiardini R, et al. An outpatient follow-up for post-COVID-19 patients. Italian Journal of Medicine. 2020;14(SUPPL 2):109.
- 135. Nadella S, Khan Z, Bachan M, Vudathaneni V, Siegel R. Case of Pulmonary Fibrosis from Covid Pneumonia. Chest. 2020;158(4 Supplement):A2594.
- 136. Taylor-Swanson L, Rubin LH, Taromina K, Mitchell C, Conboy L. Describing Chinese herbal medicine telehealth care for symptoms related to infectious diseases such as COVID-19: a prospective, longitudinal, descriptive cohort study. Integrative Medicine Research. 2020;Conference: KIOM-SAR 2020 International Research Conference. Seoul South Korea. 9(Supplement 1).
- 137. Li Y, Han X, Huang J, et al. Follow-up study of pulmonary sequelae in discharged COVID-19 patients with diabetes or secondary hyperglycemia. Eur. J. Radiol. 2021;144:109997.

- 138. Renaud-Charest O, Lui LMW, Eskander S, et al. Onset and frequency of depression in post-COVID-19 syndrome: A systematic review. J. Psychiatr. Res. 2021;144:129-137.
- 139. Zhao Y, Yang C, An X, et al. Follow-up study on COVID-19 survivors one year after discharge from hospital. Int. J. Infect. Dis. 2021;112:173-182.
- 140. Bylicki O, Delarbre D, Mayet A, et al. Neutralizing antibody response to SARS-CoV-2 persists 9 months post symptom onset in mild and asymptomatic patients. Int. J. Infect. Dis. 2021;112:8-12.
- 141. Ganatra B, Amarnani R, Alfallouji Y, et al. Patient characteristics in tardive COVID-19 pseudoperniosis: a case series of 16 patients. Clin. Exp. Dermatol. 2021;19:19.
- 142. Bileviciute-Ljungar I, Borg K, Norrefalk JR. Self-scored impairments in functioning and disability in post-COVID syndrome following mild COVID-19 infection. J. Rehabil. Med. 2021;13:13.
- 143. Horn A, Krist L, Lieb W, et al. Long-term health sequelae and quality of life at least 6 months after infection with SARS-CoV-2: design and rationale of the COVIDOM-study as part of the NAPKON population-based cohort platform (POP). Infection. 2021;12:12.
- 144. Bonizzato S, Ghiggia A, Ferraro F, Galante E. Cognitive, behavioral, and psychological manifestations of COVID-19 in postacute rehabilitation setting: preliminary data of an observational study. Neurol. Sci. 2021;12:12.
- 145. Quigley C, Butler T, Byrne L, Moore D, Doyle A. Post-Coronavirus Disease 2019 (COVID-19) Syndrome Associated with Central Retinal Vein Occlusion: A Case Report. Ocul. Immunol. Inflamm. 2021;1-3.
- 146. Dias da Costa M, Leal Rato M, Cruz D, Valadas A, Antunes AP, Albuquerque L. Longitudinally extensive transverse myelitis with anti-myelin oligodendrocyte glycoprotein antibodies following SARS-CoV-2 infection. J. Neuroimmunol. 2021;361:577739.
- 147. Su Z, Hu W, Liu Q, et al. Clinical and immunological characteristics in COVID-19 convalescent patients. Eur. J. Clin. Microbiol. Infect. Dis. 2021;09:09.
- 148. Evans RA, McAuley H, Harrison EM, et al. Physical, cognitive, and mental health impacts of COVID-19 after hospitalisation (PHOSP-COVID): a UK multicentre, prospective cohort study. Lancet Respir Med. 2021;07:07.
- 149. Glynne P, Tahmasebi N, Gant V, Gupta R. Long COVID following mild SARS-CoV-2 infection: characteristic T cell alterations and response to antihistamines. J. Investig. Med. 2021;05:05.
- 150. Bertin D, Kaphan E, Weber S, et al. Persistent IgG anti-cardiolipin autoantibodies are associated with post-covid syndrome. Int. J. Infect. Dis. 2021;03:03.
- 151. Cecchini MP, Brozzetti L, Cardobi N, et al. Persistent chemosensory dysfunction in a young patient with mild COVID-19 with partial recovery 15 months after the onset. Neurol. Sci. 2021;02:02.
- 152. Cueto-Robledo G, Porres-Aguilar M, Puebla-Aldama D, et al. Severe pulmonary hypertension: An important sequel after severe post-acute COVID-19 pneumonia. Curr. Probl. Cardiol. 2021;101004.
- 153. Szekely Y, Lichter Y, Sadon S, et al. Cardiorespiratory Abnormalities in Patients Recovering from Coronavirus Disease 2019. J. Am. Soc. Echocardiogr. 2021;08:08.
- 154. Horton DB, Barrett ES, Roy J, et al. Determinants and dynamics of SARS-CoV-2 infection in a diverse population: 6-month evaluation of a prospective cohort study. J. Infect. Dis. 2021;13:13.
- 155. Chauhan S, Meshram HS, Kute V, Patel H, Desai S, Dave R. Long-term follow-up of SARS-CoV-2 recovered renal transplant recipients: A single-center experience from India. Transpl. Infect. Dis. 2021;e13735.
- 156. Vijayakumar B, Tonkin J, Devaraj A, et al. CT Lung Abnormalities after COVID-19 at 3 Months and 1 Year after Hospital Discharge. Radiology. 2021;211746.
- 157. Mahan LD, Lill I, Halverson Q, et al. Post-infection pulmonary sequelae after COVID-19 among patients with lung transplantation. Transpl. Infect. Dis. 2021;04:04.
- 158. Fernandez-de-Las-Penas C, Guijarro C, Torres-Macho J, et al. Diabetes and the Risk of Long-Term Post-COVID Symptoms. Diabetes. 2021;27:27.

- 159. Latronico N, Peli E, Calza S, et al. Physical, cognitive and mental health outcomes in 1-year survivors of COVID-19-associated ARDS. Thorax. 2021;29:29.
- 160. Fernandez-de-Las-Penas C, Torres-Macho J, Elvira-Martinez CM, Molina-Trigueros LJ, Sebastian-Viana T, Hernandez-Barrera V. Obesity is associated with a greater number of long-term post-COVID symptoms and poor sleep quality: A multicentre case-control study. Int. J. Clin. Pract. 2021;e14917.
- 161. Fernandez-de-Las-Penas C, Palacios-Cena D, Gomez-Mayordomo V, et al. Fatigue and Dyspnoea as Main Persistent Post-COVID-19 Symptoms in Previously Hospitalized Patients: Related Functional Limitations and Disability. Respiration. 2021;1-10.
- 162. Albu S, Rivas Zozaya N, Murillo N, Garcia-Molina A, Figueroa Chacon CA, Kumru H. Multidisciplinary outpatient rehabilitation of physical and neurological sequelae and persistent symptoms of covid-19: a prospective, observational cohort study. Disabil. Rehabil. 2021;1-8.
- 163. Widmann CN, Wieberneit M, Bieler L, et al. Longitudinal Neurocognitive and Pulmonological Profile of Long Covid: the COVIMMUNE-Clin Study Protocol. JMIR Res Protoc. 2021;08:08.
- 164. Anaya JM, Rojas M, Salinas ML, et al. Post-COVID syndrome. A case series and comprehensive review. Autoimmun. Rev. 2021;102947.
- 165. Fernandez-de-Las-Penas C, Navarro-Santana M, Gomez-Mayordomo V, et al. Headache as an acute and post-COVID-19 symptom in COVID-19 survivors: A meta-analysis of the current literature. Eur. J. Neurol. 2021;30:30.
- 166. Morales-Demori R, Mallory GB, Chartan C, et al. Outcomes of COVID-19 infection in pediatric pulmonary hypertension: A single-center experience. Pediatr. Pulmonol. 2021;30:30.
- 167. van Kessel SAM, Olde Hartman TC, Lucassen P, van Jaarsveld CHM. Post-acute and long-COVID-19 symptoms in patients with mild diseases: a systematic review. Fam. Pract. 2021;16:16.
- 168. Bordin A, Mucignat-Caretta C, Gaudioso P, et al. Comparison of self-reported symptoms and psychophysical tests in coronavirus disease 2019 (COVID-19) subjects experiencing long-term olfactory dysfunction: a 6-month follow-up study. Int Forum Allergy Rhinol. 2021;20:20.
- 169. Wu J, Tang L, Ma Y, et al. Immunological Profiling of COVID-19 Patients with Pulmonary Sequelae. MBio. 2021;e0159921.
- 170. Malik P, Patel K, Pinto C, et al. Post-acute COVID-19 syndrome (PCS) and health-related quality of life (HRQoL)-A systematic review and meta-analysis. J. Med. Virol. 2021;31:31.
- 171. Asadi-Pooya AA, Nemati H, Shahisavandi M, et al. Long COVID in children and adolescents. World J. Pediatr. 2021;03:03.
- 172. Catalan IP, Marti CR, Sota DP, et al. Corticosteroids for COVID-19 symptoms and quality of life at 1 year from admission. J. Med. Virol. 2021;26:26.
- 173. Sharquie KE, Jabbar RI. COVID-19 infection is a major cause of acute telogen effluvium. Ir. J. Med. Sci. 2021;31:31.
- 174. Seesle J, Waterboer T, Hippchen T, et al. Persistent symptoms in adult patients one year after COVID-19: a prospective cohort study. Clin. Infect. Dis. 2021;05:05.
- 175. Wynberg E, van Willigen HDG, Dijkstra M, et al. Evolution of COVID-19 symptoms during the first 12 months after illness onset. Clin. Infect. Dis. 2021;02:02.
- 176. Henneghan AM, Lewis KA, Gill E, et al. Describing cognitive function and psychosocial outcomes of COVID-19 survivors: A cross-sectional analysis. J. Am. Assoc. Nurse Pract. 2021;27:27.
- 177. Blackett JW, Li J, Jodorkovsky D, Freedberg DE. Prevalence and risk factors for gastrointestinal symptoms after recovery from COVID-19. Neurogastroenterol. Motil. 2021;e14251.
- 178. Mechi A, Al-Khalidi A, Al-Darraji R, et al. Long-term persistent symptoms of COVID-19 infection in patients with diabetes mellitus. Int. J. Diabetes Dev. Ctries. 2021;1-4.
- 179. Boehm A, Luger AK, Schmitz K, et al. A spark of hope: histopathological and functional recovery after critical COVID-19. Infection. 2021;25:25.
- 180. Aranda J, Oriol I, Martin M, et al. Long-term impact of COVID-19 associated acute respiratory distress syndrome. J. Infect. 2021;13:13.

- 181. Sukumaran A, Thomas RE, Krishnan RA, et al. Sequential Profiling of Anti-SARS CoV-2 IgG Antibody in Post COVID-19 Patients. Indian J. Clin. Biochem. 2021;1-7.
- 182. Lindahl A, Aro M, Reijula J, et al. Women report more symptoms and impaired quality of life: a survey of Finnish COVID-19 survivors. Infect. Dis. 2021;1-10.
- 183. Michel-Chavez A, Garcia-Grimshaw M, Chavez-Martinez OA, et al. Posterior reversible encephalopathy syndrome during convalescence from COVID-19. Int. J. Neurosci. 2021;1-4.
- 184. Kravchenko D, Isaak A, Zimmer S, et al. Cardiac MRI in Patients with Prolonged Cardiorespiratory Symptoms after Mild to Moderate COVID-19 Infection. Radiology. 2021;211162.
- 185. Bitirgen G, Korkmaz C, Zamani A, et al. Corneal confocal microscopy identifies corneal nerve fibre loss and increased dendritic cells in patients with long COVID. Br. J. Ophthalmol. 2021;26:26.
- Ahmad M, Kim K, Indorato D, et al. Post-COVID Care Center to Address Rehabilitation Needs in COVID-19 Survivors: A Model of Care. Am. J. Med. Qual. 2021;05:05.
- 187. Bozzetti S, Ferrari S, Zanzoni S, et al. Neurological symptoms and axonal damage in COVID-19 survivors: are there sequelae? Immunol. Res. 2021;07:07.
- 188. Horwitz LI, Garry K, Prete AM, et al. Six-Month Outcomes in Patients Hospitalized with Severe COVID-19. J. Gen. Intern. Med. 2021;05:05.
- 189. Caruso D, Guido G, Zerunian M, et al. Postacute Sequelae of COVID-19 Pneumonia: 6-month Chest CT Follow-up. Radiology. 2021;210834.
- 190. Munker D, Veit T, Barton J, et al. Pulmonary function impairment of asymptomatic and persistently symptomatic patients 4 months after COVID-19 according to disease severity. Infection. 2021;28:28.
- 191. Akbarialiabad H, Taghrir MH, Abdollahi A, et al. Long COVID, a comprehensive systematic scoping review. Infection. 2021;28:28.
- 192. Hepokur M, Gunes M, Durmus E, Aykut V, Esen F, Oguz H. Long-term follow-up of choroidal changes following COVID-19 infection: analysis of choroidal thickness and choroidal vascularity index. Can. J. Ophthalmol. 2021;05:05.
- 193. Taylor RR, Trivedi B, Patel N, et al. Post-COVID symptoms reported at asynchronous virtual review and stratified follow-up after COVID-19 pneumonia. Clin. Med. (Northfield II.). 2021;08:08.
- 194. Tu Y, Zhang Y, Li Y, et al. Post-traumatic stress symptoms in COVID-19 survivors: a self-report and brain imaging follow-up study. Mol. Psychiatry. 2021;20:20.
- 195. Radtke T, Ulyte A, Puhan MA, Kriemler S. Long-term Symptoms After SARS-CoV-2 Infection in Children and Adolescents. JAMA. 2021;15:15.
- 196. Osmanov IM, Spiridonova E, Bobkova P, et al. Risk factors for long covid in previously hospitalised children using the ISARIC Global follow-up protocol: A prospective cohort study. Eur. Respir. J. 2021;01:01.
- 197. Damanti S, Ramirez GA, Bozzolo EP, et al. 6-Month Respiratory Outcomes and Exercise Capacity of COVID-19 Acute Respiratory Failure Patients Treated With CPAP. Intern. Med. J. 2021;07:07.
- 198. Eggert LE, He Z, Collins W, et al. Asthma phenotypes, associated comorbidities, and long-term symptoms in COVID-19. Allergy. 2021;03:03.
- 199. Plassmeyer M, Alpan O, Corley MJ, et al. Caspases and therapeutic potential of caspase inhibitors in moderate-severe SARS CoV2 infection and long COVID. Allergy. 2021;15:15.
- 200. Hugon J, Msika EF, Queneau M, Farid K, Paquet C. Long COVID: cognitive complaints (brain fog) and dysfunction of the cingulate cortex. J. Neurol. 2021;18:18.
- 201. Fernandez-de-Las-Penas C, Gomez-Mayordomo V, Cuadrado ML, et al. The presence of headache at onset in SARS-CoV-2 infection is associated with long-term post-COVID headache and fatigue: A case-control study. Cephalalgia. 2021;3331024211020404.

- 202. Tejedor-Tejada J, Fuentes-Valenzuela E, Alonso-Martin C, Almohalla-Alvarez C, Garcia-Pajares F. COVID-19 and short and medium-term outcomes in liver transplant patients: A spanish single-center case series. J. Clin. Exp. Hepatol. 2021;31:31.
- 203. Noviello D, Costantino A, Muscatello A, et al. Functional gastrointestinal and somatoform symptoms five months after SARS-CoV-2 infection: A controlled cohort study. Neurogastroenterol. Motil. 2021;e14187.
- 204. Labarca G, Henriquez-Beltran M, Llerena F, et al. Undiagnosed sleep disorder breathing as a risk factor for critical COVID-19 and pulmonary consequences at the midterm follow-up. Sleep Med. 2021;19:19.
- 205. Dehgani-Mobaraki P, Kamber Zaidi A, Porreca A, et al. Antibody persistency and trend post-SARS-CoV-2 infection at eight months. Ann. Ig. 2021;11:11.
- 206. Boscolo-Rizzo P, Guida F, Polesel J, et al. Sequelae in adults at 12 months after mild-to-moderate coronavirus disease 2019 (COVID-19). Int Forum Allergy Rhinol. 2021;09:09.
- 207. Belcaro G, Cornelli U, Cesarone MR, et al. Preventive effects of Pycnogenol R on cardiovascular risk factors (including endothelial function) and microcirculation in subjects recovering from coronavirus disease 2019 (COVID-19). Minerva Med. 2021;06:01.
- 208. De Lorenzo R, Cinel E, Cilla M, et al. Physical and psychological sequelae at three months after acute illness in COVID-19 survivors. Panminerva Med. 2021 Jun 1.
- 209. Magnusson JM, Silverborn M, Broome M, Riise GC, Dellgren G. Long term extracorporeal membrane oxygenation bridge to lung transplant after COVID-19. Ann. Thorac. Surg. 2021;21:21.
- 210. Ghugre NR, Orbach A, Biswas L, et al. Suspected subclinical myocarditis detected by cardiac magnetic resonance imaging late post COVID-19 recovery. J Cardiol Cases. 2021;14:14.
- 211. Mattioli F, Stampatori C, Righetti F, Sala E, Tomasi C, De Palma G. Neurological and cognitive sequelae of Covid-19: a four month follow-up. J. Neurol. 2021;01:01.
- 212. L'Huillier AG, Meyer B, Andrey DO, et al. Antibody persistence in the first 6 months following SARS-CoV-2 infection among hospital workers: a prospective longitudinal study. Clin. Microbiol. Infect. 2021;20:20.
- 213. Sagar P, Kumar R, Fatima R, et al. Prospective Analysis of the Chronology of Smell and Taste Dysfunction in COVID-19 Positive ENT Doctors. Indian J Otolaryngol Head Neck Surg. 2021 Apr 23;1-6.
- 214. Xu J, Zhou M, Luo P, et al. Plasma metabolomic profiling of patients recovered from COVID-19 with pulmonary sequelae 3 months after discharge. Clin. Infect. Dis. 2021;17:17.
- 215. NICE. COVID-19 rapid guideline: managing the long-term effects of COVID-19. NICE Guideline 188.. 2020;12:18.
- 216. Petersen MS, Kristiansen MF, Hanusson KD, et al. Long COVID in the Faroe Islands a longitudinal study among nonhospitalized patients. Clin. Infect. Dis. 2020;30:30.
- 217. Zhan Y, Zhu Y, Wang S, et al. SARS-CoV-2 immunity and functional recovery of COVID-19 patients 1-year after infection. Signal Transduct Target Ther. 2021;6(1):368.
- 218. Groff D, Sun A, Ssentongo AE, et al. Short-term and Long-term Rates of Postacute Sequelae of SARS-CoV-2 Infection: A Systematic Review. JAMA Network 2021;4(10):e2128568.
- 219. Kayaaslan B, Eser F, Kalem AK, et al. Post-COVID syndrome: A single-center questionnaire study on 1007 participants recovered from COVID-19. J. Med. Virol. 2021;93(12):6566-6574.
- 220. Carenzo L, Dalla Corte F, Haines RW, et al. Return to Work After Coronavirus Disease 2019 Acute Respiratory Distress Syndrome and Intensive Care Admission: Prospective, Case Series at 6 Months From Hospital Discharge. Crit. Care Med. 2021;49(11):e1157-e1162.
- 221. Estiri H, Strasser ZH, Brat GA, et al. Evolving phenotypes of non-hospitalized patients that indicate long COVID. BMC Med. 2021;19(1):249.
- 222. Bussiere N, Mei J, Levesque-Boissonneault C, et al. Chemosensory Dysfunctions Induced by COVID-19 Can Persist up to 7 Months: A Study of Over 700 Healthcare Workers. Chem. Senses. 2021;46(01):01.

- 223. Peghin M, Palese A, Venturini M, et al. Post-COVID-19 symptoms 6 months after acute infection among hospitalized and nonhospitalized patients. Clin. Microbiol. Infect. 2021;27(10):1507-1513.
- 224. Wild JM, Porter JC, Molyneaux PL, et al. Understanding the burden of interstitial lung disease post-COVID-19: the UK Interstitial Lung Disease-Long COVID Study (UKILD-Long COVID). BMJ Open Respir Res. 2021;8(1):09.
- 225. Fortini A, Torrigiani A, Sbaragli S, et al. COVID-19: persistence of symptoms and lung alterations after 3-6 months from hospital discharge. Infection. 2021;49(5):1007-1015.
- 226. Schandl A, Hedman A, Lynga P, et al. Long-term consequences in critically ill COVID-19 patients: A prospective cohort study. Acta Anaesthesiol. Scand. 2021;65(9):1285-1292.
- 227. Miwa M, Nakajima M, Kaszynski RH, et al. Abnormal pulmonary function and imaging studies in critical COVID-19 survivors at 100 days after the onset of symptoms. Respir Investig. 2021;59(5):614-621.
- 228. Brackel CLH, Lap CR, Buddingh EP, et al. Pediatric long-COVID: An overlooked phenomenon? Pediatr. Pulmonol. 2021;56(8):2495-2502.
- 229. Nazir T, Chit Su HM, Mann P, Clancy N, Kargar L. Long COVID Syndrome and Takotsubo Cardiomyopathy: An Unwelcome Combination. Cureus. 2021;13(8):e17590.
- 230. Konik M, Lindemann M, Zettler M, et al. Long-Term SARS-CoV-2 Specific Immunity Is Affected by the Severity of Initial COVID-19 and Patient Age. J Clin Med. 2021 Oct 8;10(19):4606.
- 231. Och A, Tylicki P, Polewska K, et al. Persistent Post-COVID-19 Syndrome in Hemodialyzed Patients-A Longitudinal Cohort Study from the North of Poland. J Clin Med. 2021 Sep 28;10(19):4451.
- 232. Dalbosco-Salas M, Torres-Castro R, Rojas Leyton A, et al. Effectiveness of a Primary Care Telerehabilitation Program for Post-COVID-19 Patients: A Feasibility Study. J Clin Med. 2021 Sep 27;10(19):4428.
- 233. Molnar T, Varnai R, Schranz D, et al. Severe Fatigue and Memory Impairment Are Associated with Lower Serum Level of Anti-SARS-CoV-2 Antibodies in Patients with Post-COVID Symptoms. J Clin Med. 2021 Oct; 10(19): 4337.
- 234. Lemhofer C, Sturm C, Loudovici-Krug D, Best N, Gutenbrunner C. The impact of Post-COVID-Syndrome on functioning results from a community survey in patients after mild and moderate SARS-CoV-2-infections in Germany. J. Occup. Med. Toxicol. 2021;16(1):45.
- 235. Kim Y, Kim SW, Chang HH, Kwon KT, Bae S, Hwang S. Significance and Associated Factors of Long-Term Sequelae in Patients after Acute COVID-19 Infection in Korea. Infect. 2021;53(3):463-476.
- 236. McCarron M, Allen A, McCausland D, et al. The impact of COVID-19 on people ageing with an intellectual disability in Ireland: Protocol for a follow-up survey. HRB open res. 2021;4:95.
- 237. Boesl F, Audebert H, Endres M, Pruss H, Franke C. A Neurological Outpatient Clinic for Patients With Post-COVID-19 Syndrome - A Report on the Clinical Presentations of the First 100 Patients. Frontiers in neurology. 2021;12:738405.
- 238. Lamontagne SJ, Winters MF, Pizzagalli DA, Olmstead MC. Post-acute sequelae of COVID-19: Evidence of mood & cognitive impairment. Brain Behav Immun Health. 2021;17:100347.
- 239. Mitrani MI, Bellio MA, Meglin A, et al. Treatment of a COVID-19 long hauler with an amniotic fluid-derived extracellular vesicle biologic. Respir Med Case Rep. 2021;34:101502.
- 240. Wildi K, Li Bassi G, Barnett A, et al. Design and Rationale of a Prospective International Follow-Up Study on Intensive Care Survivors of COVID-19: The Long-Term Impact in Intensive Care Survivors of Coronavirus Disease-19-AFTERCOR. Frontiers in Medicine. 2021;8:738086.
- 241. Reinoso-Arija R, Lopez-Ramirez C, Jimenez-Ruiz JA, Lopez-Campos JL. Effectiveness of aprepitant in post-acute COVID19 syndrome. Clin Case Rep. 2021;9(9):e04646.
- 242. Augustin M, Schommers P, Stecher M, et al. Post-COVID syndrome in non-hospitalised patients with COVID-19: a longitudinal prospective cohort study. Lancet Reg Health Eur. 2021;6:100122.
- 243. Long Q, Li J, Hu X, Bai Y, Zheng Y, Gao Z. Follow-Ups on Persistent Symptoms and Pulmonary Function Among Post-Acute COVID-19 Patients: A Systematic Review and Meta-Analysis. Frontiers in Medicine. 2021;8:702635.

- 244. Gao Y, Zhong LLD, Quach B, et al. COVID-19 Rehabilitation With Herbal Medicine and Cardiorespiratory Exercise: Protocol for a Clinical Study. JMIR Res Protoc. 2021;10(5):e25556.
- 245. Yin X, Xi X, Min X, et al. Long-term chest CT follow-up in COVID-19 Survivors: 102-361 days after onset. Ann. 2021;9(15):1231.
- 246. Mumoli N, Bonaventura A, Colombo A, et al. Lung Function and Symptoms in Post-COVID-19 Patients: A Single-Center Experience. Mayo Clin Proc Innov Qual Outcomes. 2021;5(5):907-915.
- 247. Kersten J, Baumhardt M, Hartveg P, et al. Long COVID: Distinction between Organ Damage and Deconditioning. J Clin Med. 2021 Aug 24;10(17):3782.
- 248. Sigfrid L, Drake TM, Pauley E, et al. Long Covid in adults discharged from UK hospitals after Covid-19: A prospective, multicentre cohort study using the ISARIC WHO Clinical Characterisation Protocol. Lancet Reg Health Eur. 2021;8:100186.
- 249. Mohiuddin Chowdhury ATM, Karim MR, Ali MA, Islam J, Li Y, He S. Clinical Characteristics and the Long-Term Post-recovery Manifestations of the COVID-19 Patients-A Prospective Multicenter Cross-Sectional Study. Frontiers in Medicine. 2021;8:663670.
- 250. Rojas M, Rodriguez Y, Zapata E, Hernandez JC, Anaya JM. Cholangiopathy as part of post-COVID syndrome. J Transl Autoimmun. 2021;4:100116.
- 251. Sarker A, Ge Y. Mining long-COVID symptoms from Reddit: characterizing post-COVID syndrome from patient reports. JAMIA open. 2021;4(3):ooab075.
- 252. Jason LA, Islam M, Conroy K, et al. COVID-19 Symptoms Over Time: Comparing Long-Haulers to ME/CFS. Fatigue. 2021;9(2):59-68.
- 253. Elkan M, Dvir A, Zaidenstein R, et al. Patient-Reported Outcome Measures After Hospitalization During the COVID-19 Pandemic: A Survey Among COVID-19 and Non-COVID-19 Patients. Int. J. Gen. Med. 2021;14:4829-4836.
- 254. Kyzar EJ, Purpura LJ, Shah J, Cantos A, Nordvig AS, Yin MT. Anxiety, depression, insomnia, and trauma-related symptoms following COVID-19 infection at long-term follow-up. Brain Behav Immun Health. 2021;16:100315.
- 255. Zayet S, Zahra H, Royer PY, et al. Post-COVID-19 Syndrome: Nine Months after SARS-CoV-2 Infection in a Cohort of 354 Patients: Data from the First Wave of COVID-19 in Nord Franche-Comte Hospital, France. Microorganisms. 2021;9(8):12.
- 256. Sanchez-Ramirez DC, Normand K, Zhaoyun Y, Torres-Castro R. Long-Term Impact of COVID-19: A Systematic Review of the Literature and Meta-Analysis. Biomedicines. 2021;9(8):27.
- 257. Vlake JH, Van Bommel J, Hellemons ME, et al. Psychologic Distress and Quality of Life After ICU Treatment for Coronavirus Disease 2019: A Multicenter, Observational Cohort Study. Critical Care Explorations. 2021;3(8):e0497.
- 258. Davis HE, Assaf GS, McCorkell L, et al. Characterizing long COVID in an international cohort: 7 months of symptoms and their impact. EClinicalMedicine. 2021;38:101019.
- 259. P S, Madhavan S, Pandurangan V. Prevalence, Pattern and Functional Outcome of Post COVID-19 Syndrome in Older Adults. Cureus. 2021;13(8):e17189.
- 260. Advani R, Stromsnes TA, Stjernstrom E, Lugg ST. Multiple simultaneous embolic cerebral infarctions 11 months after COVID-19. Thromb J. 2021;19(1):57.
- 261. Garg A, Goyal S, Comellas AP. Post-acute COVID-19 functional movement disorder. SAGE Open Med Case Rep. 2021;9:2050313X211039377.
- 262. Jones R, Davis A, Stanley B, et al. Risk Predictors and Symptom Features of Long COVID Within a Broad Primary Care Patient Population Including Both Tested and Untested Patients. Pragmat. 2021;12:93-104.
- 263. Kurtais Aytur Y, Fusun Koseoglu B, Ozyemisci Taskiran O, et al. Pulmonary rehabilitation principles in SARS-COV-2 infection (COVID-19): The revised guideline for the acute, subacute, and post-COVID-19 rehabilitation. Turkish Journal of Physical Medicine and Rehabilitation. 2021;67(2):129-145.
- 264. O'Keefe JB, Minton HC, Morrow M, et al. Postacute Sequelae of SARS-CoV-2 Infection and Impact on Quality of Life 1-6 Months After Illness and Association With Initial Symptom Severity. Open Forum Infectious Diseases. 2021;8(8):ofab352.

- 265. Fu Z, Tu Y, Calhoun VD, et al. Dynamic functional network connectivity associated with post-traumatic stress symptoms in COVID-19 survivors. Neurobiol Stress. 2021;15:100377.
- 266. Lombardo MDM, Foppiani A, Peretti GM, et al. Long-Term Coronavirus Disease 2019 Complications in Inpatients and Outpatients: A One-Year Follow-up Cohort Study. Open Forum Infectious Diseases. 2021;8(8):ofab384.
- 267. Diaz-Fuentes G, Roa-Gomez G, Reyes O, Singhal R, Venkatram S. Coronavirus Pneumonia: Outcomes and Characteristics of Patients in an Inner-City Area after 3 Months of Infection. J Clin Med. 2021 Jul 29;10(15):3368.
- 268. Rank A, Tzortzini A, Kling E, et al. One Year after Mild COVID-19: The Majority of Patients Maintain Specific Immunity, But One in Four Still Suffer from Long-Term Symptoms. J Clin Med. 2021 Jul 27;10(15):3305.
- 269. van Veenendaal N, van der Meulen IC, Onrust M, Paans W, Dieperink W, van der Voort PHJ. Six-Month Outcomes in COVID-19 ICU Patients and Their Family Members: A Prospective Cohort Study. Healthcare (Basel). 2021;9(7):08.
- 270. Frontera JA, Lewis A, Melmed K, et al. Prevalence and Predictors of Prolonged Cognitive and Psychological Symptoms Following COVID-19 in the United States. Front. Aging Neurosci. 2021;13:690383.
- 271. Johnsen S, Sattler SM, Miskowiak KW, et al. Descriptive analysis of long COVID sequelae identified in a multidisciplinary clinic serving hospitalised and non-hospitalised patients. Erj Open Research. 2021;7(3).
- 272. Xiao K, Yang H, Liu B, et al. Antibodies Can Last for More Than 1 Year After SARS-CoV-2 Infection: A Follow-Up Study From Survivors of COVID-19. Frontiers in Medicine. 2021;8:684864.
- 273. Rousseau AF, Minguet P, Colson C, et al. Post-intensive care syndrome after a critical COVID-19: cohort study from a Belgian follow-up clinic. Ann Intensive Care. 2021;11(1):118.
- 274. Scherlinger M, Felten R, Gallais F, et al. Refining "Long-COVID" by a Prospective Multimodal Evaluation of Patients with Long-Term Symptoms Attributed to SARS-CoV-2 Infection. Infect. 2021;10(3):1747-1763.
- 275. Araja D, Berkis U, Lunga A, Murovska M. Shadow Burden of Undiagnosed Myalgic Encephalomyelitis/Chronic Fatigue Syndrome (ME/CFS) on Society: Retrospective and Prospective-In Light of COVID-19. J Clin Med. 2021 Jul 6;10(14):3017.
- 276. Fernandez-de-Las-Penas C, Gomez-Mayordomo V, Garcia-Azorin D, et al. Previous History of Migraine Is Associated With Fatigue, but Not Headache, as Long-Term Post-COVID Symptom After Severe Acute Respiratory SARS-CoV-2 Infection: A Case-Control Study. Front. Hum. Neurosci. 2021;15:678472.
- 277. Salem AM, Al Khathlan N, Alharbi AF, et al. The Long-Term Impact of COVID-19 Pneumonia on the Pulmonary Function of Survivors. Int. J. Gen. Med. 2021;14:3271-3280.
- 278. Yom-Tov E, Lekkas D, Jacobson NC. Association of COVID19-induced anosmia and ageusia with depression and suicidal ideation. J Affect Disord Rep. 2021;5:100156.
- 279. Monrad I, Sahlertz SR, Nielsen SSF, et al. Persistent Severe Acute Respiratory Syndrome Coronavirus 2 Infection in Immunocompromised Host Displaying Treatment Induced Viral Evolution. Open Forum Infectious Diseases. 2021;8(7):ofab295.
- 280. Gold JE, Okyay RA, Licht WE, Hurley DJ. Investigation of Long COVID Prevalence and Its Relationship to Epstein-Barr Virus Reactivation. Pathogens. 2021;10(6):17.
- 281. Zhou M, Xu J, Liao T, et al. Comparison of Residual Pulmonary Abnormalities 3 Months After Discharge in Patients Who Recovered From COVID-19 of Different Severity. Frontiers in Medicine. 2021;8:682087.
- 282. Maestre-Muniz MM, Arias A, Mata-Vazquez E, et al. Long-Term Outcomes of Patients with Coronavirus Disease 2019 at One Year after Hospital Discharge. J Clin Med. 2021 Jun 30;10(13):2945.
- 283. Kotani T, Sugiyama M, Matsuzaki F, et al. Roles of Early Mobilization Program in Preventing Muscle Weakness and Decreasing Psychiatric Disorders in Patients with Coronavirus Disease 2019 Pneumonia: A Retrospective Observational Cohort Study. J Clin Med. 2021;10(13):30.
- 284. Sultana S, Islam MT, Salwa M, et al. Duration and Risk Factors of Post-COVID Symptoms Following Recovery Among the Medical Doctors in Bangladesh. Cureus. 2021;13(5):e15351.
- 285. Ong SWX, Fong SW, Young BE, et al. Persistent Symptoms and Association With Inflammatory Cytokine Signatures in Recovered Coronavirus Disease 2019 Patients. Open Forum Infectious Diseases. 2021;8(6):ofab156.

- 286. Aparisi A, Ybarra-Falcon C, Garcia-Gomez M, et al. Exercise Ventilatory Inefficiency in Post-COVID-19 Syndrome: Insights from a Prospective Evaluation. J Clin Med. 2021;10(12):11.
- 287. Gonzalez-Hermosillo JA, Martinez-Lopez JP, Carrillo-Lampon SA, et al. Post-Acute COVID-19 Symptoms, a Potential Link with Myalgic Encephalomyelitis/Chronic Fatigue Syndrome: A 6-Month Survey in a Mexican Cohort. Brain sci. 2021;11(6):08.
- 288. Rydwik E, Anmyr L, Regardt M, et al. ReCOV: recovery and rehabilitation during and after COVID-19 a study protocol of a longitudinal observational study on patients, next of kin and health care staff. BMC Sports Sci Med Rehabil. 2021;13(1):70.
- 289. Elanwar R, Hussein M, Magdy R, et al. Physical and Mental Fatigue in Subjects Recovered from COVID-19 Infection: A Case-Control Study. Neuropsychiatr. Dis. Treat. 2021;17:2063-2071.
- 290. Uchiyama Y, Sasanuma N, Nanto T, et al. COVID-19 Patient Returned to Work after Long Hospitalization and Follow-up: A Case Report. Prog. 2021;6:20210025.
- 291. Shuwa HA, Shaw TN, Knight SB, et al. Alterations in T and B cell function persist in convalescent COVID-19 patients. Med (N Y). 2021;2(6):720-735.e4.
- 292. Orru G, Bertelloni D, Diolaiuti F, et al. Long-COVID Syndrome? A Study on the Persistence of Neurological, Psychological and Physiological Symptoms. Healthcare (Basel). 2021;9(5):13.
- 293. Whiting A, Reyes JVM, Ahmad S, Lieber J. Post-COVID-19 Fatigue: A Case of Infectious Hypothyroidism. Cureus. 2021;13(5):e14815.
- 294. Vaes AW, Goertz YMJ, Van Herck M, et al. Recovery from COVID-19: a sprint or marathon? 6-month follow-up data from online long COVID-19 support group members. Erj Open Research. 2021;7(2).
- 295. Iqbal FM, Lam K, Sounderajah V, Clarke JM, Ashrafian H, Darzi A. Characteristics and predictors of acute and chronic post-COVID syndrome: A systematic review and meta-analysis. EClinicalMedicine. 2021;36:100899.
- 296. Omololu A, Ojelade B, Ajayi O, et al. "Long COVID": A case report of persistent symptoms in a patient with prolonged SARS-CoV-2 shedding for over 110 days. SAGE Open Med Case Rep. 2021;9:2050313X211015494.
- 297. Mei Q, Wang F, Yang Y, et al. Health Issues and Immunological Assessment Related to Wuhan's COVID-19 Survivors: A Multicenter Follow-Up Study. Frontiers in Medicine. 2021;8:617689.
- 298. Salamanna F, Veronesi F, Martini L, Landini MP, Fini M. Post-COVID-19 Syndrome: The Persistent Symptoms at the Post-viral Stage of the Disease. A Systematic Review of the Current Data. Frontiers in Medicine. 2021;8:653516.
- 299. Dayrit JK, Verduzco-Gutierrez M, Teal A, Shah SA. Enhanced External Counterpulsation as a Novel Treatment for Post-acute COVID-19 Sequelae. Cureus. 2021;13(4):e14358.
- 300. Ulutas F, S SNO, Ardic F. Role of rehabilitation in a COVID-19 survivor with intensive care unit-acquired weakness: A case report. Turkish Journal of Physical Medicine and Rehabilitation. 2021;67(1):115-119.
- 301. Sherina N, Piralla A, Du L, et al. Persistence of SARS-CoV-2-specific B and T cell responses in convalescent COVID-19 patients 6-8 months after the infection. Med (N Y). 2021;2(3):281-295.e4.
- 302. Nuzzo D, Cambula G, Bacile I, et al. Long-Term Brain Disorders in Post Covid-19 Neurological Syndrome (PCNS) Patient. Brain sci. 2021;11(4):02.
- 303. Leth S, Gunst JD, Mathiasen V, et al. Persistent Symptoms in Patients Recovering From COVID-19 in Denmark. Open Forum Infectious Diseases. 2021;8(4):ofab042.
- 304. Miyazato Y, Morioka S, Tsuzuki S, et al. Prolonged and Late-Onset Symptoms of Coronavirus Disease 2019. Open Forum Infectious Diseases. 2020;7(11):ofaa507.
- 305. Lu Y, Li X, Geng D, et al. Cerebral Micro-Structural Changes in COVID-19 Patients An MRI-based 3-month Follow-up Study. EClinicalMedicine. 2020;25:100484.
- 306. Harrington WE, Trakhimets O, Andrade DV, et al. Rapid decline of neutralizing antibodies is associated with decay of IgM in adults recovered from mild COVID-19. Cell Rep Med. 2021;2(4):100253.
- 307. Johansson M, Stahlberg M, Runold M, et al. Long-Haul Post-COVID-19 Symptoms Presenting as a Variant of Postural Orthostatic Tachycardia Syndrome: The Swedish Experience. JACC Case Rep. 2021;3(4):573-580.

- 308. Schofield JR. Persistent Antiphospholipid Antibodies, Mast Cell Activation Syndrome, Postural Orthostatic Tachycardia Syndrome and Post-COVID Syndrome: 1 Year On. Eur. 2021;8(3):002378.
- 309. Kostopoulos IV, Orologas-Stavrou N, Rousakis P, et al. Recovery of Innate Immune Cells and Persisting Alterations in Adaptive Immunity in the Peripheral Blood of Convalescent Plasma Donors at Eight Months Post SARS-CoV-2 Infection. Microorganisms. 2021;9(3):06.
- 310. Favresse J, Eucher C, Elsen M, et al. Persistence of Anti-SARS-CoV-2 Antibodies Depends on the Analytical Kit: A Report for Up to 10 Months after Infection. Microorganisms. 2021;9(3):08.
- 311. Remy-Jardin M, Duthoit L, Perez T, et al. Assessment of pulmonary arterial circulation 3 months after hospitalization for SARS-CoV-2 pneumonia: Dual-energy CT (DECT) angiographic study in 55 patients. EClinicalMedicine. 2021;34:100778.
- 312. Sollie ZW, Vallepu SR, Tharumia Jagadeesan C, White LC, Nagalapuram V. Challenges in Managing Pericardial Disease Related to Post Viral Syndrome After COVID-19 Infection. Cureus. 2021;13(2):e13461.
- 313. Avenali M, Martinelli D, Todisco M, et al. Clinical and Electrophysiological Outcome Measures of Patients With Post-Infectious Neurological Syndromes Related to COVID-19 Treated With Intensive Neurorehabilitation. Frontiers in neurology. 2021;12:643713.
- 314. Liu M, Lv F, Huang Y, Xiao K. Follow-Up Study of the Chest CT Characteristics of COVID-19 Survivors Seven Months After Recovery. Frontiers in Medicine. 2021;8:636298.
- 315. Vlake JH, van Bommel J, Hellemons ME, Wils EJ, Gommers D, van Genderen ME. Intensive Care Unit-Specific Virtual Reality for Psychological Recovery After ICU Treatment for COVID-19; A Brief Case Report. Frontiers in Medicine. 2020;7:629086.
- 316. Manckoundia P, Franon E. Is Persistent Thick Copious Mucus a Long-Term Symptom of COVID-19? Eur. 2020;7(12):002145.
- Motiejunaite J, Balagny P, Arnoult F, et al. Hyperventilation: A Possible Explanation for Long-Lasting Exercise Intolerance in Mild COVID-19 Survivors? Front. Physiol. 2020;11:614590.
- 318. Alnafiey MO, Alangari AM, Alarifi AM, Abushara A. Persistent Hypokalemia post SARS-coV-2 infection, is it a life-long complication? Case report. Ann Med Surg (Lond). 2021;62:358-361.
- 319. Scutari R, Piermatteo L, Ciancio Manuelli M, et al. Long-Term SARS-CoV-2 Infection Associated with Viral Dissemination in Different Body Fluids Including Bile in Two Patients with Acute Cholecystitis. Life (Basel). 2020;10(11):23.
- 320. Zamora-Mendoza BN, Diaz de Leon-Martinez L, Rodriguez-Aguilar M, Mizaikoff B, Flores-Ramirez R. Chemometric analysis of the global pattern of volatile organic compounds in the exhaled breath of patients with COVID-19, post-COVID and healthy subjects. Proof of concept for post-COVID assessment. Talanta. 2022;236:122832.
- 321. Kolesova O, Vanaga I, Laivacuma S, et al. Intriguing findings of liver fibrosis following COVID-19. BMC Gastroenterol. 2021;21(1):370.
- 322. Salerno S, Sun Y, Morris EL, et al. Comprehensive evaluation of COVID-19 patient short- and long-term outcomes: Disparities in healthcare utilization and post-hospitalization outcomes. PLoS ONE. 2021;16(10):e0258278.
- 323. Turan Z, Topaloglu M, Ozyemisci Taskiran O. Is tele-rehabilitation superior to home exercise program in COVID-19 survivors following discharge from intensive care unit? - A study protocol of a randomized controlled trial. Physiother. Res. Int. 2021;26(4):e1920.
- 324. Taquet M, Dercon Q, Luciano S, Geddes JR, Husain M, Harrison PJ. Incidence, co-occurrence, and evolution of long-COVID features: A 6-month retrospective cohort study of 273,618 survivors of COVID-19. PLoS Medicine / Public Library of Science. 2021;18(9):e1003773.
- 325. Stockley JA, Alhuthail EA, Coney AM, et al. Lung function and breathing patterns in hospitalised COVID-19 survivors: a review of post-COVID-19 Clinics. Respir. Res. 2021;22(1):255.
- 326. Fernandez-de-Las-Penas C, Palacios-Cena D, Gomez-Mayordomo V, et al. Prevalence of post-COVID-19 symptoms in hospitalized and non-hospitalized COVID-19 survivors: A systematic review and meta-analysis. Eur. J. Intern. Med. 2021;92:55-70.
- 327. Michelen M, Manoharan L, Elkheir N, et al. Characterising long COVID: a living systematic review. BMJ glob. 2021;6(9):09.

- 328. Mantovani E, Mariotto S, Gabbiani D, et al. Chronic fatigue syndrome: an emerging sequela in COVID-19 survivors? J. Neurovirol. 2021;27(4):631-637.
- 329. Dayco JS, El-Reda Z, Sumbal N, Alhusain R, Raheem S. Perpetually Positive: Post-COVID Interstitial Lung Disease in an Immunocompromised Patient With Diffuse Large B-cell Lymphoma. J Investig Med High Impact Case Rep. 2021;9:23247096211041207.
- 330. Tempany M, Leonard A, Prior AR, et al. The potential impact of post-COVID symptoms in the healthcare sector. Occup Med (Oxf). 2021;71(6-7):284-289.
- 331. Nehme M, Braillard O, Chappuis F, Courvoisier DS, Guessous I, CoviCare Study T. Prevalence of Symptoms More Than Seven Months After Diagnosis of Symptomatic COVID-19 in an Outpatient Setting. Ann. Intern. Med. 2021;174(9):1252-1260.
- 332. Zahoor F, Nazar Z, Masud S, Rahim R. Relative Risk of Anxiety and Depression among COVID-19 Survivor Healthcare Workers from a Tertiary Care Hospital in Pakistan: A Pilot Cohort Study. Jcpsp, Journal of the College of Physicians & Surgeons - Pakistan. 2021;31(10):1244-1246.
- Ogoina D, James HI, Ogoinja SZ. Post-Discharge Symptoms among Hospitalized COVID-19 Patients in Nigeria: A Single-Center Study. Am. J. Trop. Med. Hyg. 2021;105(3):731-736.
- 334. Van Herck M, Goertz YMJ, Houben-Wilke S, et al. Severe Fatigue in Long COVID: Web-Based Quantitative Follow-up Study in Members of Online Long COVID Support Groups. J. Med. Internet Res. 2021;23(9):e30274.
- 335. Kaggwa MM, Favina A, Najjuka SM, Zeba Z, Mamun MA, Bongomin F. Excessive eating and weight gain: A rare post-acute COVID-19 syndrome. Diabetes Metab. Syndr. 2021;15(5):102252.
- 336. Chen Y, Ding C, Yu L, et al. One-year follow-up of chest CT findings in patients after SARS-CoV-2 infection. BMC Med. 2021;19(1):191.
- 337. Yomogida K, Zhu S, Rubino F, Figueroa W, Balanji N, Holman E. Post-Acute Sequelae of SARS-CoV-2 Infection Among Adults Aged >=18 Years - Long Beach, California, April 1-December 10, 2020. MMWR - Morbidity & Mortality Weekly Report. 2021;70(37):1274-1277.
- 338. Grist JT, Chen M, Collier GJ, et al. Hyperpolarized ¹²⁹Xe MRI Abnormalities in Dyspneic Patients 3 Months after COVID-19 Pneumonia: Preliminary Results. Radiology. 2021;301(1):E353-E360.
- 339. Maldaner V, Coutinho J, Santana A, et al. Adjunctive inspiratory muscle training for patients with COVID-19 (COVIDIMT): protocol for randomised controlled double-blind trial. BMJ Open. 2021;11(9):e049545.
- 340. Zhou Y, Zhang J, Zhang D, Ma WL, Wang X. Linking the gut microbiota to persistent symptoms in survivors of COVID-19 after discharge. J. Microbiol. 2021;59(10):941-948.
- 341. Blomberg B, Mohn KG, Brokstad KA, et al. Long COVID in a prospective cohort of home-isolated patients. Nat. Med. 2021;27(9):1607-1613.
- 342. Pujari S, Gaikwad S, Chitalikar A, Dabhade D, Joshi K, Bele V. Long-coronavirus disease among people living with HIV in western India: An observational study. Immun Inflamm Dis. 2021;9(3):1037-1043.
- 343. van Gassel RJJ, Bels J, Remij L, et al. Functional Outcomes and Their Association With Physical Performance in Mechanically Ventilated Coronavirus Disease 2019 Survivors at 3 Months Following Hospital Discharge: A Cohort Study. Crit. Care Med. 2021;49(10):1726-1738.
- 344. Zao X, Zhou Y, Liang Y, et al. The host immune response of a discharged COVID-19 patient with twice reemergence of SARS-CoV-2: a case report. BMC Infect. Dis. 2021;21(1):991.
- 345. Huang L, Yao Q, Gu X, et al. 1-year outcomes in hospital survivors with COVID-19: a longitudinal cohort study. Lancet. 2021;398(10302):747-758.
- 346. Garcia-Abellan J, Padilla S, Fernandez-Gonzalez M, et al. Antibody Response to SARS-CoV-2 is Associated with Long-term Clinical Outcome in Patients with COVID-19: a Longitudinal Study. J. Clin. Immunol. 2021;41(7):1490-1501.
- 347. Ahmad MS, Shaik RA, Ahmad RK, et al. "LONG COVID": an insight. Eur. Rev. Med. Pharmacol. Sci. 2021;25(17):5561-5577.

- 348. Mainous AG, 3rd, Rooks BJ, Orlando FA. Risk of New Hospitalization Post-COVID-19 Infection for Non-COVID-19 Conditions. Journal of the American Board of Family Medicine: JABFM. 2021;34(5):907-913.
- 349. Terlizzi K, Kutscher E, Yoncheva Y. Monitoring New Symptoms After COVID-19 Infection Among Primary Care Patients in New York City. Journal of the American Board of Family Medicine: JABFM. 2021;34(5):1014-1016.
- 350. Schou TM, Joca S, Wegener G, Bay-Richter C. Psychiatric and neuropsychiatric sequelae of COVID-19 A systematic review. Brain. Behav. Immun. 2021;97:328-348.
- 351. Clavario P, De Marzo V, Lotti R, et al. Cardiopulmonary exercise testing in COVID-19 patients at 3 months follow-up. Int. J. Cardiol. 2021;340:113-118.
- 352. Perez-Gomez A, Vitalle J, Gasca-Capote C, et al. Dendritic cell deficiencies persist seven months after SARS-CoV-2 infection. Cell. Mol. Immunol. 2021;18(9):2128-2139.
- 353. Cabrera Martimbianco AL, Pacheco RL, Bagattini AM, Riera R. Frequency, signs and symptoms, and criteria adopted for long COVID-19: A systematic review. Int. J. Clin. Pract. 2021;75(10):e14357.
- 354. Schneider F, Agin A, Baldacini M, et al. Acute-onset delirium in intensive care COVID patients: association of imperfect brain repair with foodborne micro-pollutants. Eur. J. Neurol. 2021;28(10):3443-3447.
- 355. Munblit D, Bobkova P, Spiridonova E, et al. Incidence and risk factors for persistent symptoms in adults previously hospitalized for COVID-19. Clin. Exp. Allergy. 2021;51(9):1107-1120.
- 356. Arslan U, Borulu F, Sarac I, Prof BE. Chronic intracardiac thrombus, a long-term complication of COVID-19: Case reports. J. Card. Surg. 2021;36(10):3939-3943.
- 357. Borges V, Isidro J, Cunha M, et al. Long-Term Evolution of SARS-CoV-2 in an Immunocompromised Patient with Non-Hodgkin Lymphoma. mSphere. 2021;6(4):e0024421.
- 358. Dobano C, Ramirez-Morros A, Alonso S, et al. Persistence and baseline determinants of seropositivity and reinfection rates in health care workers up to 12.5 months after COVID-19. BMC Med. 2021;19(1):155.
- 359. Havervall S, Marking U, Greilert-Norin N, et al. Antibody responses after a single dose of ChAdOx1 nCoV-19 vaccine in healthcare workers previously infected with SARS-CoV-2. EBioMedicine. 2021;70:103523.
- 360. Kanberg N, Simren J, Eden A, et al. Neurochemical signs of astrocytic and neuronal injury in acute COVID-19 normalizes during long-term follow-up. EBioMedicine. 2021;70:103512.
- 361. Sun YM, Liu JY, Sun R, Zhang J, Xiao ML, Li GP. The long-term consequences of Corona Virus Disease 2019 patients receiving Chinese herbal medicine treatments in acute phase: A protocol for systematic review and meta-analysis. Medicine (Baltimore). 2021;100(29):e26677.
- 362. Ramadan MS, Bertolino L, Zampino R, Durante-Mangoni E, Monaldi Hospital Cardiovascular Infection Study G. Cardiac sequelae after coronavirus disease 2019 recovery: a systematic review. Clin. Microbiol. Infect. 2021;27(9):1250-1261.
- 363. Achiron A, Gurevich M, Falb R, Dreyer-Alster S, Sonis P, Mandel M. SARS-CoV-2 antibody dynamics and B-cell memory response over time in COVID-19 convalescent subjects. Clin. Microbiol. Infect. 2021;27(9):1349.e1-1349.e6.
- 364. Sollini M, Morbelli S, Ciccarelli M, et al. Long COVID hallmarks on [18F]FDG-PET/CT: a case-control study. Eur. J. Nucl. Med. Mol. Imaging. 2021;48(10):3187-3197.
- 365. Peluso MJ, Deitchman AN, Torres L, et al. Long-term SARS-CoV-2-specific immune and inflammatory responses in individuals recovering from COVID-19 with and without post-acute symptoms. Cell Rep. 2021;36(6):109518.
- 366. Gerhards C, Thiaucourt M, Kittel M, et al. Longitudinal assessment of anti-SARS-CoV-2 antibody dynamics and clinical features following convalescence from a COVID-19 infection. Int. J. Infect. Dis. 2021;107:221-227.
- Abdelrahman MM, Abd-Elrahman NM, Bakheet TM. Persistence of symptoms after improvement of acute COVID19 infection, a longitudinal study. J. Med. Virol. 2021;93(10):5942-5946.
- 368. Di Filippo L, De Lorenzo R, Cinel E, et al. Weight trajectories and abdominal adiposity in COVID-19 survivors with overweight/obesity. Int. J. Obes. 2021;45(9):1986-1994.

- 369. Soraas A, Kalleberg KT, Dahl JA, et al. Persisting symptoms three to eight months after non-hospitalized COVID-19, a prospective cohort study. PLoS ONE. 2021;16(8):e0256142.
- 370. Maestrini V, Birtolo LI, Francone M, et al. Cardiac involvement in consecutive unselected hospitalized COVID-19 population: Inhospital evaluation and one-year follow-up. Int. J. Cardiol. 2021;339:235-242.
- 371. Stephenson T, Shafran R, De Stavola B, et al. Long COVID and the mental and physical health of children and young people: national matched cohort study protocol (the CLoCk study). BMJ Open. 2021;11(8):e052838.
- 372. Buonsenso D, Di Giuda D, Sigfrid L, et al. Evidence of lung perfusion defects and ongoing inflammation in an adolescent with post-acute sequelae of SARS-CoV-2 infection. Lancet Child Adolesc Health. 2021;5(9):677-680.
- 373. Ursini F, Ciaffi J, Mancarella L, et al. Fibromyalgia: a new facet of the post-COVID-19 syndrome spectrum? Results from a webbased survey. RMD Open. 2021;7(3):08.
- 374. Jin X, Chen M, Wang J, Yang S, Xu W, Liu X. Clinical characteristics and early prognosis of patients with SARS-CoV-2 infection undergoing joint arthroplasty during the COVID-19 pandemic. Medicine (Baltimore). 2021;100(33):e26760.
- 375. Darcis G, Bouquegneau A, Maes N, et al. Long-term clinical follow-up of patients suffering from moderate-to-severe COVID-19 infection: a monocentric prospective observational cohort study. Int. J. Infect. Dis. 2021;109:209-216.
- 376. Bek LM, Berentschot JC, Hellemons ME, et al. CO-FLOW: COvid-19 Follow-up care paths and Long-term Outcomes Within the Dutch health care system: study protocol of a multicenter prospective cohort study following patients 2 years after hospital discharge. BMC Health Serv. Res. 2021;21(1):847.
- 377. Agergaard J, Leth S, Pedersen TH, et al. Myopathic changes in patients with long-term fatigue after COVID-19. Clin. Neurophysiol. 2021;132(8):1974-1981.
- 378. Zhang D, Zhang C, Li X, et al. Thin-section computed tomography findings and longitudinal variations of the residual pulmonary sequelae after discharge in patients with COVID-19: a short-term follow-up study. Eur. Radiol. 2021;31(9):7172-7183.
- 379. Meije Y, Duarte-Borges A, Sanz X, et al. Long-term outcomes of patients following hospitalization for coronavirus disease 2019: a prospective observational study. Clin. Microbiol. Infect. 2021;27(8):1151-1157.
- 380. Wilcox J, Frank E. Occupational Therapy for the Long Haul of Post-COVID Syndrome: A Case Report. Am. J. Occup. Ther. 2021;75(Supplement_1):7511210060p1-7511210060p7.
- 381. Nielsen KJ, Vestergaard JM, Schlunssen V, et al. Day-by-day symptoms following positive and negative PCR tests for SARS-CoV-2 in non-hospitalized healthcare workers: A 90-day follow-up study. Int. J. Infect. Dis. 2021;108:382-390.
- 382. Xiong L, Li Q, Cao X, et al. Dynamic changes of functional fitness, antibodies to SARS-CoV-2 and immunological indicators within 1 year after discharge in Chinese health care workers with severe COVID-19: a cohort study. BMC Med. 2021;19(1):163.
- 383. Vanichkachorn G, Newcomb R, Cowl CT, et al. Post-COVID-19 Syndrome (Long Haul Syndrome): Description of a Multidisciplinary Clinic at Mayo Clinic and Characteristics of the Initial Patient Cohort. Mayo Clin. Proc. 2021;96(7):1782-1791.
- 384. Busatto GF, de Araujo AL, Duarte A, et al. Post-acute sequelae of SARS-CoV-2 infection (PASC): a protocol for a multidisciplinary prospective observational evaluation of a cohort of patients surviving hospitalisation in Sao Paulo, Brazil. BMJ Open. 2021;11(6):e051706.
- 385. Aminian A, Bena J, Pantalone KM, Burguera B. Association of obesity with postacute sequelae of COVID-19. Diabetes Obes. Metab. 2021;23(9):2183-2188.
- 386. Robey RC, Kemp K, Hayton P, et al. Pulmonary Sequelae at 4 Months After COVID-19 Infection: A Single-Centre Experience of a COVID Follow-Up Service. Adv. Ther. 2021;38(8):4505-4519.
- 387. Gonzalez J, Benitez ID, Carmona P, et al. Pulmonary Function and Radiologic Features in Survivors of Critical COVID-19: A 3-Month Prospective Cohort. Chest. 2021;160(1):187-198.
- 388. Jacobson KB, Rao M, Bonilla H, et al. Patients With Uncomplicated Coronavirus Disease 2019 (COVID-19) Have Long-Term Persistent Symptoms and Functional Impairment Similar to Patients with Severe COVID-19: A Cautionary Tale During a Global Pandemic. Clin. Infect. Dis. 2021;73(3):e826-e829.

- Blanco JR, Cobos-Ceballos MJ, Navarro F, et al. Pulmonary long-term consequences of COVID-19 infections after hospital discharge. Clin. Microbiol. Infect. 2021;27(6):892-896.
- 390. Buonsenso D, Munblit D, De Rose C, et al. Preliminary evidence on long COVID in children. Acta Paediatr. 2021;110(7):2208-2211.
- 391. Baykiz D, Govdeli EA, Ozer PK, et al. Evaluation the relationship of left ventricular global longitudinal strain and laboratory parameters in discharged patients with COVID-19: a follow-up study. Int J Cardiovasc Imaging. 2021;37(8):2451-2464.
- 392. Patterson BK, Guevara-Coto J, Yogendra R, et al. Immune-Based Prediction of COVID-19 Severity and Chronicity Decoded Using Machine Learning. Front. Immunol. 2021;12:700782.
- 393. Qin W, Chen S, Zhang Y, et al. Diffusion capacity abnormalities for carbon monoxide in patients with COVID-19 at 3-month follow-up. Eur. Respir. J. 2021;58(1):07.
- 394. Ojeda A, Calvo A, Cunat T, et al. Rationale and study design of an early care, therapeutic education, and psychological intervention program for the management of post-intensive care syndrome and chronic pain after COVID-19 infection (PAIN-COVID): study protocol for a randomized controlled trial. Trials. 2021;22(1):486.
- 395. Jain E, Harmon EY, Sonagere MB. Functional outcomes and post-discharge care sought by patients with COVID-19 compared to matched controls after completing inpatient acute rehabilitation. Pm R. 2021;13(6):618-625.
- 396. Qu G, Zhen Q, Wang W, et al. Health-related quality of life of COVID-19 patients after discharge: A multicenter follow-up study. J. Clin. Nurs. 2021;30(11-12):1742-1750.
- 397. Menges D, Ballouz T, Anagnostopoulos A, et al. Burden of post-COVID-19 syndrome and implications for healthcare service planning: A population-based cohort study. PLoS ONE. 2021;16(7):e0254523.
- 398. Jongyotha K, Jongyotha K, Rana S. Adverse Cognitive Outcome in a COVID-19 Survivor With Underlying Dementia. J. Am. Med. Dir. Assoc. 2021;22(3):B4.
- 399. Grgurevic L, Novak R, Hrkac S, Salai G, Grazio S. Post-COVID-19 exacerbation of fibrodysplasia ossificans progressiva with multiple flare-ups and extensive heterotopic ossification in a 45-year-old female patient. Rheumatol. Int. 2021;41(8):1495-1501.
- 400. Clarke SA, Phylactou M, Patel B, et al. Normal Adrenal and Thyroid Function in Patients Who Survive COVID-19 Infection. J. Clin. Endocrinol. Metab. 2021;106(8):2208-2220.
- 401. LaVergne SM, Stromberg S, Baxter BA, et al. A longitudinal SARS-CoV-2 biorepository for COVID-19 survivors with and without post-acute sequelae. BMC Infect. Dis. 2021;21(1):677.
- 402. Ghosn J, Piroth L, Epaulard O, et al. Persistent COVID-19 symptoms are highly prevalent 6 months after hospitalization: results from a large prospective cohort. Clin. Microbiol. Infect. 2021;27(7):1041.e1-1041.e4.
- 403. Lui DTW, Lee CH, Chow WS, et al. Insights from a Prospective Follow-up of Thyroid Function and Autoimmunity among COVID-19 Survivors. Endocrinol Metab (Seoul). 2021;36(3):582-589.
- 404. Richter AG, Shields AM, Karim A, et al. Establishing the prevalence of common tissue-specific autoantibodies following severe acute respiratory syndrome coronavirus 2 infection. Clin. Exp. Immunol. 2021;205(2):99-105.
- 405. Cassaniti I, Percivalle E, Bergami F, et al. SARS-CoV-2 specific T-cell immunity in COVID-19 convalescent patients and unexposed controls measured by ex vivo ELISpot assay. Clin. Microbiol. Infect. 2021;27(7):1029-1034.
- 406. Egoryan G, Hyser E, Mushtaq AH, et al. Development of cavitary lung disease as a long-term complication of coronavirus disease 2019 in a young previously healthy patient: a case report. Journal of Medical Case Reports. 2021;15(1):377.
- 407. Barizien N, Le Guen M, Russel S, Touche P, Huang F, Vallee A. Clinical characterization of dysautonomia in long COVID-19 patients. Sci. Rep. 2021;11(1):14042.
- 408. Dulery R, Lamure S, Delord M, et al. Prolonged in-hospital stay and higher mortality after Covid-19 among patients with non-Hodgkin lymphoma treated with B-cell depleting immunotherapy. Am. J. Hematol. 2021;96(8):934-944.
- 409. Shanbehzadeh S, Tavahomi M, Zanjari N, Ebrahimi-Takamjani I, Amiri-Arimi S. Physical and mental health complications post-COVID-19: Scoping review. J. Psychosom. Res. 2021;147:110525.

- 410. Frija-Masson J, Debray MP, Boussouar S, et al. Residual ground glass opacities three months after Covid-19 pneumonia correlate to alteration of respiratory function: The post Covid M3 study. Respir. Med. 2021;184:106435.
- 411. Todt BC, Szlejf C, Duim E, et al. Clinical outcomes and quality of life of COVID-19 survivors: A follow-up of 3 months post hospital discharge. Respir. Med. 2021;184:106453.
- 412. Fanshawe J, Howell J, Omar A, Piper M, Simpson T. Corticosteroids and pulmonary rehabilitation reducing long-term morbidity in a patient with post-COVID-19 pneumonitis: A case study. Physiother. Res. Int. 2021;26(3):e1903.
- 413. Delbressine JM, Machado FVC, Goertz YMJ, et al. The Impact of Post-COVID-19 Syndrome on Self-Reported Physical Activity. International Journal of Environmental Research & Public Health. 2021;18(11):03.
- 414. Kashif A, Chaudhry M, Fayyaz T, et al. Follow-up of COVID-19 recovered patients with mild disease. Sci. Rep. 2021;11(1):13414.
- 415. Mayer KP, Steele AK, Soper MK, et al. Physical Therapy Management of an Individual With Post-COVID Syndrome: A Case Report. Phys. Ther. 2021;101(6):01.
- 416. Debeaumont D, Boujibar F, Ferrand-Devouge E, et al. Cardiopulmonary Exercise Testing to Assess Persistent Symptoms at 6 Months in People With COVID-19 Who Survived Hospitalization: A Pilot Study. Phys. Ther. 2021;101(6):01.
- 417. Bliddal S, Banasik K, Pedersen OB, et al. Acute and persistent symptoms in non-hospitalized PCR-confirmed COVID-19 patients. Sci. Rep. 2021;11(1):13153.
- 418. Albu S, Zozaya NR, Murillo N, Garcia-Molina A, Chacon CAF, Kumru H. What's going on following acute covid-19? Clinical characteristics of patients in an out-patient rehabilitation program. NeuroRehabilitation. 2021;48(4):469-480.
- 419. Stavem K, Ghanima W, Olsen MK, Gilboe HM, Einvik G. Persistent symptoms 1.5-6 months after COVID-19 in non-hospitalised subjects: a population-based cohort study. Thorax. 2021;76(4):405-407.
- 420. Cares-Marambio K, Montenegro-Jimenez Y, Torres-Castro R, et al. Prevalence of potential respiratory symptoms in survivors of hospital admission after coronavirus disease 2019 (COVID-19): A systematic review and meta-analysis. Chron. Respir. Dis. 2021;18:14799731211002240.
- 421. Alarcon-Rodriguez J, Fernandez-Velilla M, Urena-Vacas A, et al. Radiological management and follow-up of post-COVID-19 patients. Radiologia (Roma). 2021;63(3):258-269.
- 422. Sudre CH, Murray B, Varsavsky T, et al. Attributes and predictors of long COVID. Nat. Med. 2021;27(4):626-631.
- 423. Writing Committee for the CSG, Morin L, Savale L, et al. Four-Month Clinical Status of a Cohort of Patients After Hospitalization for COVID-19. JAMA. 2021;325(15):1525-1534.
- 424. Penner J, Abdel-Mannan O, Grant K, et al. 6-month multidisciplinary follow-up and outcomes of patients with paediatric inflammatory multisystem syndrome (PIMS-TS) at a UK tertiary paediatric hospital: a retrospective cohort study. Lancet Child Adolesc Health. 2021;5(7):473-482.
- 425. Taquet M, Geddes JR, Husain M, Luciano S, Harrison PJ. 6-month neurological and psychiatric outcomes in 236 379 survivors of COVID-19: a retrospective cohort study using electronic health records. Lancet Psychiatry. 2021;8(5):416-427.
- 426. Townsend L, Dyer AH, Naughton A, et al. Longitudinal Analysis of COVID-19 Patients Shows Age-Associated T Cell Changes Independent of Ongoing Ill-Health. Front. Immunol. 2021;12:676932.
- 427. Ayoubkhani D, Khunti K, Nafilyan V, et al. Post-covid syndrome in individuals admitted to hospital with covid-19: retrospective cohort study. BMJ. 2021;372:n693.
- 428. Miskowiak KW, Johnsen S, Sattler SM, et al. Cognitive impairments four months after COVID-19 hospital discharge: Pattern, severity and association with illness variables. Eur. Neuropsychopharmacol. 2021;46:39-48.
- 429. Sonnweber T, Sahanic S, Pizzini A, et al. Cardiopulmonary recovery after COVID-19: an observational prospective multicentre trial. Eur. Respir. J. 2021;57(4):04.
- 430. D'Ascanio L, Vitelli F, Cingolani C, Maranzano M, Brenner MJ, Di Stadio A. Randomized clinical trial "olfactory dysfunction after COVID-19: olfactory rehabilitation therapy vs. intervention treatment with Palmitoylethanolamide and Luteolin": preliminary results. Eur. Rev. Med. Pharmacol. Sci. 2021;25(11):4156-4162.

- 431. Fernandez-de-Las-Penas C, Guijarro C, Plaza-Canteli S, Hernandez-Barrera V, Torres-Macho J. Prevalence of Post-COVID-19 Cough One Year After SARS-CoV-2 Infection: A Multicenter Study. Lung. 2021;199(3):249-253.
- 432. Ludvigsson JF. Case report and systematic review suggest that children may experience similar long-term effects to adults after clinical COVID-19. Acta Paediatr. 2021;110(3):914-921.
- 433. Wong SW, Fan BE, Huang W, Chia YW. ST-segment elevation myocardial infarction in post-COVID-19 patients: A case series. Ann. Acad. Med. Singapore. 2021;50(5):425-430.
- 434. Holmes E, Wist J, Masuda R, et al. Incomplete Systemic Recovery and Metabolic Phenoreversion in Post-Acute-Phase Nonhospitalized COVID-19 Patients: Implications for Assessment of Post-Acute COVID-19 Syndrome. J. Proteome Res. 2021;20(6):3315-3329.
- 435. Vlake JH, Van Bommel J, Wils EJ, et al. Effect of intensive care unit-specific virtual reality (ICU-VR) to improve psychological well-being and quality of life in COVID-19 ICU survivors: a study protocol for a multicentre, randomized controlled trial. Trials. 2021;22(1):328.
- Al-Aly Z, Xie Y, Bowe B. High-dimensional characterization of post-acute sequelae of COVID-19. Nature. 2021;594(7862):259-264.
- 437. Shouman K, Vanichkachorn G, Cheshire WP, et al. Autonomic dysfunction following COVID-19 infection: an early experience. Clin. Auton. Res. 2021;31(3):385-394.
- 438. Froidure A, Mahsouli A, Liistro G, et al. Integrative respiratory follow-up of severe COVID-19 reveals common functional and lung imaging sequelae. Respir. Med. 2021;181:106383.
- 439. Giovannetti G, De Michele L, De Ceglie M, et al. Lung ultrasonography for long-term follow-up of COVID-19 survivors compared to chest CT scan. Respir. Med. 2021;181:106384.
- 440. Otte MS, Bork ML, Zimmermann PH, Klussmann JP, Luers JC. Persisting olfactory dysfunction improves in patients 6 months after COVID-19 disease. Acta Otolaryngol. 2021;141(6):626-629.
- 441. Cennamo G, Reibaldi M, Montorio D, D'Andrea L, Fallico M, Triassi M. Optical Coherence Tomography Angiography Features in Post-COVID-19 Pneumonia Patients: A Pilot Study. Am. J. Ophthalmol. 2021;227:182-190.
- 442. Clarke CL, Prendecki M, Dhutia A, et al. Longevity of SARS-CoV-2 immune responses in hemodialysis patients and protection against reinfection. Kidney Int. 2021;99(6):1470-1477.
- 443. Daher A, Cornelissen C, Hartmann NU, et al. Six Months Follow-Up of Patients with Invasive Mechanical Ventilation due to COVID-19 Related ARDS. International Journal of Environmental Research & Public Health. 2021;18(11):29.
- 444. Frontera JA, Yang D, Lewis A, et al. A prospective study of long-term outcomes among hospitalized COVID-19 patients with and without neurological complications. J. Neurol. Sci. 2021;426:117486.
- 445. Vanderlind WM, Rabinovitz BB, Miao IY, et al. A systematic review of neuropsychological and psychiatric sequalae of COVID-19: implications for treatment. Curr Opin Psychiatry. 2021;34(4):420-433.
- 446. Kim E, Choi J, Min SY, Kim JH, Jeong A. Efficacy of traditional herbal medicine for psychological sequelae in COVID-19 survivors: A protocol for systematic review and meta-analysis. Medicine (Baltimore). 2021;100(20):e25609.
- 447. Zhang J, Xu J, Zhou S, et al. The characteristics of 527 discharged COVID-19 patients undergoing long-term follow-up in China. Int. J. Infect. Dis. 2021;104:685-692.
- 448. Shoucri SM, Purpura L, DeLaurentis C, et al. Characterising the long-term clinical outcomes of 1190 hospitalised patients with COVID-19 in New York City: a retrospective case series. BMJ Open. 2021;11(6):e049488.
- 449. Tarsitani L, Vassalini P, Koukopoulos A, et al. Post-traumatic Stress Disorder Among COVID-19 Survivors at 3-Month Follow-up After Hospital Discharge. J. Gen. Intern. Med. 2021;36(6):1702-1707.
- 450. Hellmuth J, Barnett TA, Asken BM, et al. Persistent COVID-19-associated neurocognitive symptoms in non-hospitalized patients. J. Neurovirol. 2021;27(1):191-195.

- 451. Pereira C, Harris BHL, Di Giovannantonio M, et al. The Association Between Antibody Response to Severe Acute Respiratory Syndrome Coronavirus 2 Infection and Post-COVID-19 Syndrome in Healthcare Workers. J. Infect. Dis. 2021;223(10):1671-1676.
- 452. Moreno-Perez O, Merino E, Leon-Ramirez JM, et al. Post-acute COVID-19 syndrome. Incidence and risk factors: A Mediterranean cohort study. J. Infect. 2021;82(3):378-383.
- 453. Westerlind E, Palstam A, Sunnerhagen KS, Persson HC. Patterns and predictors of sick leave after Covid-19 and long Covid in a national Swedish cohort. BMC Public Health. 2021;21(1):1023.
- 454. Romero-Duarte A, Rivera-Izquierdo M, Guerrero-Fernandez de Alba I, et al. Sequelae, persistent symptomatology and outcomes after COVID-19 hospitalization: the ANCOHVID multicentre 6-month follow-up study. BMC Med. 2021;19(1):129.
- 455. Ugurlu BN, Akdogan O, Yilmaz YA, et al. Quantitative evaluation and progress of olfactory dysfunction in COVID-19. Eur. Arch. Otorhinolaryngol. 2021;278(7):2363-2369.
- 456. Pasquini J, Maremmani C, Salvadori S, Silani V, Ticozzi N. Testing olfactory dysfunction in acute and recovered COVID-19 patients: a single center study in Italy. Neurol. Sci. 2021;42(6):2183-2189.
- 457. Wallis TJM, Heiden E, Horno J, et al. Risk factors for persistent abnormality on chest radiographs at 12-weeks post hospitalisation with PCR confirmed COVID-19. Respir. Res. 2021;22(1):157.
- 458. Wong TL, Weitzer DJ. Long COVID and Myalgic Encephalomyelitis/Chronic Fatigue Syndrome (ME/CFS)-A Systemic Review and Comparison of Clinical Presentation and Symptomatology. Medicina (B Aires). 2021;57(5):26.
- 459. Stylemans D, Smet J, Hanon S, et al. Evolution of lung function and chest CT 6 months after COVID-19 pneumonia: Real-life data from a Belgian University Hospital. Respir. Med. 2021;182:106421.
- 460. Grund S, Caljouw MAA, Haaksma ML, et al. Pan-European Study on Functional and Medical Recovery and Geriatric Rehabilitation Services of Post-COVID-19 Patients: Protocol of the EU-COGER Study. Journal of Nutrition, Health & Aging. 2021;25(5):668-674.
- 461. Graham EL, Clark JR, Orban ZS, et al. Persistent neurologic symptoms and cognitive dysfunction in non-hospitalized Covid-19 "long haulers". Ann. 2021;8(5):1073-1085.
- 462. Baricich A, Borg MB, Cuneo D, et al. Midterm functional sequelae and implications in rehabilitation after COVID-19: a crosssectional study. European journal of physical & rehabilitation medicine. 2021;57(2):199-207.
- 463. Dennis A, Wamil M, Alberts J, et al. Multiorgan impairment in low-risk individuals with post-COVID-19 syndrome: a prospective, community-based study. BMJ Open. 2021;11(3):e048391.
- 464. Versace V, Sebastianelli L, Ferrazzoli D, et al. Intracortical GABAergic dysfunction in patients with fatigue and dysexecutive syndrome after COVID-19. Clin. Neurophysiol. 2021;132(5):1138-1143.
- 465. Sigfrid L, Cevik M, Jesudason E, et al. What is the recovery rate and risk of long-term consequences following a diagnosis of COVID-19? A harmonised, global longitudinal observational study protocol. BMJ Open. 2021;11(3):e043887.
- 466. Hernandez-Romieu AC, Leung S, Mbanya A, et al. Health Care Utilization and Clinical Characteristics of Nonhospitalized Adults in an Integrated Health Care System 28-180 Days After COVID-19 Diagnosis - Georgia, May 2020-March 2021. MMWR -Morbidity & Mortality Weekly Report. 2021;70(17):644-650.
- 467. Cao J, Zheng X, Wei W, et al. Three-month outcomes of recovered COVID-19 patients: prospective observational study. Ther. Adv. Respir. Dis. 2021;15:17534666211009410.
- 468. Siso-Almirall A, Brito-Zeron P, Conangla Ferrin L, et al. Long Covid-19: Proposed Primary Care Clinical Guidelines for Diagnosis and Disease Management. International Journal of Environmental Research & Public Health. 2021;18(8):20.
- 469. Demelo-Rodriguez P, Ordieres-Ortega L, Ji Z, et al. Long-term follow-up of patients with venous thromboembolism and COVID-19: Analysis of risk factors for death and major bleeding. Eur. J. Haematol. 2021;106(5):716-723.
- 470. Rosa RG, Robinson CC, Veiga VC, et al. Quality of life and long-term outcomes after hospitalization for COVID-19: Protocol for a prospective cohort study (Coalition VII). Rev Bras Ter Intensiva. 2021;33(1):31-37.

- 471. Khoshnood M, Mahabir R, Shillingford NM, Santoro JD. Post-infectious inflammatory syndrome associated with SARS-CoV-2 in a paediatric patient with Down syndrome. BMJ Case Rep. 2021;14(4):15.
- 472. Willi S, Luthold R, Hunt A, et al. COVID-19 sequelae in adults aged less than 50 years: A systematic review. Travel Med. Infect. Dis. 2021;40:101995.
- 473. Sykes DL, Holdsworth L, Jawad N, Gunasekera P, Morice AH, Crooks MG. Post-COVID-19 Symptom Burden: What is Long-COVID and How Should We Manage It? Lung. 2021;199(2):113-119.
- 474. Han X, Fan Y, Alwalid O, et al. Six-month Follow-up Chest CT Findings after Severe COVID-19 Pneumonia. Radiology. 2021;299(1):E177-E186.
- 475. Simani L, Ramezani M, Darazam IA, et al. Prevalence and correlates of chronic fatigue syndrome and post-traumatic stress disorder after the outbreak of the COVID-19. J. Neurovirol. 2021;27(1):154-159.
- 476. Walle-Hansen MM, Ranhoff AH, Mellingsaeter M, Wang-Hansen MS, Myrstad M. Health-related quality of life, functional decline, and long-term mortality in older patients following hospitalisation due to COVID-19. BMC Geriatr. 2021;21(1):199.
- 477. Stavem K, Ghanima W, Olsen MK, Gilboe HM, Einvik G. Prevalence and Determinants of Fatigue after COVID-19 in Non-Hospitalized Subjects: A Population-Based Study. International Journal of Environmental Research & Public Health. 2021;18(4):19.
- 478. Einvik G, Dammen T, Ghanima W, Heir T, Stavem K. Prevalence and Risk Factors for Post-Traumatic Stress in Hospitalized and Non-Hospitalized COVID-19 Patients. International Journal of Environmental Research & Public Health. 2021;18(4):20.
- 479. Catalfamo CJ, Heslin KM, Shilen A, et al. Design of the Arizona CoVHORT: A Population-Based COVID-19 Cohort. Front. 2021;9:620060.
- 480. Townsend L, Moloney D, Finucane C, et al. Fatigue following COVID-19 infection is not associated with autonomic dysfunction. PLoS ONE. 2021;16(2):e0247280.
- 481. Lee HK, Knabl L, Pipperger L, et al. Immune transcriptomes of highly exposed SARS-CoV-2 asymptomatic seropositive versus seronegative individuals from the Ischgl community. Sci. Rep. 2021;11(1):4243.
- 482. Remppis J, Ganzenmueller T, Kohns Vasconcelos M, Heinzel O, Handgretinger R, Renk H. A case series of children and young people admitted to a tertiary care hospital in Germany with COVID-19. BMC Infect. Dis. 2021;21(1):133.
- 483. Wang X, Huang K, Jiang H, et al. Long-Term Existence of SARS-CoV-2 in COVID-19 Patients: Host Immunity, Viral Virulence, and Transmissibility. Virol. Sin. 2020;35(6):793-802.
- 484. Machado FVC, Meys R, Delbressine JM, et al. Construct validity of the Post-COVID-19 Functional Status Scale in adult subjects with COVID-19. Health Qual Life Outcomes. 2021;19(1):40.
- 485. Bellan M, Soddu D, Balbo PE, et al. Respiratory and Psychophysical Sequelae Among Patients With COVID-19 Four Months After Hospital Discharge. JAMA Network 2021;4(1):e2036142.
- 486. Vaira LA, Hopkins C, Sandison A, et al. Olfactory epithelium histopathological findings in long-term coronavirus disease 2019 related anosmia. J. Laryngol. Otol. 2020;134(12):1123-1127.
- 487. Heiss R, Grodzki DM, Horger W, Uder M, Nagel AM, Bickelhaupt S. High-performance low field MRI enables visualization of persistent pulmonary damage after COVID-19. Magn. Reson. Imaging. 2021;76:49-51.
- 488. Wang D, Li J, Zhu F, et al. Protocol for a systematic review and meta-analysis of respiratory rehabilitation following intensive care unit discharge for COVID-19 survivors. BMJ Open. 2020;10(12):e041184.
- 489. Carroll E, Neumann H, Aguero-Rosenfeld ME, et al. Post-COVID-19 inflammatory syndrome manifesting as refractory status epilepticus. Epilepsia. 2020;61(10):e135-e139.
- 490. Xiong Q, Xu M, Li J, et al. Clinical sequelae of COVID-19 survivors in Wuhan, China: a single-centre longitudinal study. Clin. Microbiol. Infect. 2021;27(1):89-95.
- 491. Liang L, Yang B, Jiang N, et al. Three-month Follow-up Study of Survivors of Coronavirus Disease 2019 after Discharge. J. Korean Med. Sci. 2020;35(47):e418.

- 492. Wang J, Hang X, Wei B, et al. Persistent SARS-COV-2 RNA positivity in a patient for 92 days after disease onset: A case report. Medicine (Baltimore). 2020;99(34):e21865.
- 493. Tabatabaei SMH, Rajebi H, Moghaddas F, Ghasemiadl M, Talari H. Chest CT in COVID-19 pneumonia: what are the findings in mid-term follow-up? Emerg. 2020;27(6):711-719.
- 494. Peng D, Zhang J, Ji Y, Pan D. Risk factors for redetectable positivity in recovered COVID-19 children. Pediatr. Pulmonol. 2020;55(12):3602-3609.
- 495. Xiao T, Xia S, Zeng L, et al. A multicentre observational study on neonates exposed to SARS-CoV-2 in China: the Neo-SARS-CoV-2 Study protocol. BMJ Open. 2020;10(7):e038004.
- 496. Mei Q, Wang F, Bryant A, Wei L, Yuan X, Li J. Mental health problems among COVID-19 survivors in Wuhan, China. World Psychiatry. 2021;20(1):139-140.
- 497. Grissmer J. Acupuncture for COVID Long-Haulers, Pt. 2: Case Studies. Acupuncture Today. 2021;22(9):10-22.
- 498. Daga M, Mawari G, Chand S, Aarthi J, Raghu R, Kumar N. Are patients with comorbidities more prone to sequalae in severe COVID-19. Indian Journal of Medical Specialities. 2021;12(3):161-164.
- 499. Arslan U, Borulu F, Sarac İ, Prof BE. Chronic intracardiac thrombus, a long-term complication of COVID-19: Case reports. J. Card. Surg. 2021;36(10):3939-3943.
- 500. Bek LM, Berentschot JC, Hellemons ME, et al. CO-FLOW: COvid-19 Follow-up care paths and Long-term Outcomes Within the Dutch health care system: study protocol of a multicenter prospective cohort study following patients 2 years after hospital discharge. BMC Health Serv. Res. 2021;21(1):1-10.
- 501. van den Borst B, Peters JB, Brink M, et al. Comprehensive Health Assessment 3 Months After Recovery From Acute Coronavirus Disease 2019 (COVID-19). Clin. Infect. Dis. 2021;73(5):e1089-e1098.
- 502. Bozzali M, Grassini A, Morana G, et al. Focal seizures with impaired awareness as long-term neurological complication of COVID-19: a case report. Neurol. Sci. 2021;42(7):2619-2623.
- 503. Cabrera Martimbianco AL, Pacheco RL, Bagattini ÂM, Riera R. Frequency, signs and symptoms, and criteria adopted for long COVID-19: A systematic review. Int. J. Clin. Pract. 2021;75(10):1-16.
- 504. Gochicoa-Rangel L, Hernández-Morales AP, Salles-Rojas A, et al. Gas Exchange Impairment During COVID-19 Recovery. Respir. Care. 2021;66(10):1610-1617.
- 505. Schandl A, Hedman A, Lyngå P, et al. Long-term consequences in critically ill COVID-19 patients: A prospective cohort study. Acta Anaesthesiol. Scand. 2021;65(9):1285-1292.
- 506. Ahluwalia V, Iyer V, Joshi A. M191 IMMUNE ASSESSMENT IN POST-ACUTE SEQUALA OF SARS-COV2 INFECTION (PASC): EVIDENCE OF PERSISTENT IMMUNE ACTIVATION? Ann. Allergy, Asthma Immunol. 2021;127(5):S105-S106.
- 507. Bonfante F, Costenaro P, Cantarutti A, et al. Mild SARS-CoV-2 Infections and Neutralizing Antibody Titers. Pediatrics. 2021;148(3):1-10.
- 508. Mayer KP, Steele AK, Joshi RR, et al. Optimizing Outcomes With Physical Therapy Treatment for Individuals Surviving an Intensive Care Units Admission for COVID-19 (OPTIMAL)--A Protocol for a Single Center Prospective Study. Cardiopulmonary Physical Therapy Journal. 2021;32:32-39.
- 509. Glace BW, Hogan DE, Kwiecien SY, Kremenic IJ. Physical Activity After Covid-19 Part 1: Limited Recovery Of Physical Activity 9 Months Post-infection..2021 ACSM Annual Meeting & World Congresses [Virtual], June 1 -5, 2021. Med. Sci. Sports Exerc. 2021;53:195-195.
- 510. Kaur G, Darwish A, Baghdasaryan P, Partow-Navid R, Sethi P. POST-ACUTE PULMONARY EMBOLISM IN COVID-19 PNEUMONIA. Journal of the American College of Cardiology (JACC). 2021;77(18):2796-2796.
- 511. Gamberini L, Mazzoli CA, Sintonen H, et al. Quality of life of COVID-19 critically ill survivors after ICU discharge: 90 days followup. Qual. Life Res. 2021;30(10):2805-2817.
- 512. Brandt MP, Jäger W, Epple S, Haferkamp A, Schröder A. SARS-CoV-2 outbreak in medical employees in a large urologic department: Spread, containment and outcome. Am. J. Infect. Control. 2021;49(6):674-677.

- 513. Logue JK, Franko NM, McCulloch DJ, et al. Sequelae in Adults at 6 Months After COVID-19 Infection. JAMA Network 2021;4(2):e210830-e210830.
- 514. Lemhöfer C, Sturm C, Loudovici-Krug D, Best N, Gutenbrunner C. The impact of Post-COVID-Syndrome on functioning results from a community survey in patients after mild and moderate SARS-CoV-2-infections in Germany. J. Occup. Med. Toxicol. 2021;16(1):1-9.
- 515. Jania C. The Treatment of Long COVID with Chinese Medicine: A Case Report. Journal of Chinese Medicine. 2021;(127):17-22.
- 516. Jennings G, Monaghan A, Xue F, Mockler D, Romero-Ortuño R. A systematic review of persistent symptoms and residual abnormal functioning following acute COVID-19: Ongoing symptomatic phase vs. post-COVID-19 syndrome [non-peer reviewed preprint]. medRxiv. 2021.
- 517. Hoshijima H, Mihara T, Seki H, Hyuga S, Kuratani N, Shiga T. Incidence of Long-term Post-acute Sequelae of SARS-CoV-2 Infection Related to Pain and Other Symptoms: A Living Systematic Review and Meta-analysis [non-peer reviewed preprint]. medRxiv. 2021.
- 518. Nna EO, Alao MA, Anyachukwu C, et al. Long COVID: A Protocol for Systematic Review and Meta-analysis of Symptomatology and Treatment Approaches [non-peer reviewed preprint]. Res Sq. 2021.
- 519. Michelen M, Cheng V, Manoharan L, et al. Characterising long term Covid-19: a living systematic review [non-peer reviewed preprint]. medRxiv. 2020.
- 520. De-la-Rosa-Martínez D, Delaye-Martínez MA, Bello-Chavolla OY, et al. Long-term manifestations and modifiers of prevalence estimates of the post-COVID-19 syndrome: A systematic review and meta-analysis [non-peer reviewed preprint]. medRxiv. 2021.
- 521. Aparisi A, Ybarra-Falcón C, García-Gómez M, et al. Post-COVID-19 Syndrome: Prospective Evaluation of Clinical and Functional Outcomes and Systematic Review [non-peer reviewed preprint]. SSRN. 2021.
- 522. Domingo FR, Waddell L, Cheung A, et al. Prevalence of long-term effects in individuals diagnosed with COVID-19: a living systematic review [non-peer reviewed preprint]. medRxiv. 2021.
- 523. Michelen M, Cheng V, Manoharan L, et al. What are the long-term symptoms and complications of COVID-19: a protocol for a living systematic review [non-peer reviewed preprint]. F1000Res. 2021.
- 524. Gyanpuri V, Dhiman N, Pathak A, Singh OP. Role of Physiotherapy in Long Term Physical and Mental Health of People Recovered From COVID 19: A Systematic Review Protocol [non-peer reviewed preprint]. Res Sq. 2020.
- 525. Zürcher SJ, Banzer C, Adamus C, Lehmann A, Richter D, Kerksieck P. Post-viral mental health sequelae in infected persons associated with COVID-19 and previous epidemics and pandemics: Systematic review and meta-analysis of prevalence estimates [non-peer reviewed preprint]. medRxiv. 2021.
- 526. Malik J, Zaidi SMJ, Iqbal R, et al. Post-acute COVID-19 syndrome and its prolonged effects: An updated systematic review [non-peer reviewed preprint]. medRxiv. 2021.
- 527. Yusuf F, Fahriani M, Mamada S, et al. Global prevalence of prolonged gastrointestinal symptoms in COVID-19 survivors and potential pathogenesis: A systematic review and meta-analysis [non-peer reviewed preprint]. F1000Res. 2021.
- 528. Fabbri L, Moss S, Khan F, et al. Post-viral parenchymal lung disease following COVID-19 and viral pneumonitis hospitalisation: A systematic review and meta-analysis [non-peer reviewed preprint]. medRxiv. 2021.
- 529. Bellan M, Baricich A, Patrucco F, et al. Long-term sequelae are highly prevalent one year after hospitalization for severe COVID-19. Sci Rep. 2021;11(1):22666.
- 530. Siracusano G, Brombin C, Pastori C, et al. Profiling Antibody Response Patterns in COVID-19: Spike S1-Reactive IgA Signature in the Evolution of SARS-CoV-2 Infection. Front Immunol. 2021;12:772239.
- 531. Kravchenko D, Isaak A, Zimmer S, et al. Cardiac MRI in Patients with Prolonged Cardiorespiratory Symptoms after Mild to Moderate COVID-19. Radiology. 2021;301(3):E419-E425.
- 532. Zhang G, Vahia IV, Liu Y, et al. Contactless In-Home Monitoring of the Long-Term Respiratory and Behavioral Phenotypes in Older Adults With COVID-19: A Case Series. Front Psychiatry. 2021;12.

- 533. Bussolari C, Palumbo D, Fominsky E, et al. Case Report: Nintedaninb May Accelerate Lung Recovery in Critical Coronavirus Disease 2019. Frontiers in Medicine. 2021;8.
- 534. Molhave M, Leth S, Gunst JD, et al. Long-term symptoms among hospitalized COVID-19 patients 48 weeks after discharge-A prospective cohort study. J Clin Med. 2021;10(22).
- 535. De Winter FHR, Hotterbeekx A, Huizing MT, et al. Blood cytokine analysis suggests that sars-cov-2 infection results in a sustained tumour promoting environment in cancer patients. Cancers (Basel). 2021;13(22).
- 536. Schambeck SE, Crowell CS, Wagner KI, et al. Phantosmia, parosmia, and dysgeusia are prolonged and late-onset symptoms of covid-19. J Clin Med. 2021;10(22).
- 537. Tudoran C, Tudoran M, Lazureanu VE, et al. Factors influencing the evolution of pulmonary hypertension in previously healthy subjects recovering from a sars-cov-2 infection. J Clin Med. 2021;10(22).
- 538. Pela G, Goldoni M, Cavalli C, et al. Long-term cardiac sequelae in patients referred into a diagnostic post-covid-19 pathway: The different impacts on the right and left ventricles. Diagnostics (Basel). 2021;11(11).
- 539. Prem B, Liu DT, Besser G, et al. Long-lasting olfactory dysfunction in COVID-19 patients. European Archives of Oto Rhino Laryngology. 2021.
- 540. Byambasukh O, Avirmed B, Shirmen B, Khasag A. Exercise intervention and the development of long COVID: A survey of patients admitted to the hospital in Mongolia. J Diabetes Investig. 2021;12(SUPPL 1):33.
- 541. Xie Y, Bowe B, Al-Aly Z. Burdens of post-acute sequelae of COVID-19 by severity of acute infection, demographics and health status. Nat Commun. 2021;12(1):6571.
- 542. Dun Y, Liu C, Ripley-Gonzalez JW, et al. Six-month outcomes and effect of pulmonary rehabilitation among patients hospitalized with COVID-19: a retrospective cohort study. Ann Med. 2021;53(1):2099-2109.
- 543. Rasmussen IE, Foged F, Bjorn Budde J, et al. Protective potential of high-intensity interval training on cardiac structure and function after COVID-19: protocol and statistical analysis plan for an investigator-blinded randomised controlled trial. BMJ Open. 2021;11(11):e048281.
- 544. Damanti S, Ramirez GA, Bozzolo EP, et al. Six-month respiratory outcomes and exercise capacity of COVID-19 acute respiratory failure patients treated with continuous positive airway pressure. Intern Med J. 2021;51(11):1810-1815.
- 545. Ahmed M, Khan R, Xenou E, et al. After the storm; 6-month follow up outcomes and management of COVID-19 related venous thromboembolism. Research and Practice in Thrombosis and Haemostasis Conference. 2021;5(SUPPL 2).
- 546. Czarnowska A, Kapica-Topczewska K, Zajkowska O, et al. Symptoms after covid-19 infection in individuals with multiple sclerosis in Poland. J Clin Med. 2021;10(22).
- 547. Uygur OF, Uygur H. Association of post-COVID-19 fatigue with mental health problems and sociodemographic risk factors. Fatigue: Biomedicine, Health and Behavior. 2021.
- 548. Malinowska A, Muchlado M, Slizien Z, et al. Post-covid-19 syndrome and decrease in health-related quality of life in kidney transplant recipients after sars-cov-2 infection-a cohort longitudinal study from the north of Poland. J. 2021;10(21).
- 549. O'Connor RJ, Preston N, Parkin A, et al. The COVID-19 Yorkshire Rehabilitation Scale (C19-YRS): Application and psychometric analysis in a post-COVID-19 syndrome cohort. J Med Virol. 2021.
- 550. Horta G, Labarca G, Lamperti L, et al. Impaired aminotransferase levels in long COVID-19 are associated with pro-inflammatory interleukin 8 (il-8) and vital neutrophil extracellular traps (netosis). Hepatology. 2021;74(SUPPL 1):325A-326A.
- 551. Yip TCF, Wong V, Tse YK, Chan HLY, Wong GLH. Characteristics of COVID-19 patients with residual liver function abnormality: A 1-year follow-up cohort study of 1,040 patients in Hong Kong. Hepatology. 2021;74(SUPPL 1):311A-312A.
- 552. Aby E, Gustafson JL, Daidone M, et al. Long-term clinical outcomes of patients with COVID-19 and chronic liver disease: Us multicenter study cold study. Hepatology. 2021;74(SUPPL 1):48A-49A.
- 553. Gerard M, Mahmutovic M, Malgras A, et al. Long-term evolution of malnutrition and loss of muscle strength after covid-19: A major and neglected component of long covid-19. Nutrients. 2021;13(11).

- 554. Gurdasani D, Bhatt S, Costello A, et al. Vaccinating adolescents against SARS-CoV-2 in England: a risk-benefit analysis. J R Soc Med. 2021.
- 555. Norgard BM, Zegers FD, Nielsen J, Kjeldsen J. Post COVID-19 hospitalizations in patients with chronic inflammatory diseases -A nationwide cohort study. J Autoimmun. 2021;125.
- 556. Aiello M, Marchi L, Calzetta L, et al. Coronavirus Disease 2019: COSeSco A Risk Assessment Score to Predict the Risk of Pulmonary Sequelae in COVID-19 Patients. Respiration. 2021.
- 557. Fernandez-de-Las-Penas C, Navarro-Santana M, Plaza-Manzano G, Palacios-Cena D, Arendt-Nielsen L. Time course prevalence of post-COVID pain symptoms of musculoskeletal origin in patients who had survived to severe acute respiratory syndrome coronavirus 2 infection: a systematic review and meta-analysis. Pain. 2021;23:23.
- 558. Amsterdam University Medical Centers. ReCOVer: cognitive Behavioural Therapy for post-COVID-19 fatigue. WHO ICTRP Clinical Trial Registry: https://trialsearch.who.int/?TrialID=NL8947. 2020.
- 559. Felix Gutierrez Rodero. The aim of the study is to analyze whether the administration of a vaccine against COVID19 infection can reduce the symptoms of long COVID. WHO ICTRP Clinical Trial Registry: https://trialsearch.who.int/Trial2.aspx?TrialID=EUCTR2021-003331-28-ES. 2021.
- 560. Artesh University of Medical Sciences. The effect of Donepezil on memory impairment after Covid-19. WHO International Clinical Trials Registry Platform (ICTRP): https://trialsearch.who.int/Trial2.aspx?TrialID=IRCT20210816052203N1. 2021.
- 561. Vortioxetine for Post-Covid-19 Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05047952. 2021.
- 562. The Effect of Home-based Exercise on Functional Capacity of Covid-19 Survivor With Cardiovascular Comorbidity. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05077943. 2021.
- 563. Evaluation of the Efficacy of Probiotics to Reduce the Occurrence of Long COVID. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05080244. 2021.
- 564. Caruso D, Guido G, Zerunian M, et al. Post-acute sequelae of COVID-19 pneumonia: Six-month chest CT follow-up. Radiology. 2021;301(2):E36-E405.
- 565. Ontanon J, Blas J, de Cabo C, et al. Influence of past infection with SARS-CoV-2 on the response to the BNT162b2 mRNA vaccine in health care workers: Kinetics and durability of the humoral immune response. EBioMedicine. 2021;73.
- 566. Liao X, Wang Y, He Z, et al. Three-Month Pulmonary Function and Radiological Outcomes in COVID-19 Survivors: A Longitudinal Patient Cohort Study. Open Forum Infectious Diseases. 2021;8(9).
- 567. Messin L, Puyraveau M, Benabdallah Y, et al. COVEVOL: Natural evolution at 6 months of COVID-19. Viruses. 2021;13(11).
- 568. Dai S, Zhao B, Liu D, et al. Follow-up study of the cardiopulmonary and psychological outcomes of covid-19 survivors six months after discharge in Sichuan, China. Int J Gen Med. 2021;14:7207-7217.
- 569. Shelley J, Hudson J, Mackintosh KA, et al. 'I Live a Kind of Shadow Life': Individual Experiences of COVID-19 Recovery and the Impact on Physical Activity Levels. Int J Environ Res Public Health. 2021;18(21).
- 570. Sanchez-Larsen A, Conde-Blanco E, Viloria-Alebesque A, et al. COVID-19 prevalence and mortality in people with epilepsy: A nation-wide multicenter study. Epilepsy and Behavior. 2021;125.
- 571. Poletti S, Palladini M, Mazza MG, et al. Long-term consequences of COVID-19 on cognitive functioning up to 6 months after discharge: role of depression and impact on quality of life. Eur Arch Psychiatry Clin Neurosci. 2021.
- 572. Karabay M, Toptan H. Short-Term Outcomes in Neonates and Preterm Infants with SARS-CoV-2 Infection Acquired Postpartum. Journal of Pediatric Infectious Diseases. 2021.
- 573. Mejia-Renteria H, Travieso A, Sagir A, et al. In-vivo evidence of systemic endothelial vascular dysfunction in COVID-19. Int J Cardiol. 2021.
- 574. Fogante M, Cavagna E, Rinaldi G. COVID-19 follow-up: Chest X-ray findings with clinical and radiological relationship three months after recovery. Radiography. 2021.

- 575. Vandersteen C, Payne M, Dumas LE, et al. What about using sniffin' sticks 12 items test to screen post-COVID-19 olfactory disorders? European Archives of Oto Rhino Laryngology. 2021.
- 576. Karaarslan F, Guneri FD, Kardes S. Long COVID: rheumatologic/musculoskeletal symptoms in hospitalized COVID-19 survivors at 3 and 6 months. Clin Rheumatol. 2021.
- 577. Hanna G, Bankler S, Schandl A, et al. The role of ventilatory support for long-term outcomes after critical infection with COVID-19: A prospective cohort study. Clinical Respiratory Journal. 2021.
- 578. Bowe BC, Xie Y, Xu E, Gibson AK, Al-Aly Z. Kidney outcomes in long COVID-19. J Am Soc Nephrol. 2021;32:69.
- 579. Garjani A, Middleton RM, Nicholas R, Evangelou N. Long COVID among people with MS: A prospective and longitudinal observational study of the UK MS Register. Multiple Sclerosis Journal. 2021;27(2 SUPPL):321-322.
- 580. Vijay A, Defelice GL, Atiemo K, et al. Kidney recovery post coronavirus infection in hospitalized kidney transplant recipients: A single-center observational study. J Am Soc Nephrol. 2021;32:70.
- 581. Koraishy FM, Chaudhri I, Munir K, St Hill EJ. Follow-up study of survivors of stage 2 or 3 in-hospital AKI with or without COVID-19. J Am Soc Nephrol. 2021;32:65.
- 582. Mohamed M, Dwal A, Velez JCQ. Impact of COVID-19-associated AKI on subsequent development of CKD. J Am Soc Nephrol. 2021;32:62.
- 583. Dzubera A, Chochol J, Illes R, Chocholova A, Zemkova E. Vertebral algic syndrome treatment in long COVID- cases reports. Int J Environ Res Public Health. 2021;18(21).
- 584. Buttery S, Philip KEJ, Williams P, et al. Patient symptoms and experience following COVID-19: results from a UK-wide survey. BMJ Open Respir Res. 2021;8(1):11.
- 585. Kudose S, Santoriello D, Bomback AS, et al. Longitudinal Outcomes of COVID-19-Associated Collapsing Glomerulopathy and Other Podocytopathies. J Am Soc Nephrol. 2021;32(11):2958-2969.
- 586. Rao S, Benzouak T, Gunpat S, et al. Fatigue Symptoms Associated With COVID-19 in Convalescent or Recovered COVID-19 Patients; a Systematic Review and Meta-Analysis. Ann Behav Med. 2021;19:19.
- 587. d'Ettorre G, Gentilini Cacciola E, Santinelli L, et al. Covid-19 sequelae in working age patients: A systematic review. J Med Virol. 2021;16:16.
- 588. Lang M, Chang YS, Mehan WA, Rincon SP, Buch K. Long-term neuroimaging follow-up of COVID-19-related leukoencephalopathy. Neuroradiology. 2021;63(12):2153-2156.
- 589. Ahmed GK, Khedr EM, Hamad DA, Meshref TS, Hashem MM, Aly MM. Long term impact of Covid-19 infection on sleep and mental health: A cross-sectional study. Psychiatry Res. 2021;305.
- 590. Lui DTW, Hung IFN, Lee CH, et al. The Impact of Interferon Beta-1b Therapy on Thyroid Function and Autoimmunity Among COVID-19 Survivors. Front Endocrinol (Lausanne). 2021;12:746602.
- 591. Dressing A, Bormann T, Blazhenets G, et al. Neuropsychological profiles and cerebral glucose metabolism in neurocognitive Long COVID-syndrome. J Nucl Med. 2021;14:14.
- 592. Safont B, Tarraso J, Rodriguez-Borja E, et al. Lung Function, Radiological Findings and Biomarkers of Fibrogenesis in a Cohort of COVID-19 Patients Six Months After Hospital Discharge. Arch Bronconeumol. 2021.
- 593. Asadi-Pooya AA, Akbari A, Emami A, et al. Risk Factors Associated with Long COVID Syndrome: A Retrospective Study. Iran J Med Sci. 2021;46(6):428-436.
- 594. Faverio P, Luppi F, Rebora P, et al. Six-Month Pulmonary Impairment after Severe COVID-19: A Prospective, Multicentre Follow-Up Study. Respiration. 2021;100(11):1078-1087.
- 595. Martins S, Ferreira AR, Fernandes J, et al. 559 Neuropsychiatric symptomatology after severe COVID-19 in older survivors. International Psychogeriatrics Cambridge University Press. 2021;33.
- 596. Turunc O, Emecen AN, Keskin S, et al. 7 O Oral presentations: COVID-19: the impact on children and adolescents. Eur J Public Health. 2021;iii202-iii202.

- 597. Fortini A, Torrigiani A, Sbaragli S, et al. COVID-19: persistence of symptoms and lung alterations after 3–6 months. Infection. 2021;49(5):1007-1015.
- 598. Zhang D, Zhang C, Li X, et al. Thin-section computed tomography findings and longitudinal variations of. Eur Radiol. 2021;31(9):7172-7183.
- 599. Turan Z, Topaloglu M, Ozyemisci Taskiran O. Is tele-rehabilitation superior to home exercise program in COVID-19. Physiother Res Int. 2021.
- 600. Gamberini L, Mazzoli CA, Sintonen H, et al. Quality of life of COVID-19 critically ill survivors after ICU discharge. Qual Life Res. 2021;30:10.
- 601. Advani R, Strømsnes TA, Stjernstrøm E, Lugg ST. Multiple simultaneous embolic cerebral infarctions 11 months after. Thromb J. 2021;19(1):1-6.
- 602. Arslan U, Borulu F, Sarac İ, Prof BE. Chronic intracardiac thrombus, a long-term complication of COVID-19: Case. J Card Surg. 2021;36:10.
- 603. Bek LM, Berentschot JC, Hellemons ME, et al. CO-FLOW: COvid-19 Follow-up care paths and Long-term Outcomes Within the. BMC Health Serv Res. 2021;8(21):21.
- 604. Yomogida K, Zhu S, Rubino F, Figueroa W, Balanji N, Holman E. Post-Acute Sequelae of SARS-CoV-2 Infection Among Adults Aged ≥18 Years. MMWR Surveillance Summaries. 2021;70(37):1274-1277.
- 605. Millet C, Narvaneni S, Chaudhry S, et al. The Long Haul: A Follow up Study of Patients Diagnosed with Covid-19 One. Chest. 2021;160(4):A566-A567.
- 606. Zhang X, Wang F, Shen Y, et al. Symptoms and Health Outcomes Among Survivors of COVID-19 Infection 1 Year. JAMA Network Open e2127403 e2127403. 2021;9(29).
- 607. Okpo E, Asyikin Mohamad Nasir F, Teck Lim W, Trussell T, Ponnuswamy A. 30-Day and 90-Day Outcomes of the Survivors of Covid-19 Pneumonia Treated. Chest. 2021;160(4):A526-A526.
- 608. Groff D, Sun A, Ssentongo AE, et al. Short-term and Long-term Rates of Postacute Sequelae of SARS-CoV-2. JAMA Network Open. 2021;10(13):e2128568.
- 609. Chen C, Haupert S, Zimmermann L, Shi X, Fritsche L, Mukherjee B. Global Prevalence of Post-Acute Sequelae of COVID-19 (PASC) or Long COVID: A Meta-Analysis and Systematic Review [non-peer reviewed preprint]. medRxiv. 2021.
- 610. Décary S, Dugas M, Stefan T, et al. Care Models for Long COVID : A Rapid Systematic Review [non-peer reviewed preprint]. medRxiv. 2021.
- 611. Li J, Xia W, Zhan C, et al. A telerehabilitation programme in post-discharge COVID-19 patients (TERECO): a randomised controlled trial. Thorax. 2021.
- 612. Martin I, Braem F, Baudet L, et al. Follow-up of functional exercise capacity in patients with COVID-19: It is improved by telerehabilitation. Respir Med. 2021;183:106438.
- 613. Fan Y, Shi Y, Zhang J, et al. The effects of narrative exposure therapy on COVID-19 patients with post-traumatic stress symptoms: A randomized controlled trial. J Affect Disord. 2021;293:141-147.
- 614. De Vos N, Duterme C, Ouanani Z, et al. Follow-up of novel kl-6 and routine biomarkers in covid-19 survivors 1 year post-icu. Clin Chem Lab Med. 2021;59(SUPPL 1):S95.
- 615. Wu L, Wu Y, Xiong H, Mei B, You T. Persistence of Symptoms After Discharge of Patients Hospitalized Due to COVID-19. Frontiers in Medicine. 2021;8:761314.
- 616. Bobkova P, Spiridonova E, Shihaleva A, et al. Asthma may influence long-term consequences of COVID-19 in hospitalised adult. Allergy: European Journal of Allergy and Clinical Immunology. 2021;76(SUPPL 110):476-477.
- 617. Bohnacker S, Henkel F, Hartung F, et al. Monocyte-derived macrophages display an inflammatory memory several months post-SARS-CoV- 2 infection. Allergy: European Journal of Allergy and Clinical Immunology. 2021;76(SUPPL 110):650.
- 618. Guimaraes RRL, Aranda CS, Schmid LS, et al. PASC, reinfections and variants: COVID-19 in patients with inborn errors of immunity in Sao paulo-Brazil. Allergy: European Journal of Allergy and Clinical Immunology. 2021;76(SUPPL 110):494.

- 619. Steinbeis F, Thibeault C, Doellinger F, et al. Severity of respiratory failure and computed chest tomography in acute COVID-19 correlates with pulmonary function and respiratory symptoms after infection with SARS-CoV-2: An observational longitudinal study over 12 months. Respir Med. 2022;191.
- 620. Sugino K, Ono H, Haraguchi S, Igarashi S, Hebisawa A, Tsuboi E. Post-coronavirus disease 2019 organizing pneumonia confirmed pathologically by video-assisted thoracoscopic surgery. Respirology Case Reports. 2021;9(12).
- 621. Hohberger B, Harrer T, Mardin C, et al. Case Report: Neutralization of Autoantibodies Targeting G-Protein-Coupled Receptors Improves Capillary Impairment and Fatigue Symptoms After COVID-19 Infection. Frontiers in Medicine. 2021;8.
- 622. Tabacof L, Tosto-Mancuso J, Wood J, et al. Post-acute COVID-19 syndrome negatively impacts physical function, cognitive function, health-related quality of life and participation. American journal of physical medicine & rehabilitation. 2021;20.
- 623. Salzano C, Saracino G, Cardillo G. Possible Adrenal Involvement in Long COVID Syndrome. Medicina (B Aires). 2021;57(10).
- 624. Lu Z, Laing ED, Pena DaMata J, et al. Durability of SARS-CoV-2-specific T cell responses at 12-months post-infection. J Infect Dis. 2021;21.
- 625. Melegari G, Giuliani E, Dallai C, et al. Intensive care patients from the first covid-19 wave: One-year survival after tocilizumab treatment. J Pers Med. 2021;11(11).
- 626. Wahlgren C, Divanoglou A, Larsson M, et al. Rehabilitation needs following COVID-19: Five-month post-discharge clinical follow-up of individuals with concerning self-reported symptoms. EClinicalMedicine. 2022;43.
- 627. Moretto L, Bellin V, Bettini F, et al. Six-month outcome in COVID-19 critical care patients: Preliminary results from a follow-up study. Critical Care Conference: 40th International Symposium on Intensive Care and Emergency Medicine. 2021;25(SUPPL 1).
- 628. Duindam HB, Mengel D, Van Den Borst B, et al. Long-term cognition and neuroinflammation in patients with coronavirus disease (COVID-19). Critical Care Conference: 40th International Symposium on Intensive Care and Emergency Medicine. 2021;25(SUPPL 1).
- 629. Kujur PP, Jhala MD, Lanjewar CP, Matta RA. Follow up study in post Covid survivors with LV dysfunction and subclinical myocarditis. Indian Heart J. 2021;73(Supplement 1):S46-S47.
- 630. Nucera A, Vazzana MR, Papa M. Post-CoViD neurological sequelae. Italian Journal of Medicine. 2021;15(3):52.
- 631. Martini A, Mareso S, Vettore E, et al. Long-CoViD in a hub Hospital: A new model for diagnosis of post-acute CoViD-19 syndrome. An interim analysis. Italian Journal of Medicine. 2021;15(3):47.
- 632. Lo Forte A, Torrigiani A, Sbaragli S, et al. CoViD-19: persistence of symptoms and lung alterations after 3-6 months from hospital discharge. Italian Journal of Medicine. 2021;15(3):42.
- 633. Insalata M, Tupputi U, Pipino M. Immune response in CoViD-19 and cardiovascular risk factors. Italian Journal of Medicine. 2021;15(3):39.
- 634. Pinato DJ, Cantini L, Guida A, et al. Prevalence and impact of COVID-19 sequelae on treatment pathways and survival of cancer patients who recovered from SARS-Cov-2 infection. Tumori. 2021;107(2 SUPPL):72-73.
- 635. Guven BB, Erturk T, Ersoy A. A serious complication after long-term COVID-19 ards treatment: Tracheal stenosis. (A case report). Acta Medica Mediterranea. 2021;37(6):2953-2956.
- 636. Vannorsdall TD, Brigham E, Fawzy A, et al. Rates of Cognitive Dysfunction, Psychiatric Distress, and Functional Decline After COVID-19. Journal of the Academy of Consultation Liaison Psychiatry. 2021.
- 637. Karagodin I, Singulane CC, Descamps T, et al. Ventricular Changes in Patients with Acute COVID-19 Infection: Follow-up of the World Alliance Societies of Echocardiography (WASE-COVID) Study. J Am Soc Echocardiogr. 2021.
- 638. Baltaziak K, Szpringer A, Czarnek-Chudzik A, et al. Quadrantanopia as the only symptom of post-COVID stroke in the occipital pole: Case report. Medicine (Baltimore). 2021;100(44):e27542.
- 639. McPeake J, Shaw M, MacTavish P, et al. Long-term outcomes following severe COVID-19 infection: a propensity matched cohort study. BMJ Open Respir Res. 2021;8(1):12.

- 640. Tleyjeh IM, Saddik B, AlSwaidan N, et al. Prevalence and predictors of Post-Acute COVID-19 Syndrome (PACS) after hospital discharge: A cohort study with 4 months median follow-up. PLoS ONE. 2021;16(12):e0260568.
- 641. Nune A, Durkowski V, Titman A, et al. Incidence and risk factors of long COVID in the UK: a single-centre observational study. J R Coll Physicians Edinb. 2021;51(4):338-343.
- 642. Peluso MJ, Lu S, Tang AF, et al. Markers of Immune Activation and Inflammation in Individuals With Postacute Sequelae of Severe Acute Respiratory Syndrome Coronavirus 2 Infection. J Infect Dis. 2021;224(11):1839-1848.
- 643. MacTavish P, McPeake J, Breslin A, et al. Evaluation of medication changes following severe COVID-19 infection: a multicentre evaluation. BMJ Open Respir Res. 2021;8(1):12.
- 644. Robbins T, Gonevski M, Clark C, et al. Hyperbaric oxygen therapy for the treatment of long COVID: early evaluation of a highly promising intervention. Clin Med (Northfield II). 2021;21(6):e629-e632.
- 645. Petersen MS, Kristiansen MF, Hanusson KD, et al. Long COVID in the Faroe Islands: A Longitudinal Study Among Nonhospitalized Patients. Clin Infect Dis. 2021;73(11):e4058-e4063.
- 646. Nagarajan R, Krishnamoorthy Y, Basavarachar V, Dakshinamoorthy R. Prevalence of post-traumatic stress disorder among survivors of severe COVID-19 infections: A systematic review and meta-analysis. J Affect Disord. 2021;299:52-59.
- 647. Patrucco F, Zeppegno P, Baricich A, et al. Long-lasting consequences of Coronavirus disease 19 pneumonia: a systematic review. Minerva Med. 2021;03:03.
- 648. Behnood SA, Shafran R, Bennett SD, et al. Persistent symptoms following SARS-CoV-2 infection among children and young people: a meta-analysis of controlled and uncontrolled studies. J Infect. 2021;20:20.
- 649. Vlake JH, Van Bommel J, Wils EJ, et al. Intensive Care Unit-specific Virtual Reality for COVID-19 ICU survivors. Intensive care medicine experimental. 2021;9(SUPPL 1).
- 650. NCT05104749: Homeopathic Treatment of Post-acute COVID-19 Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/ct2/show/NCT05104749. 2021.
- 651. Noviello D, Costantino A, Muscatello A, et al. Functional Gastrointestinal and Somatoform Symptoms Five Months After Sars-Cov-2 Infection: A Controlled Cohort Study. Dig Liver Dis. 2021;53(Supplement 3):S119-S120.
- 652. Davies A, Asenius F, Alrubaiy L. The long-term follow-up of COVID-19 related liver injury. Gut. 2021;70(SUPPL 4):A122.
- 653. Tleyjeh IM, Saddik B, Ramakrishnan RK, et al. Long term predictors of breathlessness, exercise intolerance, chronic fatigue and well-being in hospitalized patients with COVID-19: A cohort study with 4 months median follow-up. J Infect Public Health. 2022;15(1):21-28.
- 654. David JA, Fivgas GD. Acute macular neuroretinopathy associated with COVID-19 infection. American Journal of Ophthalmology Case Reports. 2021;24.
- 655. Cassar MP, Tunnicliffe EM, Petousi N, et al. Symptom Persistence Despite Improvement in Cardiopulmonary Health Insights from longitudinal CMR, CPET and lung function testing post-COVID-19. EClinicalMedicine. 2021;41.
- 656. Goudman L, De Smedt A, Noppen M, Moens M. Is central sensitisation the missing link of persisting symptoms after COVID-19 infection? J Clin Med. 2021;10(23).
- 657. Park HY, Song IA, Oh TK. Insomnia disorder among coronavirus disease survivors: A south korean nationwide cohort study. Psychiatry Investig. 2021;18(11):1082-1090.
- 658. Pyae PK, Navarra A, Webb R, et al. Three-month cardiac outcomes of survivors of COVID-19 presenting to a district general hospital in West Hertfordshire, UK. Eur Heart J. 2021;42(SUPPL 1):3137.
- 659. Ingul CB, Grimsmo J, Mecinaj A, et al. Cardiac arrhythmias 3 months after hospitalization for COVID-19. Eur Heart J. 2021;42(SUPPL 1):414.
- 660. Shechter A, Yelin D, Hamdan A, et al. Cardio-COVID clinic-a one-center experience. Eur Heart J. 2021;42(SUPPL 1):2738.
- 661. Radvan M, Kamenik M, Koc L, Bartecku E, Sykorova L, Kala P. Echocardiography and ECG monitoring not very beneficial in COVID-19 follow-up even in long haulers. Eur Heart J. 2021;42(SUPPL 1):2729.

- 662. Ybarra Falcon C, Aparisi A, Garcia Gomez M, et al. Post-COVID-19 syndrome: Prospective evaluation of clinical and functional outcomes. Eur Heart J. 2021;42(SUPPL 1):2767.
- 663. Espejo C, Mejia-Renteria H, Travieso A, et al. Myocardial ischaemia of non-obstructive origin as a cause of new onset anginal chest pain in the long COVID syndrome. Eur Heart J. 2021;42(SUPPL 1):1078.
- 664. Staudt A, Jorres RA, Hinterberger T, Lehnen N, Loew T, Budweiser S. Associations of Post-Acute COVID syndrome with physiological and clinical measures 10 months after hospitalization in patients of the first wave. Eur J Intern Med. 2021.
- 665. Penetra SLS, da Silva MFB, Resende P, et al. Post-acute COVID-19 syndrome after reinfection and vaccine breakthrough by the SARS-CoV-2 Gamma variant in Brazil. Int J Infect Dis. 2022;114:58-61.
- 666. Erber J, Wiessner JR, Zimmermann GS, et al. Longitudinal assessment of health and quality of life of covid-19 patients requiring intensive care-an observational study. J Clin Med. 2021 Nov 23;10(23):5469.
- 667. Sivan M, Parkin A, Makower S, Greenwood DC. Post-COVID syndrome symptoms, functional disability, and clinical severity phenotypes in hospitalized and nonhospitalized individuals: A cross-sectional evaluation from a community COVID rehabilitation service. J Med Virol. 2021.
- 668. Abrams RMC, Simpson DM, Navis A, Jette N, Zhou L, Shin SC. Small fiber neuropathy associated with SARS-CoV-2 infection. Muscle Nerve. 2021.
- 669. Schweitzer F, Goereci Y, Franke C, et al. Cerebrospinal Fluid Analysis Post-COVID-19 Is Not Suggestive of Persistent Central Nervous System Infection. Ann Neurol. 2021.
- 670. Rheault S. Severe COVID-19 and long COVID in a 31-year-old woman with incontinentia pigmenti: A case report. SAGE Open Med Case Rep. 2021;9.
- 671. Bedanie G, Tikue A, Thongtan T, et al. A rare and late complication of COVID-19 infection: pneumatosis intestinalis. Am J Gastroenterol. 2021;116(SUPPL):S828-S829.
- 672. Chauhan M, Nzeako I, Li F, Thuluvath P. Long-term symptoms after covid-19 compared to a control group. Am J Gastroenterol. 2021;116(SUPPL):S226.
- 673. Adlakha N, Zacks S, Russo M. Prevalence of COVID-19 in patients with cirrhosis undergoing outpatient pre-endoscopy testing. Am J Gastroenterol. 2021;116(SUPPL):S543.
- 674. Singhal P, Nguyen SH. Lymphocytic esophagitis: An unlikely mimicker of gastroesophageal reflux disease in the COVID-19 era. Am J Gastroenterol. 2021;116(SUPPL):S1456.
- 675. van Haastregt JCM, Everink IHJ, Schols JMGA, et al. Management of post-acute COVID-19 patients in geriatric rehabilitation: EuGMS guidance. Eur Geriatr Med. 2021.
- 676. Compagnone N, Palumbo D, Cremona G, et al. Residual lung damage following ARDS in COVID-19 ICU survivors. Acta Anaesthesiol Scand. 2021.
- 677. Jimeno-Almazan A, Pallares JG, Buendia-Romero A, Martinez-Cava A, Courel-Ibanez J. Chronotropic incompetence in nonhospitalized patients with post-covid-19 syndrome. J Clin Med. 2021;10(22).
- 678. Wallin E, Hultstrom M, Lipcsey M, Frithiof R, Rubertsson S, Larsson IM. Intensive care-treated COVID-19 patients' perception of their illness and remaining symptoms. Acta Anaesthesiol Scand. 2021.
- 679. Chen X, Li Y, Shao TR, et al. Some characteristics of clinical sequelae of COVID-19 survivors from Wuhan, China: A multicenter longitudinal study. Influenza Other Respi Viruses. 2021.
- 680. Baranauskas MN, Carter SJ. Evidence for impaired chronotropic responses to and recovery from 6-minute walk test in women with post-acute COVID-19 syndrome. Exp Physiol. 2021.
- 681. Mancini DM, Brunjes DL, Lala A, Trivieri MG, Contreras JP, Natelson BH. Use of Cardiopulmonary Stress Testing for Patients With Unexplained Dyspnea Post-Coronavirus Disease. JACC Heart Fail. 2021;9(12):927-937.
- 682. Fink TT, Marques HHS, Gualano B, et al. Persistent symptoms and decreased health-related quality of life after symptomatic pediatric COVID-19: A prospective study in a Latin American tertiary hospital. Clinics. 2021;76:e3511.

- 683. Doane JJ, Hirsch KS, Baldwin JO, Wurfel MM, Pipavath SN, West TE. Progressive Pulmonary Fibrosis After Non-Critical COVID-19: A Case Report. Am J Case Rep. 2021;22:e933458.
- 684. MacIntosh BJ, Ji X, Chen JJ, et al. Brain structure and function in people recovering from COVID-19 after hospital discharge or self-isolation: a longitudinal observational study protocol. CMAJ Open. 2021;9(4):E1114-E1119.
- 685. Garjani A, Middleton RM, Nicholas R, Evangelou N. Recovery From COVID-19 in Multiple Sclerosis: A Prospective and Longitudinal Cohort Study of the United Kingdom Multiple Sclerosis Register. Neurol Neuroimmunol Neuroinflamm. 2022;9(1):01.
- 686. Lopes AJ, Litrento PF, Provenzano BC, et al. Small airway dysfunction on impulse oscillometry and pathological signs on lung ultrasound are frequent in post-COVID-19 patients with persistent respiratory symptoms. PLoS ONE. 2021;16(11):e0260679.
- 687. Nakagawara K, Namkoong H, Terai H, et al. Comprehensive and long-term surveys of COVID-19 sequelae in Japan, an ambidirectional multicentre cohort study: study protocol. BMJ Open Respir Res. 2021;8(1):11.
- 688. Janssen MT, Ramiro S, Mostard RL, Magro-Checa C, Landewe RB. Three-month and six-month outcomes of patients with COVID-19 associated hyperinflammation treated with short-term immunosuppressive therapy: follow-up of the CHIC study. RMD Open. 2021;7(3):11.
- 689. Dandawate N, Humphreys C, Gordan P, Okin D. Diaphragmatic paralysis in COVID-19: a rare cause of postacute sequelae of COVID-19 dyspnoea. BMJ Case Rep. 2021;14(11):23.
- 690. Wynberg E, van Willigen HDG, Dijkstra M, et al. Evolution of Coronavirus Disease 2019 (COVID-19) Symptoms During the First 12 Months After Illness Onset. Clin Infect Dis. 2021;ciab759.
- 691. Cha C, Baek G. Symptoms and management of long COVID: A scoping review. J Clin Nurs. 2021.
- 692. Varanasi S, Sathyamoorthy M, Chamakura S, Shah SA. Management of Long-COVID Postural Orthostatic Tachycardia Syndrome With Enhanced External Counterpulsation. Cureus. 2021;13(9):e18398.
- 693. Gérard M, Mahmutovic M, Malgras A, et al. Long-Term Evolution of Malnutrition and Loss of Muscle Strength after. Nutrients. 2021;13(11):3964.
- 694. Li P, Zhao W, Kaatz S, Latack K, Schultz L, Poisson L. Factors Associated With Risk of Postdischarge Thrombosis in Patients With COVID-19. JAMA Network Open e2135397. 2021;11(22).
- 695. Moreno-Gomez LM, Esteban-Sinovas O, Garcia-Perez D, Garcia-Posadas G, Delgado-Fernandez J, Paredes I. Case Report: SARS-CoV-2 Infection-Are We Redeemed? A Report of Candida Spondylodiscitis as a Late Complication. Frontiers in Medicine. 2021;8.
- 696. Vaira LA, Salzano G, Bon SL, et al. Prevalence of Persistent Olfactory Disorders in Patients With COVID-19: A Psychophysical Case-Control Study With 1-Year Follow-up. Otolaryngology Head and Neck Surgery. 2021.
- 697. Zhou F, Tao M, Shang L, et al. Assessment of Sequelae of COVID-19 Nearly 1 Year After Diagnosis. Frontiers in Medicine. 2021;8.
- 698. Jozuka R, Kimura H, Uematsu T, et al. Severe and long-lasting neuropsychiatric symptoms after mild respiratory symptoms caused by COVID-19: A case report. Neuropsychopharmacology Reports. 2021.
- 699. Pednekar P, Amoah K, Homer R, Ryu C, Lutchmansingh DD. Case Report: Bullous Lung Disease Following COVID-19. Frontiers in Medicine. 2021;8.
- 700. Mazza MG, Palladini M, De Lorenzo R, et al. One-year mental health outcomes in a cohort of COVID-19 survivors. J Psychiatr Res. 2022;145:118-124.
- 701. Bottemanne H, Gouraud C, Hulot JS, et al. Do Anxiety and Depression Predict Persistent Physical Symptoms After a Severe COVID-19 Episode? A Prospective Study. Front Psychiatry. 2021;12.
- 702. Nesan G, Keerthana D, Yamini R, et al. 3-Month Symptom-Based Ambidirectional Follow-up Study Among Recovered COVID-19 Patients from a Tertiary Care Hospital Using Telehealth in Chennai, India. Inquiry. 2021;58:469580211060165.
- 703. Hossain MA, Hossain KMA, Saunders K, et al. Prevalence of Long COVID symptoms in Bangladesh: a prospective Inception Cohort Study of COVID-19 survivors. BMJ glob. 2021;6(12).

- 704. Reid JC, Costa AP, Duong M, et al. Functional recovery following hospitalisation of patients diagnosed with COVID-19: a protocol for a longitudinal cohort study. BMJ Open. 2021;11(12):e053021.
- 705. Jovanoski N, Chen X, Becker U, et al. Severity of COVID-19 and adverse long-term outcomes: a retrospective cohort study based on a US electronic health record database. BMJ Open. 2021;11(12):e056284.
- 706. Magnusson JM, Silverborn M, Broome M, Riise GC, Dellgren G. Long-term Extracorporeal Membrane Oxygenation Bridge to Lung Transplantation After COVID-19. Ann Thorac Surg. 2022;113(1):e5-e8.
- 707. Xu J, Zhou M, Luo P, et al. Plasma Metabolomic Profiling of Patients Recovered From Coronavirus Disease 2019 (COVID-19) With Pulmonary Sequelae 3 Months After Discharge. Clin Infect Dis. 2021;73(12):2228-2239.
- 708. Tessitore E, Handgraaf S, Poncet A, et al. Symptoms and quality of life at 1-year follow up of patients discharged after an acute COVID-19 episode. Swiss Med Wkly. 2021;151:w30093.
- 709. Becker JH, Lin JJ, Doernberg M, et al. Assessment of Cognitive Function in Patients After COVID-19 Infection. JAMA Network 2021;4(10):e2130645-e2130645.

List of 183 Included Studies From Grey Literature

- 1. Viral Neuro Exploration (VINEx), COVID Long-Haulers Support Group Canada, Neurological Health Charities Canada. Report on Pan-Canadian Long Covid Impact Survey June 8th 2021. Neurological Health Charities Canada (NHCC); 2021: https://mybrainmatters.ca/wp-content/uploads/Report-on-Long-Covid-Impact-Survey-Final-June-8-2021.pdf.
- Office for National Statistics. Coronavirus (COVID-19) vaccination and self-reported long COVID in the UK. Newport, UK: Office for National Statistics; 2021: https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/conditionsanddiseases/datasets/coronaviruscovid 19vaccinationandselfreportedlongcovidintheuk. Accessed 2021 Dec 1.
- Office for National Statistics. The prevalence of long COVID symptoms and COVID-19 complications. Newport, UK: Office for National Statistics; 2020: https://www.ons.gov.uk/news/statementsandletters/theprevalenceoflongcovidsymptomsandcovid19complications. Accessed 2021 Dec 1.
- Razak F, Katz GM, Cheung AM, et al. Understanding the Post COVID-19 Condition (Long COVID) and the Expected Burden for Ontario. Toronto, ON: Ontario COVID-19 Science Advisory Table; 2021: https://covid19-sciencetable.ca/wpcontent/uploads/2021/09/Understanding-the-Post-COVID-19-Condition-Long-COVID-and-the-Expected-Burden-for-Ontario_published_20210914-3.pdf. Accessed 2021 Dec 1.
- 5. Alberta Health Services. COVID-19 Scientific Advisory Group Rapid Evidence Report. What is known about the optimal management for patients with post-COVID conditions or complications occurring after acute COVID-19 infection? Edmonton, Alberta: Alberta Health Services, 2021: https://www.albertahealthservices.ca/assets/info/ppih/if-ppih-covid-19-sag-rapid-review-management-post-covid-conditions.pdf. Accessed 2021 Dec 1.
- 6. Scottish Intercollegiate Guidelines Network. Managing the long-term effects of COVID-19: National guidance for identification, assessment and management. 2021: https://www.sign.ac.uk/media/1833/sign161-long-term-effects-of-covid19-11.pdf.
- Centers for Disease Control and Prevention. Evaluating and Caring for Patients with Post-COVID Conditions: Interim Guidance. Atlanta, Georgia: Centers for Disease Control and Prevention; 2021: https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinicalcare/post-covid-index.html. Accessed 2021 Dec 1.
- Australian and New Zealand Intensive Care Society. COVID-19 Guidelines Camberwell, Australia: Australian and New Zealand Intensive Care Society, 2021: https://www.anzics.com.au/wp-content/uploads/2021/09/ANZICS-COVID-19-Guidelines-Version-4.pdf. Accessed 2021 Dec 1.
- Royal Australian College of General Practitioners. Caring for patients with post–COVID-19 conditions East Melbourne, Victoria: Royal Australian College of General Practitioners, 2021: https://www.racgp.org.au/FSDEDEV/media/documents/RACGP/Coronavirus/Post-COVID-19-conditions.pdf. Accessed 2021 Dec 1.
- 10. Shah AS, Wong AW, Hague CJ, et al. A prospective study of 12-week respiratory outcomes in COVID-19-related hospitalisations. *Thorax.* 2021;76(4):402.
- 11. Canadian Agency for Drugs and Technologies in Health. Risk Factors and Preventive Interventions for Post–COVID-19 condition. Ottawa, ON: CADTH; 2021: https://www.cadth.ca/risk-factors-and-preventive-interventions-post-covid-19-condition. Accessed 2021 Dec 1.
- 12. ECRI. Rehabilitation for Patients with Postacute Sequela of COVID-19. Plymouth Meeting, PA: ECRI; 2021. Accessed 2021 Dec 1.
- 13. Hacettepe University. Investigation of Validity and Reliability of Post-COVID-19 Functional Status Scale. 2020.
- 14. University Hospital Ghent, UCB Pharma. Zilucoplan® in Improving Oxygenation and Short- and Long-term Outcome of COVID-19 Patients With Acute Hypoxic Respiratory Failure. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04382755; 2020.
- 15. Fondation Ophtalmologique Adolphe de Rothschild. Ocular Sequelae of Patients Hospitalized for Respiratory Failure During the COVID-19 Epidemic. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04387292; 2020.
- 16. Corpometria Institute. EAT-DUTA AndroCoV Trial. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04729491; 2020.

- 17. UNICEF, Pak Emirates Military Hospital Rawalpindi. Investigational Treatments for COVID-19 in Tertiary Care Hospital of Pakistan. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04492501; 2020.
- 18. Olfactory Disfunction and Co-ultraPEALut. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04853836. 2021.
- Rajaie Cardiovascular Medical and Research Center. Intermediate-dose vs Standard Prophylactic Anticoagulation and Statin vs Placebo in ICU Patients With COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04486508; 2020.
- Assistance Publique Hôpitaux de Paris. Study Project Comparing the Sequelae of COVID-19 Infection in Patients Who Have and Have Not Received Ventilatory Support in Critical Care (COMEBAC). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04704388; 2020.
- 21. Northwell Health. P-Co-Li (Pulmonary Covid-19 Study). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04782700; 2021.
- 22. Braunstahl GJ, Stichting O&O Franciscus Gasthuis & Vlietland. Lactoferrin in the treatment of Long COVID. Rotterdam, NL: St. Franciscus Gasthuis; 2021. Netherlands Trial Register: https://www.trialregister.nl/trial/9742. Accessed 2021 Dec 1.
- Rodero FG. Randomized, double-blind, placebo-controlled clinical trial to evaluate the efficacy and safety of the COMIRNATY vaccine (COVID-19 mRNA vaccine, Pfizer-BioNTech) in people with long COVID. EU Clinical Trials Register, 2021: https://www.clinicaltrialsregister.eu/ctr-search/search?guery=eudract_number:2021-003331-28. Accessed 2021 Dec 1.
- 24. Shukla AK. ICMR RUMC COVID-19 Sequelae Study among Health Care Workers MADHYA PRADESH, India AIIMS; Clinical Trials Registry India. 2021: http://www.ctri.nic.in/Clinicaltrials/pmaindet2.php?trialid=53972. Accessed 2021 Dec 1.
- 25. Kearns N. The long-term impacts of COVID-19 on confirmed cases in Wellington, New Zealand: An observational, crosssectional study. Wellington, New Zealand: Wellington Hospital; 2021. https://anzctr.org.au/Trial/Registration/TrialReview.aspx?ACTRN=12621000524897. Accessed 2021 Dec 1.
- Lau D. Postural orthostatic tachycardia syndrome (POTS) in Long COVID syndrome: A detailed profiling study. ADELAIDE, Australia: University of Adelaide; 2021: https://anzctr.org.au/Trial/Registration/TrialReview.aspx?ACTRN=12621000476831. Accessed 2021 Dec 1.
- 27. Sawant NS. To study the psychiatric sequelae in COVID-19 infection recovered resident doctors and interns of a tertiary health care hospital. MAHARASHTRA, India: Seth GSMC and KEM Hospital; Clinical Trials Registry India. 2021: http://www.ctri.nic.in/Clinicaltrials/pmaindet2.php?trialid=48352. Accessed 2021 Dec 1.
- 28. Hasanuddin University, Chulalongkorn University. Post Coronavirus Disease (COVID-19) Syndrome Indonesian Population. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05060562; 2021.
- 29. Vortioxetine for Post-Covid-19 Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05047952. 2021.
- Emilia Falcone M, Institut de Recherches Cliniques de Montreal. Institut de Recherche Cliniques de Montreal (IRCM) Post-COVID-19 (IPCO) Research Clinic. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04736732; 2021.
- 31. Rabin Medical Center. Characterizing Long-term Cognitive and Emotional Impairment in Post-COVID-19 Sequelae. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04881305; 2021.
- 32. Technische Universität Dresden. Post-COVID-19 Monitoring in Routine Health Insurance Data. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05074953; 2021.
- Universidade Federal do Rio Grande do Norte. Efficacy of Home Inspiratory Muscle Training in Post-covid-19 Patients: a Randomized Clinical Trial. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05077241; 2021.
- Louis Bherer, Montreal Heart Institute. Cardiopulmonary Rehabilitation in Long COVID-19 Patients With Persistent Breathlessness and Fatigue. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05035628; 2021.
- 35. The University of Texas Medical Branch G. Endocrine, Metabolic and Microbiome Influence on the Post COVID-19 Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04860869; 2021.

- 36. Universitair Ziekenhuis Brussel. poSt Covid-19 Infection centraL Sensitisation 2 (SILENT 2). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04701892; 2021.
- 37. Moens Maarten, Universitair Ziekenhuis Brussel. Dysautonomia in Patients Post COVID-19 Infection. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04716465; 2021.
- 38. Evaluation of the Efficacy of Probiotics to Reduce the Occurrence of Long COVID. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05080244. 2021.
- 39. Study of Allogeneic Adipose-Derived Mesenchymal Stem Cells to Treat Post COVID-19 "Long Haul" Pulmonary Compromise. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04992247. 2021.
- 40. Medialis Ltd. Post Acute COVID-19 Quality of Life (PAC-19QoL) Tool Development and Patient Registry (PAC-19QoLReg). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04586413; 2020.
- 41. Chudzik M. Early and Late Complications of COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05018052; 2020.
- 42. Hôpital Européen Marseille. Assessment of Long-term Impact Post COVID-19 for Patients and Health Care Professionals of the European Hospital. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04525911; 2020.
- Johns Hopkins University. COVID-19 Recovery Study: Symptoms and Biomarkers of Long COVID-19 in People Living With and Without HIV. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04958889; 2021.
- University of Calgary, Alberta Health Services. A Pilot Study of a PhysiOthErapy-based Tailored Intervention for Long Covid (POETIC). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05040893; 2021.
- 45. Hegau-Bodensee-Klinikum Singen. Fatigue a Long COVID-19 Symptom Substudy of FSC19-KN Trial (SubFSC19-KN). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04883190; 2021.
- 46. Peter Lindholm, University of California, San Diego. Hyperbaric Oxygen for Long COVID-19 Pulmonary Sequela. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04905888; 2021.
- 47. University of Derby. Profiling Recovery of Those Discharged Into the Community With COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04649957; 2021.
- 48. Post-Acute Sequelae of Coronavirus-19 (COVID-19) With Dyspnea on Exertion And Associated TaChycardia TrEatment Study. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05096884; 2022.
- 49. Assessing the Efficacy of Sirolimus in Patients With COVID-19 Pneumonia for Prevention of Post-COVID Fibrosis. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04948203; 2021.
- University of Zurich. Long COVID in Military Organisations. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04942249; 2021.
- 51. The Effect of Whole Body Vibration Training in Individuals With Post COVID 19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05119634; 2021.
- 52. Study of Biomarkers in the Long-term Impact of Coronavirus Infection in the Cardiorespiratory System. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04353245; 2020.
- Physiological Studies in Post-COVID-19 Syndrome, and the Association With DNA Methylation. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04859894; 2021.
- 54. Physical Activity Post COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04768257; 2021.
- 55. Enhancing COVID Rehabilitation With Technology. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05019963. 2021.
- Roche. A Six-Month Follow-Up Study of Participants With Coronavirus Disease 2019 (COVID-19) Previously Enrolled in a RO7496998 (AT-527) Study. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05059080; 2021.

- 57. Mechanisms Underlying Long-term Fatigue and Exercise Intolerance Following CoV-2 Infection. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04914754; 2021.
- 58. Long Term Outcomes in COVID-19 Patients Recruited in the CORIST Project. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04907890; 2022.
- 59. of Monoclonal Antibody Treatment on Post-Acute COVID-19 Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05013723; 2021.
- 60. Clinical, Functional, Immunological and Genetic Factors on the Severity of the Course of Coronavirus Infection. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04987853; 2021.
- 61. Collection of SARS CoV-2 (COVID-19) Virus Secretions and Serum for Countermeasure Development. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04956445; 2020.
- 62. Post Covid-19 Cardiopulmonary and Immunological Changes. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04388436; 2020.
- 63. Evaluation of Post-covid 19 Patients Who Receive Ozonetheraphy With Thorax CT. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04789395; 2020.
- 64. COVID-19 Respiratory Outcomes Registry. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05074875; 2021.
- 65. Post-COVID-Health Study: Multidimensional Health Status of COVID-19 Survivors One Year After a SARS-CoV-2 Infection. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04794985; 2021.
- 66. Treatment of Post-covid Syndrome in Patients Treated in Intensive Care. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05119608. 2021.
- 67. Clinical Presentations and Outcomes of Patients With Covid-19 Pneumonia. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05092555; 2021.
- 68. Optimization of Patients Long-term Management After the Coronavirus Infection COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04871789; 2021.
- 69. Pattaro C, Barbieri G, Foco L, et al. Prospective epidemiological, molecular, and genetic characterization of a novel coronavirus disease in the Val Venosta/Vinschgau: the CHRIS COVID-19 study protocol. *Pathog Glob Health.* 2021:1-9.
- 70. Mikhail Dziadzko M, PhD, Poincaré HR, Hospital B, Croix-Rousse Hdl. Chronic Pain in COVID-19 Patients Discharged From Intensive Care Unit. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04940208; 2021.
- 71. Madrid St Carlos Hospital, Spain. International COVID-19 Clinical Evaluation Registry -2 (HOPE-2). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04778020; 2021.
- 72. Real World Study of COVID-19 in a Flyover Region. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04962347; 2021.
- 73. Improvement of the Nutritional Status Regarding Nicotinamide (Vitamin B3) and the Disease Course of COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04751604; 2021.
- Resistance Training and Clinical Status in Patients With Post Discharge Symptoms After Covid-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04797871. 2021.
- 75. Fluvoxamine for Early Treatment of Covid-19 (Stop Covid 2). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04668950; 2020.
- 76. Natural History Study of COVID-19 Using Digital Wearables. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04927442; 2022.
- 77. Pirfenidone vs. Nintedanib for Fibrotic Lung Disease After Coronavirus Disease-19 Pneumonia. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04856111; 2021.
- 78. Study of AffloVest in At-Risk Respiratory Patients During COVID-19 Pandemic. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04654481. 2020.
- 79. COVID-19. CT-Scan Modeling in COVID19 Sequelae. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04747769; 2021.

- 80. Post Acute Sequelae of COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04964115; 2021.
- Evaluation of Long Haul COVID-19 and Vaccine Immunogenicity in Patients With Liver Disease. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05107271; 2021.
- 82. COVID-OUT: Early Outpatient Treatment for SARS-CoV-2 Infection (COVID-19). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04510194; 2021.
- 83. Cohort Follow-up of Survivors of Hospitalization for COVID-19 During the 2nd Wave of the Epidemic in France. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04934202; 2021.
- 84. Sequelae of COVID-19 With Focus on Exercise Capacity and Underlying Mechanisms. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05118711; 2022.
- 85. Functional Recovery of Hospitalised Patients With COVID-19: The COREG Extension Study. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04602260; 2020.
- 86. Determinants of SARS-COV2 (COVID-19) Persistence After Convalescence. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04448145; 2020.
- Hamilton RSJs-, Ltd CAP. COVID-19 Related Lung Ventilation and Perfusion Injury. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04549636; 2020.
- Study to Assess Efficacy and Safety of Inhaled Interferon-β Therapy for COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04732949; 2021.
- 89. The Effect of Home-based Exercise on Functional Capacity of Covid-19 Survivor With Cardiovascular Comorbidity. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05077943. 2021.
- 90. Evaluation of Physical and Functional Status in Patients With COVID-19 in Long Term. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04836767; 2021.
- 91. Home Management of Adult Egyptian Mild COVID-19 Cases. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04515199; 2020.
- 92. Pediatric COVID Outcomes Study (PECOS). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04830852; 2021.
- 93. Intersectoral Platform (SÜP) of the National Pandemic Cohort Network (NAPKON). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04768998; 2020.
- 94. Sequelae of Sars-CoV-2 Infections. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04442789; 2020.
- 95. University of Chicago. Long Term Outcomes of Patients With COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04360538; 2020.
- 96. A Longitudinal Study of COVID-19 Sequelae and Immunity. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04411147; 2020.
- 97. Medium and Long Term Follow-up of COVID-19 Infected Patients: Research and Characterization of Pulmonary Sequelae. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04519320; 2020.
- 98. University of Alberta. Corticosteroids for COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04795583; 2021.
- COVID-19: A Scope Research on Epidemiology and Clinical Course. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05046769; 2020.
- 100. A Real-world Evidence Study of BNT162b2 mRNA Covid-19 Vaccine in Brazil. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05052307; 2021.
- 101. Analysis of the Pathophysiology and Pathology of Coronavirus Disease 2019 (COVID-19), Including Chronic Morbidity. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04747366; 2020.
- 102. Lung Structure-Function In Survivors of Mild and Severe COVID-19 Infection. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04584671; 2020.

- 103. The Norwegian Study of Nervous System Manifestations and Sequelae After COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04576351; 2020.
- 104. Long Term Outcome in ICU Treated COVID-19: New Chronic Diseases. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05075096; 2021.
- 105. Chita State Regional Clinical Hospital Number 1. Spironolactone and Dexamethasone in Patients Hospitalized With COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04826822; 2021.
- 106. Follow-up of Covid-19 Long Term Sequelae. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05097677; 2021.
- 107. Longitudinal Changes in Characteristics of COVID-19 Survivors and Their Long-term Follow-up Study. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05004246; 2021.
- Long-term Effects of COVID-19: a Comparative Cohort Study. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05002205; 2021.
- 109. Neurological and Neuropsychological Sequelae of COVID-19 Infection. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04745611; 2020.
- 110. COVID-19, Aging, and Cardiometabolic Risk Factors Study. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04802044; 2020.
- 111. Long-term Neurocognitive and Psychiatric Consequences in Severe COVID-19 Survivors. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05019300; 2021.
- 112. EuRopean Study of MAjor Infectious Disease Syndromes Related to COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04364711; 2020.
- 113. Prevalence of Long-term Respiratory Complications of Severe SARS-CoV-2 Pneumonia COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04376840; 2020.
- 114. Quality of Life and Patient-centered Outcomes After ICU Admission for COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04416464; 2020.
- 115. Prospective Clinical and Virological Analysis of Healthcare Workers Diagnosed Positive for Covid-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04858581; 2021.
- 116. Impact of SARS-CoV-2 (COVID-19) Infection, Treated in Ambulatory Care, on Long-term Quality of Life in a Parisian Military Population. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04893070; 2021.
- 117. Study to Investigate Long-term Pulmonary and Extrapulmonary Effects of COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04581135; 2020.
- 118. Innovative Support for Patients With SARS-COV2 Infections (COVID-19) Registry (INSPIRE). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04610515; 2020.
- 119. COVID-Like Illness Respiratory Pathogens. A Prospective Cohort on the COVID-19 Post-acute Condition. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05047666; 2021.
- 120. Jiménez JFM. Evolution of Coronavirus Disease 2019 (COVID-19) Patients in Extremadura. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04724850; 2021.
- 121. Follow-up of Respiratory Sequelae of Hospitalized Patients With COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04505631; 2020.
- 122. Covid-19 Respiratory Sequelae French Cohort. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05075785; 2021.
- 123. REassessement After Hospitalization for Sars-COV-2 disordER. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04443257; 2020.
- 124. Physiopathology and Sequelae of COVID-19 Infection. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04563676; 2020.
- 125. Long-term Evolution of Pulmonary Involvement of Novel SARS-COV-2 Infection (COVID-19): Follow the Covid Study. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04605757; 2020.

- 126. Rehabilitation Needs and Functional Recovery in Covid-19 Acute and Post-acute Care. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04456036; 2020.
- 127. Follow-up of Patients with Covid-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04609839; 2020.
- 128. Lung Function, Exercise Capacity and Health-Related Quality of Life After Severe COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04410107; 2020.
- 129. Physical Training in Patients With POTS After Covid-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05094622; 2021.
- 130. Reconvalescent Plasma/Camostat Mesylate Early in SARS-CoV-2 Q-PCR (COVID-19) Positive High-risk Individuals. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04681430; 2021.
- 131. Predicting the Progression to Chronic Fibrosis of Lung Lesions Related to Covid-19 Infection From Chest CT Images. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04483752; 2020.
- 132. Neurological Outcome After SARS-CoV-2 Infection. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05025839; 2021.
- 133. Centre KBHK. Efficacy of CONvalescent Plasma in Patients With COVID-19 Treated With Mechanical Ventilation. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04558476; 2020.
- 134. Following Hospitalization in People of Working-age Surviving SARS-CoV-2 Infection COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04724395; 2021.
- 135. Respiratory Muscle Function, Dyspnea, Exercise Capacity and Quality of Life in Severe COVID19 Patients. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04853940; 2021.
- 136. Pulmonary Function in Patients Recovering From COVID19 Infection : a Pilot Study. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05074927; 2021.
- 137. Functional and Respiratory Rehabilitation and Nutritional Care of COVID-19 Patients (RECOVER-19). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04466800; 2020.
- 138. University JH, Hygiene LSo, Medicine T. Home-based Respiratory Physiotherapy and Telephone-Based Psychological Support in Severe COVID-19 Patients. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04649736; 2020.
- 139. COVID-19 Survivorship Registry. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04527315; 2020.
- 140. Carballeda JF. Intramuscular Effect of Polymerized Type I Collagen on the Cytokine Storm in COVID-19 Patients. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04517162; 2020.
- 141. COVID-19: Respiratory and Sleep Follow-up. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04406324; 2020.
- 142. Recovery of Respiratory System in COVID-19 Patients. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04954222; 2022.
- 143. Pharma C, CRO K. A Clinical Study Evaluating Inhaled Aviptadil on COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04844580; 2021.
- 144. Castanares-Zapatero D, Kohn L, Dauvrin M, et al. Long COVID: Pathophysiology epidemiology and patient needs. Brussels, Belgian: Belgian Health Care Knowledge Centre; 2021: https://kce.fgov.be/sites/default/files/atoms/files/KCE 344 Long Covid scientific report.pdf. Accessed 2021 Dec 1.
- 145. A randomized phase-II clinical trial to evaluate the effect of pirfenidone compared with placebo in pulmonary fibrosis post-COVID 19 [ENSAYO CLÍNICO RANDOMIZADO FASE-II, PARA EVALUAR EL EFECTO DE PIRFENIDONA COMPARADO CON PLACEBO EN LA FIBROSIS PULMONAR POST-COVID19.] ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT04607928; 2020.
- 146. AstraZeneca. A Phase III Randomized, Double-blind, Placebo-controlled, Multicenter Study to Determine the Safety and Efficacy of AZD7442 for the Treatment of COVID-19 in Non-hospitalized Adults. Södertälje, Sweden2021: https://www.clinicaltrialsregister.eu/ctr-search/trial/2020-005315-44/DE. Accessed 2021 Dec 1.

- 147. Sleep Characteristics in Post-COVID-19 Patients. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05124548; 2021.
- 148. Randomized Double-Blind Phase 2 Study of Allogeneic HB-adMSCs for the Treatment of Chronic Post-COVID-19 Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05126563; 2022.
- 149. Feasibility Pilot Clinical Trial of Omega-3 Supplement vs. Placebo for Post Covid-19 Recovery Among Health Care Workers. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05121766. 2021.
- 150. Effectiveness of a Physical Therapy Telerehabilitation Program in Long Post COVID-19 Symptoms in Primary Health Care. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05121688. 2021.
- 151. 'Long COVID-19' in Suffolk and North Essex: Defining the Disease and Optimising Outcomes. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05156593; 2021.
- 152. Evaluating the Response of the Immune System of People With Long COVID. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05131594; 2021.
- 153. Cohort Study for the Assessment of Long-term Impact of COVID-19 Among Moderate and Severe COVID-19 Patients in Brazil. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05165979; 2021.
- 154. Extension Study in a Cohort of Adult Patients With COVID-19 Infection. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05121740; 2022.
- 155. Residual Symptoms and the Quality of Life in Individuals Recovered From COVID-19 Infection: A Survey From Pakistan. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05148676; 2020.
- 156. PhysioMetrics. The Effect of Micellized Food Supplements on Health-related Quality of Life in Patients With Post-acute COVID-19 Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05150782; 2022.
- 157. Cardiac Magnetic Resonance Tissue Characterization in COVID-19 Survivors. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05164744; 2021.
- 158. Pfizer. Patient Reported Health-Related Quality of Life Associated With COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05160636; 2022.
- 159. Efficacy, Safety, Tolerability of AXA1125 in Fatigue Predominant PASC. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05152849. 2021.
- 160. Cognitive Assessment in COVID-19 Positive Patients Using the DANA App. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05143333; 2021.
- 161. University Health Network, Toronto; Unity Health; The Hospital for Sick Children; University of Toronto; Canadian Institutes of Health Research (CIHR); Canadian Frailty Network. The Canadian COVID-19 Prospective Cohort Study (CANCOV). ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05125510; 2020.
- 162. NHS Greater Glasgow and Clyde. Does weight management improve Long COVID symptoms in people with Long COVID and obesity? WHO ICTRP Clinical Trial Registry: https://trialsearch.who.int/Trial2.aspx?TrialID=ISRCTN12595520. 2021.
- 163. Haroon S. Therapies for Long COVID. Birmingham, United Kingdom: University of Birmingham. ISRCTN Registry. 2021: https://www.isrctn.com/ISRCTN15674970. Accessed 2021 Dec 1.
- 164. Schilling C. Neuropsychiatric long term symptoms following COVID-19: Causes, functional correlates and pathomechanisms. Mannheim, Germany: Universität Heidelberg; 2021: http://www.drks.de/DRKS00027230. Accessed 2021 Dec 1.
- 165. University of the West of Scotland. Using activity tracking and just-in-time messaging to improve adaptive pacing in people with long COVID: a pragmatic randomised control trial. A randomised controlled trial of activity tracking and JITAI managed adaptive pacing for symptoms of post-exertional malaise in people with long-COVID. WHO ICTRP Clinical Trial Registry: https://trialsearch.who.int/Trial2.aspx?TrialID=ISRCTN16033549. 2021.
- 166. Ontario Health. Post COVID-19 Condition: Guidance for Primary Care. Toronto, Ontario: Ontario Health; 2021: https://www.ontariohealth.ca/sites/ontariohealth/files/2021-12/PostCovidConditionsClinicalGuidance_EN.pdf. Accessed 2021 Dec 1.
- 167. Provincial Health Services Authority. Provincial Post-COVID-19 Recovery Care Pathway. 2021: http://www.phsa.ca/health-infosite/Documents/post_covid-19_Provincial_Recovery_Pathway.pdf.

- 168. INESSS. Management Support Tool Post-COVID-19 Conditions 2021: https://www.inesss.gc.ca/fileadmin/doc/INESSS/COVID-19/COVID-19 INESSS Management support tool post COVID.pdf.
- Exercise and Post-COVID/ Long-COVID: Effects of Different Training Modalities on Various Parameters in People Affected by the Sequelae of COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05204511; 2022.
- 170. Symptoms ,Signs and Complications That Appear After Infection With Covid 19 Virus. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05185700; 2022.
- 171. A Telemedicine Brief Mindfulness Intervention in Post-COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05175807; 2020.
- 172. Multimodal Investigation of Post COVID-19 in Females. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05225220; 2022.
- 173. Spa Rehabilitation, Antioxidant and Bioenergetic Supportive Treatment of Patients With Post-Covid-19 Syndrome. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05178225; 2021.
- 174. Symptom-based Rehabilitation Compared to Usual Care in Post-COVID a Randomized Controlled Trial. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05172206; 2022.
- 175. SOLIDARITY Finland Plus Long COVID-19. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05220280; 2022.
- 176. Impact of Long COVID-19 on the Health and Quality of Life of Military Personnel (Active or Retired) and Their Families. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05200832; 2022.
- 177. Biomarkers for Post-COVID Conditions. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05196516; 2022.
- 178. Physical and Cognitive Impairments in People Suffering From Long COVID. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05216536; 2021.
- 179. Efficacy of Gabapentin for Post-Covid-19 Olfactory Dysfunction. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05184192; 2022.
- 180. Telehealth Exercise Training in Post-COVID Patients. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05205460; 2021.
- 181. SENSING-AI Cohort for Long COVID Patients. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05204615; 2022.
- 182. The Canadian Respiratory Research Network Long COVID-19 Study. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05181670; 2022.
- 183. COVID-19 and Rhino-orbital Mucormycosis. ClinicalTrials.gov. Bethesda (MD): U.S. National Library of Medicine: https://clinicaltrials.gov/show/NCT05212961; 2021.