

CADTH RAPID RESPONSE REPORT: REFERENCE LIST

Mobilization for Hospitalized Older Adults: Guidelines

Service Line: Rapid Response Service

Version: 1.0

Publication Date: February 19, 2019

Report Length: 6 Pages



Authors: Calvin Young, Mary-Doug Wright

Cite As: Mobilization for Hospitalized Older Adults: Guidelines. Ottawa: CADTH; 2019 Feb. (CADTH rapid response report: reference list).

Disclaimer: The information in this document is intended to help Canadian health care decision-makers, health care professionals, health systems leaders, and policy-makers make well-informed decisions and thereby improve the quality of health care services. While patients and others may access this document, the document is made available for informational purposes only and no representations or warranties are made with respect to its fitness for any particular purpose. The information in this document should not be used as a substitute for professional medical advice or as a substitute for the application of clinical judgment in respect of the care of a particular patient or other professional judgment in any decision-making process. The Canadian Agency for Drugs and Technologies in Health (CADTH) does not endorse any information, drugs, therapies, treatments, products, processes, or services.

While care has been taken to ensure that the information prepared by CADTH in this document is accurate, complete, and up-to-date as at the applicable date the material was first published by CADTH, CADTH does not make any guarantees to that effect. CADTH does not guarantee and is not responsible for the quality, currency, propriety, accuracy, or reasonableness of any statements, information, or conclusions contained in any third-party materials used in preparing this document. The views and opinions of third parties published in this document do not necessarily state or reflect those of CADTH.

CADTH is not responsible for any errors, omissions, injury, loss, or damage arising from or relating to the use (or misuse) of any information, statements, or conclusions contained in or implied by the contents of this document or any of the source materials.

This document may contain links to third-party websites. CADTH does not have control over the content of such sites. Use of third-party sites is governed by the third-party website owners' own terms and conditions set out for such sites. CADTH does not make any guarantee with respect to any information contained on such third-party sites and CADTH is not responsible for any injury, loss, or damage suffered as a result of using such third-party sites. CADTH has no responsibility for the collection, use, and disclosure of personal information by third-party sites.

Subject to the aforementioned limitations, the views expressed herein do not necessarily reflect the views of Health Canada, Canada's provincial or territorial governments, other CADTH funders, or any third-party supplier of information.

This document is prepared and intended for use in the context of the Canadian health care system. The use of this document outside of Canada is done so at the user's own risk.

This disclaimer and any questions or matters of any nature arising from or relating to the content or use (or misuse) of this document will be governed by and interpreted in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein, and all proceedings shall be subject to the exclusive jurisdiction of the courts of the Province of Ontario, Canada.

The copyright and other intellectual property rights in this document are owned by CADTH and its licensors. These rights are protected by the Canadian *Copyright Act* and other national and international laws and agreements. Users are permitted to make copies of this document for non-commercial purposes only, provided it is not modified when reproduced and appropriate credit is given to CADTH and its licensors.

About CADTH: CADTH is an independent, not-for-profit organization responsible for providing Canada's health care decision-makers with objective evidence to help make informed decisions about the optimal use of drugs, medical devices, diagnostics, and procedures in our health care system.

Funding: CADTH receives funding from Canada's federal, provincial, and territorial governments, with the exception of Quebec.

Questions or requests for information about this report can be directed to requests@cadth.ca



Research Question

What are the evidence-based guidelines regarding mobilization to prevent or reduce functional decline in hospitalized older adults?

Key Findings

No relevant evidence-based guidelines were identified regarding mobilization to prevent or reduce functional decline in hospitalized older adults.

Methods

A limited literature search was conducted on key resources including PubMed, The Cochrane Library, University of York Centre for Reviews and Dissemination (CRD) databases, Canadian and major international health technology agencies, as well as a focused Internet search. Methodological filters were applied to limit retrieval to guidelines. Where possible, retrieval was limited to the human population. The search was also limited to English language documents published between January 1, 2009 and February 1, 2019.

Selection Criteria

One reviewer screened citations and selected studies based on the inclusion criteria presented in Table 1.

Table 1: Selection Criteria

Population	Hospitalized older adults aged ≥65 years with or without dementia; Hospitalized older adults with frailty aged ≥ 60 years
Intervention	Mobilization (e.g., getting the patient out of bed, exercise programs)
Comparator	No comparator
Outcomes	Guidelines
Study Designs	Evidence-based guidelines



Results

No evidence-based guidelines were identified regarding mobilization to prevent or reduce functional decline in hospitalized older adults.

References of potential interest are provided in the appendix.

Guidelines and Recommendations

No literature identified.



Appendix — Further Information

Previous CADTH Reports

- Exercise Interventions for the Delayed Progression or Reversal of Frailty. (CADTH rapid response report: summary of abstracts). Ottawa (ON): CADTH; 2018. https://cadth.ca/sites/default/files/pdf/htis/2018/RB1221%20Frailty%20Final.pdf
- Rehabilitation and Prevention of Hospital-Associated Deconditioning: Clinical Effectiveness and Guidelines. (CADTH rapid response report: summary of abstracts). Ottawa (ON): CADTH; 2018. https://www.cadth.ca/sites/default/files/pdf/htis/2018/RB1287%20HAD%20Final.pdf
- Mobilization of Adult Inpatients in Hospitals or Long-Term/Chronic Care Facilities:
 Benefits and Harms, Safety, and Guidelines. (CADTH rapid response report: summary
 of abstracts). Ottawa (ON): CADTH; 2014.
 https://www.cadth.ca/sites/default/files/pdf/htis/mar-2014/RB0654%20Ambulating%20Elderly%20Patients%20Final.pdf
- Unstructured Exercise Programs for Elderly Hospitalized Patients: Clinical Effectiveness. (CADTH rapid response report: reference list). Ottawa (ON): CADTH; 2013.

https://www.cadth.ca/sites/default/files/pdf/htis/may-2013/RA0622%20Exercise%20in%20LTC%20Final.pdf

Systematic Reviews and Meta-Analyses

 Forbes D, Thiessen EJ, Blake CM, Forbes. SC, Forbes S. Exercise programs for people with dementia. Cochrane Database Syst Rev. 2013;12:CD006489. https://www.ncbi.nlm.nih.gov/pubmed/24302466

Guidelines and Recommendations

Alternative Population - Not Specific to Hospitalized Individuals

- Sinclair AJ, Abdelhafiz A, Dunning T, et al. An International Position Statement on the Management of Frailty in Diabetes Mellitus: Summary of Recommendations 2017. J Frailty Aging. 2018;7(1):10-20. PubMed: PM29412437
- Dent E, Lien C, Lim WS, et al. The Asia-Pacific Clinical Practice Guidelines for the Management of Frailty. J Am Med Dir Assoc. 2017 Jul 1;18(7):564-575.
 PubMed: PM28648901
- Sims J, Hill K, Hunt S, Haralambous B. Physical activity recommendations for older Australians. *Australas J Ageing*. 2010 Jun;29(2):81-87.
 <u>PubMed: PM20553539</u>



Clinical Practice Guidelines – Unclear Methodology

- American Academy of Nursing's Expert Panel on Acute and Critical Care. Reducing Functional Decline in Older Adults during Hospitalization: A Best Practice Approach. Try This: best practices in nursing care to older adults. 2019; (31). https://consultgeri.org/try-this/general-assessment/issue-31.pdf
- de Souto Barreto P, Morley JE, Chodzko-Zajko W, et al. Recommendations on Physical Activity and Exercise for Older Adults Living in Long-Term Care Facilities: A Taskforce Report. J Am Med Dir Assoc. 2016 May 1;17(5):381-392. PubMed: PM27012368

Alternative Population - Not Specific to Hospitalized Individuals

 Guidelines & Protocols Advisory Committee. Frailty in hospitalized older adults: a clinical practice guideline. Victoria (BC): BCGuidelines.ca; 2012. https://www2.gov.bc.ca/assets/gov/health/practitioner-pro/bc-guidelines/frailty-full_guideline.pdf

Review Articles

 Kalisch BJ, Lee S, Dabney BW. Outcomes of inpatient mobilization: a literature review. J Clin Nurs. 2014 Jun;23(11-12):1486-501. http://www.rgpeo.com/media/61250/jcn%20outcomes.pdf